



PLUMBTM
EEZE
PRODUCT CATALOG

PLUMBEEZE.COM
VER. 1.0



PLUMBEEZE.COM

INDEX

A		G		S	
Air Volume Controls	9-3, 9-4	Garden Hose Fittings	4-5	Sediment Faucets	2-8
Alarms	11-1	Gas Appliance Connectors	4-2	Septobac Septic Treatment	12-2
B		Gas Ball Valves	2-6	Sillcock	2-9
Ball Valves		Gate Valves	2-7	Snifter Valves	9-3
- Brass	2-1	Gromet Kit	10-15	Stop Valves	2-7
- Push Fit	2-2	H		Stop & Waste Valves	2-7
- PVC	2-5	Hand Pump	10-18	Sump Pump Discharge Kit	11-3
- Stainless Steel	2-4	Heat Shrink Kits	10-14	Sump Pump Check Valves	11-3
Boiler Drain Valves	2-8	Hose	4-7	Supply Stop Valves	2-12
Braided PVC Hose	4-7	Hose Barbs	4-5	T	
Brass Fittings	3-12	Hose Bibbs	2-9	Tape	
C		Hose Clamps	5-1	- Electrical	7-3
Cable Guards	10-13	Hydrant Elbows		- Pipe Wrap	7-3
Check Valves		- Bronze	5-10	- PTFE	7-2
- Brass	10-9	- Stainless Steel	5-10	Tape Measure	7-1
- Bronze	10-9	I		Tank Tees	
- PVC	10-10	Icemaker Filter	8-7	- Brass	9-1
- Stainless	10-10	Insert Fittings for Plastic Pipe		- Stainless Steel	9-1
- Sump Pump	11-3	- Bronze	5-6	Tank Tee Packages	
- Swing Check	10-11,11-2	- Nylon	5-2	- Stainless Steel	9-2
Compression Fittings		- Poly/ PVC	5-3	Toilet Bowl Cleaner	12-1
- Brass	4-2	- Stainless Steel	5-8	Tools	7-1
- Galvanized Couplings	3-7	- Zinc Plated	5-9	Torque Arrestors	10-13
- PVC	3-29	Insert Fittings for Rubber Hose		Tubing	
Couplings		- Brass	4-5	- PVC	4-7
- Flexible Rubber	6-1	Iron Out	12-1	- Polyethylene	4-6
- MJ/ No Hub	6-6	L		Tubular Connectors & Traps	6-2
Cup Leathers	10-19	Lime Out	12-1	V	
D		M		Vacuum Breaker	2-10
Dielectric Unions	3-12	Merchant Couplings	3-6	Valves	
Dishwasher Elbow	4-4	Mini Ball Valves	2-3	- Ball	2-1
Drive Caps	10-16	MJ Couplings	6-3	- Bent Nose Garden	2-9
Drive Couplings	10-16	N		- Check	10-9
Drive Well Points	10-17	Nipples		- CPVC Ball	2-4
Drop Ear Elbows	3-14	- Std Duty-Black/Galv	3-8	- Foot	10-11
Drop Pipe Couplings		- Red Brass	3-15	- Gas	2-6
- PVC	10-13	- Schedule 80 PVC	3-31	- Gate	2-7
- Stainless Steel	3-16	- Stainless Steel	3-20	- Relief	9-4
Dual Garden Hose Valve	4-6	No Hub Couplings	6-3	- Snifter	9-3
E		P		- Stainless Steel	2-4
Electrical Tape	7-3	PEX Fittings		- Stop	2-7
Expansion Couplings	3-29	- Stainless Steel	6-8	- Stop & Waste	2-7
F		Pipe Cutters	7-1	- Sump Pump	11-3
Filters		Pipe Joint Compound	7-2	- Supply	2-12
- Complete Units	8-5	Piston Pump Repair Kits	10-18	Valve Leathers	10-19
- Housings	8-6	Pitless Adapters	10-2	Venturi Adapters and Elbows	5-9
- Icemaker	8-7	Pressure Gauges	10-4	Vermin Proof Caps	10-3
- Replacement Cartridges	8-7	Pressure Switches	10-7	W	
- Sediment Filters & Separators	8-1	Pressure Tank Installation Kits	9-2	Wall Faucets	2-10
Fittings (Pipe)		Pressure Test Gauge	10-7	Washer Magic	12-2
- Cast Bronze	3-12	Pump Mounting Bracket	9-3	Water Box	11-2
- Malleable	3-1	Push Fit Fittings		Water Heater Connector	6-5
- Schedule 40 PVC	3-24	- Acetal	6-5	Well Caps	10-3
- Schedule 80 PVC	3-30	- Brass	6-4	Well Points	10-17
- Stainless Steel	3-16	- Polysulfone	6-6	Well Seals	10-15
Flare Fittings	4-1	PVC Compression Fittings	3-29	White Brite	12-1
Flexible Rubber		R		Woolite Dry Cleaner's Secret	12-1
- Couplings	6-1	Ready Cut Pipe, Rack	3-7	Y	
- Elbows	6-2	Relief Valves		Yard Hydrants	10-1, 10-2
- End Caps	6-2	- Bronze	9-4		
- Tees	6-2	- Stainless Steel	9-4		
Float Switches	11-1	Rope	10-15		
Float Valves	7-3	Rope Hanger	10-14		
Foot Valves					
- Brass/ Bronze	10-11				
- PVC	10-12				
- Stainless Steel	10-12				

* SECTION 12 IS CANADA ONLY

OTHER SIZES MAY BE AVAILABLE - CONTACT YOUR INSIDE SALES REP FOR MORE INFORMATION.



TOLL FREE: 1-888-838-8801 PLUMBEEZE.COM





Toll Free: 1-888-838-8801 plumbeeze.com

COMPRESSION BALL VALVES

Plumbeeze Compression Ball Valves are recommended for use in hydraulic, gas and for hot and cold-water systems applications with low to medium pressure. Can be used to make connections between Copper, Brass, Aluminum, Plastic, CPVC & Pex tubing. Not recommended for use with steel tubing, designed for use with tube manufactured to CTS-OD tubing.


PLUMBING VALVES


Part No.	Size	Port Size	UPC 777808+	Quantity	
				L1	L2
 Standard Port Brass, No Lead, Seal Material: PTFE, Ball Material: Chrome Plated, Rubber Grip Handle Comp Connection Temperature Range: Up to 300°F (149°C), Maximum Pressure: 200 PSI CWP					
PENL-BVCP05ND	1/2"	0.59"	443833	10	100
PENL-BVCP07ND	3/4"	0.78"	443857	10	60
PENL-BVCP10ND	1"	0.98"	443871	6	30


 Standard Port with Drain Brass, No Lead, Seal Material: PTFE, Ball Material: Chrome Plated, Rubber Grip Handle Comp Connection Temperature Range: Up to 300°F (149°C), Maximum Pressure: 200 PSI CWP					
PENL-BVCP05	1/2"	0.59"	443826	10	100
PENL-BVCP07	3/4"	0.79"	443840	10	60
PENL-BVCP10	1"	0.98"	443864	6	30

PEX BALL VALVES

Plumbeeze PEX Ball Valves are for PEX B crimp tubing applications. Carried in different sizes across stainless or brass materials.

Part No.	Size	Port Size	UPC 777808+	Quantity	
				L1	L2
 Standard Port Brass, No Lead, Seal Material: PTFE, Ball Material: Chrome Plated, Rubber Grip Handle PEX Connection Temperature Range: Up to 203°F (95°C), Maximum Pressure: 400 PSI CWP					
PENL-BVP05	1/2"	0.39"	443482	10	120
PENL-BVP07	3/4"	0.59"	443505	10	90
PENL-BVP10	1"	0.79"	443529	6	30

 Standard Port with Drain Brass, No Lead, Seal Material: PTFE, Ball Material: Chrome Plated, Rubber Grip Handle PEX Connection Temperature Range: Up to 203°F (95°C), Maximum Pressure: 400 PSI CWP					
PENL-BVP05WD	1/2"	0.39"	443499	10	120
PENL-BVP07WD	3/4"	0.59"	443512	10	90

 Standard Port 304 Stainless Steel, No Lead, Seal Material: PTFE, Ball Material: Stainless Steel, Stainless Steel Rubber Grip Handle PEX Connection Temperature Range: -40°F to 200°F (-40°C to 93°C), Maximum Pressure: 600 PSI CWP • NSF/ANSI Standard 61 & 372 Certified • cUPC Certified					
PEBVSS-P05	1/2"		511785	20	120
PEBVSS-P07	3/4"		511778	15	90
PEBVSS-P10	1"		511761	5	30

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PUSH FIT BALL VALVES

Plumbeeze Push Fit Ball Valves uses a push to connect system for quick and easy installation. Used to combine Copper, CPVC, PE-RT & PEX Pipe. They are ideal for use in potable water, plumbing, water heaters and hydronic heating applications.

Part No.	Size	Port Size	UPC 777808+	Quantity L1 L2
----------	------	-----------	----------------	-------------------



Full Port Brass, No Lead, Seal Material: PTFE, Ball Material: Chrome Plated, Rubber Grip Handle
Push Fit Connection
Temperature Range: Up to 200°F (93°C), Maximum Pressure: 200 PSI

PENL-BVPF05	1/2"	0.63"	443536	10 120
PENL-BVPF07	3/4"	0.88"	443543	10 60
PENL-BVPF10	1"	1.13"	443550	6 30



Full Port with Drain Brass, No Lead, Seal Material: PTFE, Ball Material: Chrome Plated, Rubber Grip Handle
Push Fit Connection
Temperature Range: Up to 200°F (93°C), Maximum Pressure: 200 PSI

PENL-BVPF05WD	1/2"		474349	10 120
PENL-BVPF07WD	3/4"		474356	10 60
PENL-BVPF10WD	1"		474363	6 30

THREADED & COPPER BALL VALVES

Plumbeeze Threaded & Copper Ball Valves come in Stainless or Brass material with various connection types and sizes. They are used with respective threaded pipe applications or copper tubing.

Part No.	Size	Port Size	UPC 777808+	Quantity L1 L2
----------	------	-----------	----------------	-------------------



Full Port Brass, No Lead, Seal Material: PTFE, Stem Packing Material: PTFE, Ball Material: Chrome Plated,
Rubber Grip Handle
FPT Connection

Temperature Range: -20°F to 300°F (-29°C to 149°C), Maximum Pressure: 600 PSI

- NSF/ANSI Standard 61 & 372 Certified
- cUPC Standard IGC 157 Certified
- CSA listed to the following standard
 - ASME B16.44 & CGA/CR91-002: 5 PSIG (5G)
- Threads conform to ANSI / ASME B1.20.1

Stainless Steel Ball for sizes 1" to 2"

PENL-BV502	1/4"	0.39"	477265	12 120
PENL-BV503	3/8"	0.39"	477272	12 120
PENL-BV505	1/2"	0.59"	443673	10 100
PENL-BV507	3/4"	0.78"	443697	8 64
PENL-BV510	1"	0.98"	443710	6 30
PENL-BV512	1-1/4"	1.26"	443734	6 24
PENL-BV515	1-1/2"	1.57"	443758	4 16
PENL-BV520	2"	1.96"	443772	2 8



Full Port Brass, No Lead, Seal Material: PTFE, Stem Packing Material: PTFE, Ball Material: Chrome Plated,
Rubber Grip Handle
CxC Connection

Temperature Range: -20°F to 300°F (-29°C to 149°C), Maximum Pressure: 600 PSI CWP

- NSF/ANSI Standard 61 & 372 Certified
- cUPC Standard IGC 157 Certified
- CSA listed to the following standard
 - ASME B16.44 & CGA/CR91-002: 5 PSIG (5G)
- Threads conform to ANSI / ASME B1.20.1

Stainless Steel Ball for sizes 1" to 2"

PENL-BV505C	1/2"	0.59"	443680	10 100
PENL-BV507C	3/4"	0.78"	443703	8 64
PENL-BV510C	1"	0.98"	443727	6 30
PENL-BV512C	1-1/4"	1.26"	443741	6 24
PENL-BV515C	1-1/2"	1.57"	443765	4 16
PENL-BV520C	2"	1.96"	443789	2 8

Other sizes may be available - Contact your inside sales rep for more information.

THREADED & COPPER BALL VALVES

PLUMBING VALVES

Part No.	Size	Port Size	UPC 777808+	Quantity	
				L1	L2



Full Port Brass, No Lead & UL, Seal Material: PTFE, Stem Packing Material: PTFE, Ball Material: Stainless Steel, Rubber Grip Handle
 FPT Connection
 Temperature Range: Up to 300°F (149°C), Maximum Pressure: 600 PSI
 • NSF/ANSI Standard 61 & 372 Certified
 • cUPC Standard IGC 157 Certified
 • CSA listed to the following standard
 ○ ASME B16.44 & CGA/CR91-002: 5 PSIG (5G)
 • Threads conform to ANSI / ASME B1.20.1
 Maximum Pressure Rating of 400 PSI CWP for 2-1/2" to 4"

PENL-BV602	1/4"	0.39"	445318	12	120
PENL-BV603	3/8"	0.39"	445325	12	120
PENL-BV605	1/2"	0.59"	445332	10	100
PENL-BV607	3/4"	0.75"	445349	8	64
PENL-BV610	1"	0.98"	445356	6	30
PENL-BV612	1-1/4"	1.26"	445363	6	24
PENL-BV615	1-1/2"	1.57"	445370	4	16
PENL-BV620	2"	1.94"	445387	2	8
PENL-BV625	2-1/2"	2.56"	445394	2	4
PENL-BV630	3"	2.95"	445400	2	4
PENL-BV640	4"	3.90"	445417	2	



Full Port Brass, No Lead & UL, Seal Material: PTFE, Stem Packing Material: PTFE, Ball Material: Stainless Steel, Rubber Grip Handle
 CxC Connection
 Temperature Range: Up to 300°F (149°C), Maximum Pressure: 600 PSI
 • NSF/ANSI Standard 61 & 372 Certified
 • cUPC Standard IGC 157 Certified (1/4" - 2" only)
 • UL listed to the following standards (1/4" - 2" only)
 ○ UL 1477 (YQNZ): Compressed gas shutoff valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 ○ UL 842 (YRBX): Flammable liquid shutoff valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 ○ UL 842 (YRPV): Gas shutoff valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 ○ UL 842 (MHKZ): Manual valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 ○ UL 125 (YSDT): LP-Gas shutoff valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 • FM Standard 1140 Certified (1/4" - 2" only)

PENL-BV605C	1/2"	0.59"	445424	10	100
PENL-BV607C	3/4"	0.75"	445431	8	64
PENL-BV610C	1"	0.98"	445448	6	30
PENL-BV612C	1-1/4"	1.26"	445455	6	24
PENL-BV615C	1-1/2"	1.57"	445462	4	16
PENL-BV620C	2"	1.94"	445479	2	8



Full Port with Drain Brass, No Lead, Seal Material: PTFE, Stem Packing Material: PTFE, Ball Material: Chrome Plated, Rubber Grip Handle
 FPT Connection
 Temperature Range: Up to 300°F (149°C), Maximum Pressure: 600 PSI WOG

PENL-BVD05	1/2"	0.59"	443888	10	120
PENL-BVD07	3/4"	0.75"	443901	10	60
PENL-BVD10	1"	1.02"	443925	6	30



Full Port with Drain Brass, No Lead, Seal Material: PTFE, Stem Packing Material: PTFE, Ball Material: Chrome Plated, Rubber Grip Handle
 CxC Connection
 Temperature Range: Up to 300°F (149°C), Maximum Pressure: 600 PSI WOG

PENL-BVD05C	1/2"	0.59"	443895	10	120
PENL-BVD07C	3/4"	0.75"	443918	10	60
PENL-BVD10C	1"	1.02"	443932	6	30



Full Port Brass, No Lead, Seal Material: PTFE, Stem Packing Material: PTFE, Ball Material: Chrome Plated, Tee Handle
 FPT Connection
 Temperature Range: Up to 180°F (82°C), Maximum Pressure: 600 PSI

U0828-01	1/8"	0.30"	221516	20	
U0828-02	1/4"	0.30"	221523	20	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

THREADED & COPPER BALL VALVES

Part No.	Size	Port Size	UPC 777808+	Quantity	
				L1	L2



Full Port Brass, No Lead, Seal Material: PTFE, Stem Packing Material: PTFE, Ball Material: Chrome Plated, Tee Handle

MPT x FPT Connection

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 600 PSI

U0828-01M01F	1/8"	0.30"	268399	10	120
U0828-01M02F	1/8" x 1/4"	0.30"	268405	10	120
U0828-02M02F	1/4"	0.30"	268412	10	120



Full Port 304 Stainless Steel, No Lead, Seal Material: PTFE, Stem Packing Material: PTFE, Ball Material: Stainless Steel, Rubber Grip Handle

FPT Connection

Temperature Range: 14°F to 248°F (-10°C to 120°C), Maximum Pressure: 1000 PSI

PEBVSS-1002	1/4"	0.43"	479191	20	120
PEBVSS-1003	3/8"	0.49"	479207	20	120
PEBVSS-1005	1/2"	0.59"	466627	16	96
PEBVSS-1007	3/4"	0.79"	466634	10	60
PEBVSS-1010	1"	0.98"	466641	10	40
PEBVSS-1012	1-1/4"	1.26"	466658	6	24
PEBVSS-1015	1-1/2"	1.50"	466665	4	16
PEBVSS-1020	2"	1.97"	466672	2	12
PEBVSS-1025	2-1/2"	2.56"	479214	2	4
PEBVSS-1030	3"	2.99"	479221	4	
PEBVSS-1040	4"	3.70"	479238	2	



Full Port 316 Stainless Steel, No Lead, Seal Material: PTFE, Stem Packing Material: PTFE, Ball Material: Stainless Steel, Rubber Grip Handle

FPT Connection

Temperature Range: Up to 450°F (232°C), Maximum Pressure: 1000 PSI

PEBVSSH316-1002	1/4"	0.45"	479702	15	90
PEBVSSH316-1003	3/8"	0.47"	479719	15	90
PEBVSSH316-1005	1/2"	0.59"	479726	9	54
PEBVSSH316-1007	3/4"	0.78"	479733	6	36
PEBVSSH316-1010	1"	0.98"	479740	4	24
PEBVSSH316-1012	1-1/4"	1.26"	479757	2	12
PEBVSSH316-1015	1-1/2"	1.49"	479764	6	12
PEBVSSH316-1020	2"	1.96"	479771	3	6

CPVC BALL VALVES

Plumbeeze CPVC Ball Valves are durable and excellent for a variety of hot water applications.

Part No.	Size	Port Size	UPC 777808+	Quantity	
				L1	L2



CPVC, No Lead, Seal Material: EPDM, PVC Tee Handle

CTS Connection

Maximum Pressure: Working: 150 PSI @73°F (23°C), Test: 225 PSI

• NSF/ANSI 61 & 372

PEBV-CPVC05	1/2"	0.49"	240296	6	
PEBV-CPVC07	3/4"	0.72"	240302	5	
PEBV-CPVC10	1"	0.93"	240319		

Other sizes may be available - Contact your inside sales rep for more information.

PREMIUM PVC BALL VALVES

PVC Ball Valves are durable and excellent for a variety of applications, including water supply, swimming pools, and irrigation.

PLUMBING VALVES

Part No.	Size	Port Size	UPC 777808+	Quantity	
				L1	L2



Molded in Place PVC, Seal Material: EPDM, Stem Packing Material: EPDM, PVC Tee Handle
 FPT Connection
 Maximum Pressure: 150 PSI @ 73°F (23°C)
 Suitable for both Schedule 40 & 80 PVC pipe.

U0921-05	1/2"	0.55"	243099	10	120
U0921-07	3/4"	0.79"	243105	10	80
U0921-10	1"	0.98"	243112	5	40
U0921-12	1-1/4"	1.18"	243129	5	30
U0921-15	1-1/2"	1.42"	243136	4	24
U0921-20	2"	1.83"	243143	3	18
U0921-25	2-1/2"	2.36"	243150		
U0921-30	3"	3.03"	243167		
U0921-40	4"	3.93"	243174		



Molded in Place PVC, Seal Material: EPDM, Stem Packing Material: EPDM, PVC Tee Handle
 Slip Connection
 Maximum Pressure: 150 PSI @ 73°F (23°C)
 Suitable for both Schedule 40 & 80 PVC pipe.

U0921S-05	1/2"	0.55"	243181	10	120
U0921S-07	3/4"	0.79"	243198	10	80
U0921S-10	1"	0.98"	243204	5	40
U0921S-12	1-1/4"	1.18"	243211	5	30
U0921S-15	1-1/2"	1.42"	243228	4	24
U0921S-20	2"	1.83"	243235	3	18
U0921S-25	2-1/2"	2.36"	243242		
U0921S-30	3"	3.03"	243259	12	
U0921S-40	4"	3.93"	243266	6	

PVC BALL VALVES

Plumbeeze PVC Ball Valves are durable and excellent for a variety of applications, including water supply, swimming pools, and irrigation applications.

Part No.	Size	Port Size	UPC 777808+	Quantity	
				L1	L2



PVC, No Lead, Seal Material: EPDM, Ball Material: PVC, ABS Tee Handle
 FPT Connection
 Maximum Pressure: 150 PSI @ 73°F (23°C)
 • NSF/ANSI 61 & 372
 Suitable for both Schedule 40 & 80 PVC pipe.

PEBVP-05	1/2"	0.59"	229512	5	200
PEBVP-07	3/4"	0.79"	229529	4	160
PEBVP-10	1"	0.98"	229536	4	96
PEBVP-12	1-1/4"	1.26"	229543	3	72
PEBVP-15	1-1/2"	1.42"	229550	3	45
PEBVP-20	2"	1.81"	229567	3	36
PEBVP-25	2-1/2"	2.48"	402175	12	
PEBVP-30	3"	3.15"	402182	8	
PEBVP-40	4"	3.81"	402199	6	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PVC BALL VALVES



Part No.	Size	Port Size	UPC 777808+	Quantity	
				L1	L2

PVC, No Lead, Seal Material: EPDM, Ball Material: PVC, ABS Tee Handle
Slip Connection
Maximum Pressure: 150 PSI @ 73°F (23°C)
• NSF/ANSI 61 & 372
Suitable for both Schedule 40 & 80 PVC pipe.

PEBVP-05S	1/2"	0.59"	229574	5	200
PEBVP-07S	3/4"	0.79"	229581	4	160
PEBVP-10S	1"	0.98"	229598	4	96
PEBVP-12S	1-1/4"	1.26"	229604	3	72
PEBVP-15S	1-1/2"	1.42"	229611	3	45
PEBVP-20S	2"	1.81"	229628	3	36
PEBVP-25S	2-1/2"	2.48"	402205	12	
PEBVP-30S	3"	3.15"	402212	8	
PEBVP-40S	4"	3.81"	402229	6	



True Union PVC, No Lead, Seal Material: PTFE, Ball Material: UPVC, ABS Tee Handle
FPT or Slip Connection
Maximum Pressure: 150 PSI @ 73°F (23°C)

U0924-05	1/2"	0.51"	243549	24	
U0924-07	3/4"	0.55"	243556		
U0924-10	1"	0.84"	243563	24	
U0924-12	1-1/4"	1.28"	243570	24	
U0924-15	1-1/2"	2.03"	243587	24	
U0924-20	2"	3.86"	243594	12	
U0924-25	2-1/2"	2.36"	243600		
U0924-30	3"	2.72"	243617		
U0924-40	4"	3.94"	243624		

GAS BALL VALVES

Plumbeeze Gas Ball Valves are constructed with a two piece forged brass body and a blow out proof stem. Available in combinations of FPT, Flare and MPT from sizes 3/8" to 1".

Part No.	Size	Port Size	UPC 777808+	Quantity	
				L1	L2



Two Piece Brass, Seal Material: PTFE, Yellow Tee Handle
FPT Connection
Maximum Pressure: 250 PSI

PE-GV6	3/8"	0.39"	214020	12	144
PE-GV8	1/2"	0.39"	180110	10	100
PE-GV12	3/4"	0.59"	180127	10	100
PE-GV16	1"	0.75"	214037	12	144



Two Piece Brass, Seal Material: PTFE, Yellow Tee Handle
FPT x Flare Connection
Maximum Pressure: 250 PSI

PE-GVF86	1/2" x 3/8"	0.39"	214006	12	144
PE-GVF88	1/2"	0.39"	214013	10	100



Two Piece Brass, Seal Material: PTFE, Yellow Tee Handle
Flare Connection
Maximum Pressure: 250 PSI

PE-GVFF6	3/8"	0.27"	269426	10	100
PE-GVFF8	1/2"	0.38"	269433	10	100



Two Piece Brass, Seal Material: PTFE, Yellow Tee Handle
MPT x Flare Connection
Maximum Pressure: 250 PSI

PE-GVMF86	1/2" x 3/8"	0.39"	269389	12	144
PE-GVMF88	1/2"	0.39"	269396	12	144

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

BRASS GATE VALVES

Plumbeeze Brass Gate Valves are used to shut off and control the water supply. Through turning the hand wheel, this product becomes an excellent choice when there is a need or requirement to slowly reduce pressure.

PLUMBING VALVES

Part No.	Size	Port Size	UPC 777808+	Quantity	
				L1	L2



Full Port Brass, No Lead, Black Cast Hand Wheel Handle
FPT Connection
Maximum Pressure: 200 PSI

PENL-GV202	1/4"	0.43"	444052	10	120
PENL-GV203	3/8"	0.47"	444069	10	120
PENL-GV205	1/2"	0.53"	444076	10	120
PENL-GV207	3/4"	0.75"	444090	10	80
PENL-GV210	1"	0.98"	444113	5	60
PENL-GV212	1-1/4"	1.26"	444137	5	40
PENL-GV215	1-1/2"	1.50"	444151	5	30
PENL-GV220	2"	1.93"	444175	2	20
PENL-GV225	2-1/2"	2.44"	444199	2	12
PENL-GV230	3"	2.95"	444205	8	
PENL-GV240	4"	3.62"	444212	4	



Full Port Brass, No Lead, Black Cast Hand Wheel Handle
CxC Connection
Maximum Pressure: 200 PSI

PENL-GV205C	1/2"	0.53"	444083	10	120
PENL-GV207C	3/4"	0.75"	444106	10	80
PENL-GV210C	1"	0.98"	444120	5	60
PENL-GV212C	1-1/4"	1.26"	444144	5	40
PENL-GV215C	1-1/2"	1.50"	444168	5	30
PENL-GV220C	2"	1.93"	444182	2	20

STOP / STOP & WASTE VALVES

Plumbeeze Stop / Stop & Waste Valves are excellent for applications requiring a compact, economical shut off. Found in two options, with a drain and cap (waste) or without a drain.

Part No.	Size	UPC 777808+	Quantity	
			L1	L2



Stop Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber,
Black Cast Hand Wheel Handle
FPT Connection
Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

PENL-SV05	1/2"	443949	10	100
PENL-SV07	3/4"	443970	10	100



Stop Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber,
Black Cast Hand Wheel Handle
CxC Connection
Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

PENL-SV05C	1/2"	443956	10	100
PENL-SV07C	3/4"	443987	10	100



Stop Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber,
Black Cast Hand Wheel Handle
Comp Connection
Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

PENL-SV05CP	1/2"	443963	10	100
-------------	------	--------	----	-----



Stop & Waste Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber,
Black Cast Hand Wheel Handle
FPT Connection
Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

PENL-SW05	1/2"	443994	10	100
PENL-SW07	3/4"	444021	10	100

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

STOP / STOP & WASTE VALVES

Part No.	Size	UPC 777808+	Quantity	
			L1	L2



Stop & Waste Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber,
Black Cast Hand Wheel Handle
CxC Connection
Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

PENL-SW05C	1/2"	444007	10	100
PENL-SW07C	3/4"	444038	10	100



Stop & Waste Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber,
Black Cast Hand Wheel Handle
Comp Connection
Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

Note: Can be used to make connections between Copper, Brass, Aluminum, Plastic, CPVC & Pex tubing. Not recommended for use with steel tubing, designed for use with tube manufactured to CTS-OD tubing.

PENL-SW05CP	1/2"	444014	10	100
PENL-SW07CP	3/4"	444045	10	100

SEDIMENT FAUCETS / BOILER DRAINS

Plumbeeze Sediment Faucets can be used to anywhere a drain valve is required. Complete with a garden hose thread, straight and angled, for a hose kink free connection.

Part No.	Size	UPC 777808+	Quantity	
			L1	L2



Straight Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber,
Black Cast Hand Wheel Handle
MPT x GHT Connection
Maximum Pressure: 125 PSI

PENL-BD05	1/2" x 3/4"	443574	10	100
PENL-BD07	3/4"	443581	10	100



Straight Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber,
Black Cast Hand Wheel Handle
FPT x GHT Connection
Maximum Pressure: 125 PSI

PENL-BD05F	1/2" x 3/4"	269495		
PENL-BD07F	3/4"	269501		



Straight Brass, Leaded, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber,
Black Cast Hand Wheel Handle
MPT x GHT Connection
Maximum Pressure: 125 PSI

PEBD-05	1/2" x 3/4"	316946	10	100
PEBD-07	3/4"	316953	10	100



Straight Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Blue Triangular Handle
MPT x GHT Connection
Maximum Pressure: 125 PSI

PENL-SFB05	1/2" x 3/4"	443611	10	100
PENL-SFB07	3/4"	443628	10	100



Angled Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Blue Triangular Handle
MPT x GHT Connection
Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI

PENL-SFAB05	1/2" x 3/4"	483945	12	144
PENL-SFAB07	3/4"	483952	12	144



Straight Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Zinc Plated Handle
MPT x GHT Connection
Maximum Pressure: 125 PSI

PENL-SFM05	1/2" x 3/4"	443635	10	100
PENL-SFM07	3/4"	443642	10	100

Other sizes may be available - Contact your inside sales rep for more information.




Toll Free: 1-888-838-8801 plumbeeze.com

BENT NOSE GARDEN VALVES




Plumbeeze Bent Nose Garden Valves are designed with an angled outlet. This allows for easy attachment to a garden hose while reducing the risk of hose kinks.

PLUMBING VALVES

Part No.	Size	UPC 777808+	Quantity L1 L2	
 Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Graphite, Green Rubber Coated Hand Wheel Handle FPT x GHT Connection Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI				
PENL-BNV07	3/4"	463381	12	
PENL-BNV10	1" x 3/4"	463398	12	

HOSE BIBBS

Plumbeeze Hose Bibbs are available in brass, stainless steel or plastic. They come in multi-turn or 1/4" turn.

Part No.	Size	UPC 777808+	Quantity L1 L2	
 Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Tee Handle MPT x GHT Connection Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI				
PENL-HB05	1/2" x 3/4"	443598	10	100
PENL-HB07	3/4"	443604	10	100
 Brass, No Lead, Seal Material: PTFE, Stem Packing Material: Nitrile Rubber, Tee Handle MPT x GHT Connection Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI				
PENLHB-QT05	1/2" x 3/4"	254866	10	
PENLHB-QT07	3/4"	254873	10	
 Stainless Steel, No Lead, Seal Material: PTFE, Stem Packing Material: PTFE, Tee Handle MPT x GHT Connection Temperature Range: Up to 248°F (120°C), Maximum Pressure: 200 PSI				
PEQTHB-SS05	1/2" x 3/4"	477173	10	100
PEQTHB-SS07	3/4"	477180	10	100

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

NO-KINK HOSE BIBBS

Plumbeeze No Kink House Bibbs are designed with an angled outlet. This allows a garden hose to be attached easily without the risk of kink forming.

Part No.	Size	UPC 777808+	Quantity	
			L1	L2
Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Black Cast Hand Wheel Handle FPT x GHT Connection Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI				
PENL-SC05	1/2" x 3/4"	451128	12	
PENL-SC07	3/4"	451142	12	
Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Black Cast Hand Wheel Handle CxC x GHT Connection Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI				
PENL-SC05C	1/2" x 3/4"	451135	12	
Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Brass Plated Tee Handle MPT x GHT Connection Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI				
PENL-HBNK05	1/2" x 3/4"	463343	10	100
PENL-HBNK07	3/4"	463367	10	100
Brass, No Lead, Seal Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Brass Plated Tee Handle FPT x GHT Connection Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI				
PENL-HBNKF05	1/2" x 3/4"	463350	10	100
PENL-HBNKF07	3/4"	463374	10	100

VACUUM BREAKERS

Plumbeeze Vacuum Breakers install easily to any 3/4" hose faucet to provide back-siphonage protection. They feature a break-away set screw to make for a permanent vandal-proof installation.









Part No.	Size	UPC 777808+	Quantity	
			L1	L2
Manual Draining Brass, No Lead, FPT x MPT Connection				
PENL-VB07	3/4"	451104	10	
Auto Draining Brass, No Lead, FPT x MPT Connection				
PENL-VB07SD	3/4"	451111	10	

Other sizes may be available - Contact your inside sales rep for more information.

CHROME PLATED NON-FREEZE LAWN FAUCETS

Plumbeeze Non-Freeze Lawn Faucets get installed through a wall and allow the water to drain back out of the valve so it won't freeze in the winter. This prevents winterizing and allows outdoor access to water year round.

PLUMBING VALVES

Part No.	Size	Length	UPC 777808+	Quantity	
				L1	L2
 <p>Without Self Draining Vacuum Breaker No Lead, Seal Material: Nitrile Rubber, Black Cast Hand Wheel Handle MPT or Copper x GHT Connection Maximum Pressure: 120 PSI</p>					
PENL-WF508	1/2" x 3/4"	8"	451029	2	40
PENL-WF510	1/2" x 3/4"	10"	451036	2	40
PENL-WF512	1/2" x 3/4"	12"	451043	2	40
PENL-WF514	1/2" x 3/4"	14"	451050	2	40
 <p>With Self Draining Vacuum Breaker No Lead, Seal Material: Viton, Black Cast Hand Wheel Handle MPT or Copper x GHT Connection Maximum Pressure: 140 PSI</p>					
PENL-WFQ508	1/2" x 3/4"	8"	451890	2	40
PENL-WFQ510	1/2" x 3/4"	10"	451906	2	40
PENL-WFQ512	1/2" x 3/4"	12"	451913	2	40
PENL-WFQ514	1/2" x 3/4"	14"	451920	2	40
 <p>With Self Draining Vacuum Breaker No Lead, Seal Material: Viton, Black Cast Hand Wheel Handle PEX x GHT Connection Maximum Pressure: 140 PSI</p>					
PENL-WFQP508	1/2" x 3/4"	8"	451937	2	40
PENL-WFQP510	1/2" x 3/4"	10"	451944	2	40
PENL-WFQP512	1/2" x 3/4"	12"	451951	2	40
PENL-WFQP514	1/2" x 3/4"	14"	451968	2	40
 <p>With Self Draining Vacuum Breaker No Lead, Seal Material: Viton, MPT x FPT Connection</p>					
PENL-WFQ710	3/4" or 1/2" x 3/4"	10"	461455	2	40
PENL-WFQ712	3/4" or 1/2" x 3/4"	12"	461462	2	40
PENL-WFQ714	3/4" or 1/2" x 3/4"	14"	461479	2	40
 <p>With Self Draining Vacuum Breaker No Lead, Seal Material: Nitrile Rubber, Black Cast Hand Wheel Handle MPT or Copper x GHT Connection Maximum Pressure: 140 PSI</p>					
PENL-WFV504	1/2" x 3/4"	4"	444229	2	40
PENL-WFV506	1/2" x 3/4"	6"	444236	2	40
PENL-WFV508	1/2" x 3/4"	8"	444243	2	40
PENL-WFV510	1/2" x 3/4"	10"	444250	2	40
PENL-WFV512	1/2" x 3/4"	12"	444267	2	40
PENL-WFV514	1/2" x 3/4"	14"	444274	2	40
 <p>With Self Draining Vacuum Breaker Leaded, Seal Material: Nitrile Rubber, Black Cast Hand Wheel Handle MPT or Copper x GHT Connection Maximum Pressure: 140 PSI</p>					
PEWFBV-510	1/2" x 3/4"	10"	305711	2	40
PEWFBV-512	1/2" x 3/4"	12"	305728	2	40
PEWFBV-514	1/2" x 3/4"	14"	305735	2	40
PEWFBV-516	1/2" x 3/4"	16"	463145	2	40
PEWFBV-518	1/2" x 3/4"	18"	463152	2	40
PEWFBV-520	1/2" x 3/4"	20"	463169	2	40
PEWFBV-522	1/2" x 3/4"	22"	463176	2	40
PEWFBV-524	1/2" x 3/4"	24"	463183	2	40
 <p>With Self Draining Vacuum Breaker No Lead, Seal Material: Nitrile Rubber, Black Cast Hand Wheel Handle PEX x GHT Connection Maximum Pressure: 140 PSI</p>					
PENL-WFVP508	1/2" x 3/4"	8"	444281	2	40
PENL-WFVP510	1/2" x 3/4"	10"	444298	2	40
PENL-WFVP512	1/2" x 3/4"	12"	444304	2	40
PENL-WFVP514	1/2" x 3/4"	14"	444311	2	40
 <p>With Self Draining Vacuum Breaker Leaded, Seal Material: Nitrile Rubber, Black Cast Hand Wheel Handle PEX x GHT Connection Maximum Pressure: 140 PSI</p>					
PEWFBV-P510	1/2" x 3/4"	4"	337347	2	40

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

NON-FREEZE LAWN FAUCET REPLACEMENT PARTS

Plumbeeze Non-Freeze Lawn Faucet Replacement Parts are provided to assist our customers with their support needs. No Lead,



Part No.	Description	UPC 777808+	Quantity	
			L1	L2
PEWFV-RVB	Vacuum Breaker	449491	50	



PEWFV-RVBC	Vacuum Breaker Cap	449507	50	
------------	--------------------	--------	----	--



Stem Assembly				
Part No.	Description	UPC	Quantity	
PEWFQ-RSA08	For PENL-WFQ508/PENL-WFQP508	500642	20	
PEWFQ-RSA10	For PENL-WFQ510(710) /PENL-WFQP510	500659	20	
PEWFQ-RSA12	For PENL-WFQ512(712) /PENL-WFQP512	500666	20	
PEWFQ-RSA14	For PENL-WFQ514(714) /PENL-WFQP514	500673	20	
PEWFV-RSA08	For PENL-WFV508/PENL-WFVP508	464661	20	
PEWFV-RSA10	For PENL-WFV510/PENL-WFVP510	464678	20	
PEWFV-RSA12	For PENL-WFV512/PENL-WFVP512	464685	20	120
PEWFV-RSA14	For PENL-WFV514/PENL-WFVP514	464692	20	

CHROME PLATED SUPPLY STOPS

Plumbeeze Supply Stops are an excellent low pressure shut off valve generally found at appliances. They come in different connections and configurations to meet all needs.

Seal Material: PTFE, Stem Packing Material: EPDM,

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

Part No.	Size	Connection Type	UPC 777808+	Quantity	
				L1	L2



No Lead, Angled					
Part No.	Size	Connection Type	UPC	Quantity	
PENL-SV8P-A	1/2" x 3/8"	PEX x Comp	443451	20	240
PENL-SV8F-A	1/2" x 3/8"	FPT x Comp	443420	20	240
PENL-SV8CEP-A	1/2" x 3/8"	Cold Expansion x Comp	476862	20	240
PENL-SV8C-A	1/2" x 3/8"	Copper x Comp	443406	20	240
PENL-SV6F-A	3/8"	FPT x Comp	443376	20	240
PENL-SV10PF-A	1/2" x 3/8"	Push Fit x Comp	443352	20	240
PENL-SV10CPR-A	5/8" x 3/8"	Comp	443338	20	240



No Lead, Straight					
Part No.	Size	Connection Type	UPC	Quantity	
PENL-SVRF-S	3/8"	Swivel Nut x CPR	443475	20	240
PENL-SV8P-S	1/2" x 3/8"	PEX x Comp	443468	20	240
PENL-SV8F-S	1/2" x 3/8"	FPT x Comp	443437	20	240
PENL-SV8CEP-S	1/2" x 3/8"	Cold Expansion x Comp	476879	20	240
PENL-SV8C-S	1/2" x 3/8"	Copper x Comp	443413	20	240
PENL-SV88P-S	1/2"	PEX	443390	20	240
PENL-SV6F-S	3/8"	FPT x Comp	443383	20	240
PENL-SV10PF-S	1/2" x 3/8"	Push Fit x Comp	443369	20	240
PENL-SV10CPR-S	5/8" x 3/8"	Comp	443345	20	240



No Lead, Tee					
Part No.	Size	Connection Type	UPC	Quantity	
PENL-SV10PF-T	1/2" x 3/8"	Push Fit x Comp	474332	10	120

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

ICE MAKER CHROME PLATED SUPPLY STOPS

Plumbeeze Ice Maker Chrome Plated Supply Stops are an excellent low pressure shut off valve generally found near the connection to an appliance. They come in different connection and configurations to meet all different types of needs.
Maximum Pressure: 125 PSI

PLUMBING VALVES



Part No.	Size	Connection Type	UPC 777808+	Quantity	
				L1	L2
Angled					
PENL-SV8P4CPR-A	1/2" x 1/4"	PEX x Comp	443444	20	240
PENL-SV10PF4CP-A	1/2" x 1/4"	Push Fit x Comp	474318	20	240
PENL-SV10CP4CP-A	5/8" x 1/4"	Comp	451999	20	240
Tee					
PENL-SV10PF4CP-T	1/2" x 1/4"	Push Fit x Comp	474325	10	120

WASHING MACHINE CHROME PLATED SUPPLY STOPS

Plumbeeze Washing Machine Chrome Plated Supply Stops are an excellent low pressure shut off valve generally found near the connection to a washing machine. They come in different connection and configurations to meet all different types of needs. These washing machine valves have color coded handles for hot and cold water supplies.

Part No.	Size	UPC 777808+	Quantity		Part No.	Size	UPC 777808+	Quantity	
			L1	L2				L1	L2
Angled Blue Plastic Handle CPR x GHT					Angled Red Plastic Handle CPR x GHT				
PENL-SVWMB-10CPR	5/8" x 3/4"	451159	10		PENL-SVWMR-10CPR	5/8" x 3/4"	451180	10	
Angled Blue Plastic Handle PEX x GHT					Angled Red Plastic Handle PEX x GHT				
PENL-SVWMB-8P	1/2" x 3/4"	451173	10		PENL-SVWMR-8P	1/2" x 3/8"	451203	10	
Angled Blue Plastic Handle MPT or Comp x GHT					Angled Red Plastic Handle MPT or Comp x GHT				
PENL-SVWMB-8M	1/2" x 3/4"	451166	10		PENL-SVWMR-8M	1/2" x 3/4"	451197	10	

Other sizes may be available - Contact your inside sales rep for more information.

**PIPE FITTINGS &
NIPPLES BLACK,
GALVANIZED, BRASS,
STAINLESS & PVC**





Toll Free: 1-888-838-8801 plumbeeze.com

150 BLACK MALLEABLE IRON FITTINGS

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Bushing - MPT x FPT
† Inside Head * Octagon Head



U2-BLB-0201	1/4" x 1/8"	185689	50	600
U2-BLB-0301	3/8" x 1/8"	185696	100	600
U2-BLB-0302	3/8" x 1/4"	185702	100	600
U2-BLB-0501	1/2" x 1/8"	185719	150	600
U2-BLB-0502	1/2" x 1/4"	185726	100	600
U2-BLB-0503	1/2" x 3/8"	185733	100	600
U2-BLB-0701	3/4" x 1/8"	185740	50	300
U2-BLB-0702	3/4" x 1/4"	185757	50	300
U2-BLB-0703	3/4" x 3/8"	185764	50	300
U2-BLB-0705	3/4" x 1/2"	185771	50	300
U2-BLB-1002 †	1" x 1/4"	233007	50	200
U2-BLB-1003 †	1" x 3/8"	233014	50	200
U2-BLB-1005	1" x 1/2"	185788	50	200
U2-BLB-1007	1" x 3/4"	185795	50	200
U2-BLB-1202 †	1-1/4" x 1/4"	233021	30	120
U2-BLB-1205 †	1-1/4" x 1/2"	185801	30	120
U2-BLB-1207	1-1/4" x 3/4"	185818	30	120
U2-BLB-1210	1-1/4" x 1"	185825	30	120
U2-BLB-1505 †	1-1/2" x 1/2"	185832	25	75
U2-BLB-1507 †	1-1/2" x 3/4"	185849	25	75
U2-BLB-1510	1-1/2" x 1"	185856	25	75
U2-BLB-1512	1-1/2" x 1-1/4"	185863	25	75
U2-BLB-2005 †	2" x 1/2"	185870	20	60
U2-BLB-2007 †	2" x 3/4"	185887	20	60
U2-BLB-2010 †	2" x 1"	185894	20	60
U2-BLB-2012 *	2" x 1-1/4"	185900	20	60
U2-BLB-2015 *	2" x 1-1/2"	185917	20	60
U2-BLB-2515 *	2-1/2" x 1-1/4"	391394	20	
U2-BLB-2520 *	2-1/2" x 2"	185948	32	
U2-BLB-3015 †	3" x 1-1/2"	387946	20	
U2-BLB-3020 *	3" x 2"	185955	20	
U2-BLB-3025 *	3" x 2-1/2"	386680	20	
U2-BLB-4012 †	4" x 1-1/4"	489688	10	
U2-BLB-4015 †	4" x 1-1/2"	489695	10	
U2-BLB-4020 †	4" x 2"	185979	5	10
U2-BLB-4030	4" x 3"	386697	10	10

Coupling - FPT



U2-BLC-01	1/8"	185993	60	720
U2-BLC-02	1/4"	186006	40	480
U2-BLC-03	3/8"	186013	50	300
U2-BLC-05	1/2"	186020	60	240
U2-BLC-07	3/4"	186037	50	150
U2-BLC-10	1"	186044	25	75
U2-BLC-12	1-1/4"	186051	32	64
U2-BLC-15	1-1/2"	186068	18	36
U2-BLC-20	2"	186075	12	24
U2-BLC-25	2-1/2"	186082	16	
U2-BLC-60	6"	387021	2	

Cap - FPT



U2-BLCA-01	1/8"	186112	100	1200
U2-BLCA-02	1/4"	186129	100	400
U2-BLCA-03	3/8"	186136	50	600
U2-BLCA-05	1/2"	186143	50	300

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

U2-BLCA-07	3/4"	186150	40	240
U2-BLCA-10	1"	186167	50	200
U2-BLCA-12	1-1/4"	186174	25	100
U2-BLCA-15	1-1/2"	186181	25	75
U2-BLCA-25	2-1/2"	401635	30	
U2-BLCA-30	3"	186211	20	
U2-BLCA-40	4"	388578	14	

Cross - FPT



U2-BLCR-02	1/4"	348145	80	240
U2-BLCR-03	3/8"	348152	60	120
U2-BLCR-05	1/2"	186235	45	90
U2-BLCR-07	3/4"	186242	30	60
U2-BLCR-10	1"	186259	16	32
U2-BLCR-12	1-1/4"	186266	9	18
U2-BLCR-15	1-1/2"	386970	9	18
U2-BLCR-20	2"	386994	5	10

90° Elbow - FPT



U2-BLE-01	1/8"	186297	50	600
U2-BLE-02	1/4"	186303	35	420
U2-BLE-03	3/8"	186310	45	270
U2-BLE-05	1/2"	186327	50	200
U2-BLE-07	3/4"	186334	30	90
U2-BLE-10	1"	186341	20	60
U2-BLE-12	1-1/4"	186358	20	40
U2-BLE-15	1-1/2"	186365	10	20
U2-BLE-20	2"	186372	8	16
U2-BLE-25	2-1/2"	387823	15	
U2-BLE-30	3"	186396	10	
U2-BLE-40	4"	391400	5	

45° Elbow - FPT



U2-BLE4-01	1/8"	186419	50	600
U2-BLE4-02	1/4"	186426	35	420
U2-BLE4-03	3/8"	186433	50	300
U2-BLE4-05	1/2"	186440	50	200
U2-BLE4-07	3/4"	186457	40	120
U2-BLE4-10	1"	186464	20	60
U2-BLE4-12	1-1/4"	186471	20	40
U2-BLE4-15	1-1/2"	186488	15	30
U2-BLE4-20	2"	186495	9	18
U2-BLE4-30	3"	401642	10	
U2-BLE4-40	4"	393947	6	

Floor Flange - FPT



U2-BLFF-05	1/2"	186532	25	100
U2-BLFF-07	3/4"	186549	20	80
U2-BLFF-10	1"	186556	20	60
U2-BLFF-12	1-1/4"	186563	15	45
U2-BLFF-15	1-1/2"	186570	12	36
U2-BLFF-20	2"	186587	8	24

Other sizes may be available - Contact your inside sales rep for more information.

PIPE FITTINGS & nipples
BLACK, GALV., BRASS,
STAINLESS, PVC



Toll Free: 1-888-838-8801 plumbeeze.com

150 BLACK MALLEABLE IRON FITTINGS

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Plug - MPT



U2-BLP-01	1/8"	186594	90	1080
U2-BLP-02	1/4"	186600	75	900
U2-BLP-03	3/8"	186617	45	540
U2-BLP-05	1/2"	186624	40	480
U2-BLP-07	3/4"	186631	25	300
U2-BLP-10	1"	186648	40	160
U2-BLP-12	1-1/4"	186655	25	100
U2-BLP-15	1-1/2"	186662	24	72
U2-BLP-25	2-1/2"	253388	40	
U2-BLP-30	3"	253395	30	
U2-BLP-40	4"	393411	8	

Reducing Coupling - FPT



U2-BLRC-0201	1/4" x 1/8"	186693	35	420
U2-BLRC-0301	3/8" x 1/8"	186709	30	360
U2-BLRC-0302	3/8" x 1/4"	186716	30	360
U2-BLRC-0502	1/2" x 1/4"	186730	50	300
U2-BLRC-0503	1/2" x 3/8"	186747	40	240
U2-BLRC-0701	3/4" x 1/8"	232789	30	180
U2-BLRC-0702	3/4" x 1/4"	186754	30	180
U2-BLRC-0703	3/4" x 3/8"	186761	30	180
U2-BLRC-0705	3/4" x 1/2"	186778	60	180
U2-BLRC-1002	1" x 1/4"	186785	40	120
U2-BLRC-1005	1" x 1/2"	186792	25	100
U2-BLRC-1007	1" x 3/4"	186808	25	100
U2-BLRC-1205	1-1/4" x 1/2"	186815	25	75
U2-BLRC-1207	1-1/4" x 3/4"	186822	25	75
U2-BLRC-1210	1-1/4" x 1"	186839	20	60
U2-BLRC-1505	1-1/2" x 1/2"	186846	20	60
U2-BLRC-1507	1-1/2" x 3/4"	186853	30	60
U2-BLRC-1510	1-1/2" x 1"	186860	25	50
U2-BLRC-1512	1-1/2" x 1-1/4"	186877	24	48
U2-BLRC-2005	2" x 1/2"	186884	21	42
U2-BLRC-2007	2" x 3/4"	186891	21	42
U2-BLRC-2010	2" x 1"	186907	21	42
U2-BLRC-2012	2" x 1-1/4"	186914	14	28
U2-BLRC-2015	2" x 1-1/2"	186921	12	24
U2-BLRC-3015	3" x 1-1/2"	401659	12	
U2-BLRC-3020	3" x 2"	186945	12	
U2-BLRC-3025	3" x 2-1/2"	386710	12	12
U2-BLRC-4020	4" x 2"	401666	9	
U2-BLRC-4030	4" x 3"	387007	8	

Reducing 90° Elbow - FPT



U2-BLRE-0302	3/8" x 1/4"	240500	60	360
U2-BLRE-0503	1/2" x 3/8"	186969	50	200
U2-BLRE-0705	3/4" x 1/2"	186976	40	120
U2-BLRE-1005	1" x 1/2"	186983	30	90
U2-BLRE-1007	1" x 3/4"	186990	30	90
U2-BLRE-1207	1-1/4" x 3/4"	187010	30	60
U2-BLRE-1210	1-1/4" x 1"	187027	20	40

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

U2-BLRE-1507	1-1/2" x 3/4"	187034	23	46
U2-BLRE-1510	1-1/2" x 1"	405978	15	30
U2-BLRE-1512	1-1/2" x 1-1/4"	187058	15	30
U2-BLRE-2015	2" x 1-1/2"	187089	10	20

Reducing Tee - FPT



U2-BLRT-050502	1/2" x 1/2" x 1/4"	393404	50	
U2-BLRT-050503	1/2" x 1/2" x 3/8"	232604	45	180
U2-BLRT-050507	1/2" x 1/2" x 3/4"	187096	45	90
U2-BLRT-070505	3/4" x 1/2" x 1/2"	187102	45	90
U2-BLRT-070507	3/4" x 1/2" x 3/4"	187119	45	90
U2-BLRT-070705	3/4" x 3/4" x 1/2"	187126	45	90
U2-BLRT-070710	3/4" x 3/4" x 1"	232611	25	50
U2-BLRT-100505	1" x 1/2" x 1/2"	489732	30	60
U2-BLRT-100507	1" x 1/2" x 3/4"	187140	25	50
U2-BLRT-100510	1" x 1/2" x 1"	187157	30	60
U2-BLRT-100705	1" x 3/4" x 1/2"	187164	25	50
U2-BLRT-100707	1" x 3/4" x 3/4"	187171	25	50
U2-BLRT-100710	1" x 3/4" x 1"	187188	25	50
U2-BLRT-101005	1" x 1" x 1/2"	187195	35	70
U2-BLRT-101007	1" x 1" x 3/4"	187201	30	60
U2-BLRT-120707	1-1/4" x 3/4" x 3/4"	489749	18	36
U2-BLRT-120712	1-1/4" x 3/4" x 1-1/4"	489756	18	36
U2-BLRT-121005	1-1/4" x 1" x 1/2"	489763	18	36
U2-BLRT-121007	1-1/4" x 1" x 3/4"	187249	18	36
U2-BLRT-121010	1-1/4" x 1" x 1"	187256	18	36
U2-BLRT-121012	1-1/4" x 1" x 1-1/4"	187263	18	36
U2-BLRT-121205	1-1/4" x 1-1/4" x 1/2"	187270	18	36
U2-BLRT-121207	1-1/4" x 1-1/4" x 3/4"	187287	18	36
U2-BLRT-121210	1-1/4" x 1-1/4" x 1"	187294	18	36
U2-BLRT-151210	1-1/2" x 1-1/4" x 1"	187324	11	22
U2-BLRT-151212	1-1/2" x 1-1/4" x 1-1/4"	187331	11	22
U2-BLRT-151505	1-1/2" x 1-1/2" x 1/2"	187348	18	36
U2-BLRT-151507	1-1/2" x 1-1/2" x 3/4"	187355	15	30
U2-BLRT-151510	1-1/2" x 1-1/2" x 1"	187362	13	26
U2-BLRT-151512	1-1/2" x 1-1/2" x 1-1/4"	187379	13	26
U2-BLRT-202005	2" x 2" x 1/2"	187409	10	20
U2-BLRT-202007	2" x 2" x 3/4"	187416	9	18
U2-BLRT-202010	2" x 2" x 1"	187423	9	18
U2-BLRT-202012	2" x 2" x 1-1/4"	187430	9	18
U2-BLRT-202015	2" x 2" x 1-1/2"	187447	9	18

90° Street Elbow - MPT x FPT



U2-BLSE-01	1/8"	187454	50	600
U2-BLSE-02	1/4"	187461	35	420
U2-BLSE-03	3/8"	187478	40	240
U2-BLSE-05	1/2"	187485	60	180
U2-BLSE-07	3/4"	187492	30	90
U2-BLSE-10	1"	187508	30	60
U2-BLSE-12	1-1/4"	187515	20	40
U2-BLSE-15	1-1/2"	187522	13	26
U2-BLSE-20	2"	187539	7	14
U2-BLSE-30	3"	187553	8	

Other sizes may be available - Contact your inside sales rep for more information.

150 BLACK MALLEABLE IRON FITTINGS

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

45° Street Elbow - FPT x MPT



U2-BLSE4-01	1/8"	187560	50	600
U2-BLSE4-02	1/4"	187577	35	420
U2-BLSE4-03	3/8"	187584	45	270
U2-BLSE4-05	1/2"	187591	100	200
U2-BLSE4-07	3/4"	187607	60	120
U2-BLSE4-12	1-1/4"	187621	20	40
U2-BLSE4-20	2"	387953	9	18

Tee - FPT



U2-BLT-01	1/8"	187652	75	450
U2-BLT-02	1/4"	187669	50	300
U2-BLT-03	3/8"	187676	45	180
U2-BLT-05	1/2"	187683	40	120
U2-BLT-07	3/4"	187690	35	70
U2-BLT-10	1"	187706	20	40
U2-BLT-12	1-1/4"	187713	14	28

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

U2-BLT-15	1-1/2"	187720	11	22
U2-BLT-20	2"	187737	6	12
U2-BLT-25	2-1/2"	386987	14	
U2-BLT-30	3"	187751	6	
U2-BLT-40	4"	187768	4	

Union - FPT



U2-BLU-01	1/8"	232901	30	180
U2-BLU-02	1/4"	187775	30	180
U2-BLU-03	3/8"	187782	35	140
U2-BLU-05	1/2"	187799	30	120
U2-BLU-07	3/4"	187805	25	75
U2-BLU-10	1"	187812	30	60
U2-BLU-12	1-1/4"	187829	18	36
U2-BLU-15	1-1/2"	187836	12	24
U2-BLU-25	2-1/2"	388561	5	
U2-BLU-30	3"	386567	5	

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

150 GALVANIZED FITTINGS

No Lead

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Bushing - MPT x FPT
† Inside Head * Octagon Head



U2-GB-0201	1/4" x 1/8"	187874	50	600
U2-GB-0301	3/8" x 1/8"	187881	100	600
U2-GB-0302	3/8" x 1/4"	187898	100	600
U2-GB-0501	1/2" x 1/8"	187904	150	600
U2-GB-0502	1/2" x 1/4"	187911	100	600
U2-GB-0503	1/2" x 3/8"	187928	100	600
U2-GB-0701	3/4" x 1/8"	233076	50	300
U2-GB-0702	3/4" x 1/4"	187935	50	300
U2-GB-0703	3/4" x 3/8"	187942	50	300
U2-GB-0705	3/4" x 1/2"	187959	50	300
U2-GB-1001 †	1" x 1/8"	470136	50	200
U2-GB-1002 †	1" x 1/4"	230259	50	200
U2-GB-1003 †	1" x 3/8"	230266	50	200
U2-GB-1005	1" x 1/2"	187966	50	200
U2-GB-1007	1" x 3/4"	187973	50	200
U2-GB-1202 †	1-1/4" x 1/4"	230273	30	120
U2-GB-1203 †	1-1/4" x 3/8"	233090	30	120
U2-GB-1205 †	1-1/4" x 1/2"	187980	30	120
U2-GB-1207	1-1/4" x 3/4"	187997	30	120
U2-GB-1210	1-1/4" x 1"	188000	30	120
U2-GB-1502	1-1/2" x 1/4"	388660	30	120
U2-GB-1505 †	1-1/2" x 1/2"	188017	25	75
U2-GB-1507 †	1-1/2" x 3/4"	188024	25	75
U2-GB-1510	1-1/2" x 1"	188031	25	75
U2-GB-1512	1-1/2" x 1-1/4"	188048	25	75
U2-GB-2005 †	2" x 1/2"	188055	20	60

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

U2-GB-2007 †	2" x 3/4"	188062	20	60
U2-GB-2010 †	2" x 1"	188079	20	60
U2-GB-2012 *	2" x 1-1/4"	188086	20	60
U2-GB-2015 *	2" x 1-1/2"	188093	20	60
U2-GB-2520 *	2-1/2" x 2"	188109	32	
U2-GB-3015 †	3" x 1-1/2"	401673	20	
U2-GB-3020 *	3" x 2"	188116	20	
U2-GB-3025 *	3" x 2-1/2"	233120	20	
U2-GB-4020 †	4" x 2"	387106	10	
U2-GB-4025 †	4" x 2-1/2"	387090	12	48
U2-GB-4030	4" x 3"	387113	12	48

Coupling - FPT



U2-GC-01	1/8"	188123	60	720
U2-GC-02	1/4"	188130	40	480
U2-GC-03	3/8"	188147	50	300
U2-GC-05	1/2"	188154	60	240
U2-GC-07	3/4"	188161	50	150
U2-GC-10	1"	188178	25	75
U2-GC-12	1-1/4"	188185	32	64
U2-GC-15	1-1/2"	188192	18	36
U2-GC-20	2"	188208	12	24
U2-GC-30	3"	386529	12	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

150 GALVANIZED FITTINGS

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Cap - FPT



U2-GCA-01	1/8"	188215	100	1200
U2-GCA-02	1/4"	188222	100	400
U2-GCA-03	3/8"	188239	50	600
U2-GCA-05	1/2"	188246	50	300
U2-GCA-07	3/4"	188253	40	240
U2-GCA-10	1"	188260	50	200
U2-GCA-12	1-1/4"	188277	25	100
U2-GCA-15	1-1/2"	188284	25	75
U2-GCA-20	2"	188291	18	54
U2-GCA-25	2-1/2"	391585	20	
U2-GCA-30	3"	232734	20	
U2-GCA-40	4"	386604	14	

Floor Flange - FPT



U2-GFF-05	1/2"	188536	25	100
U2-GFF-07	3/4"	188543	20	80
U2-GFF-10	1"	188550	20	60
U2-GFF-12	1-1/4"	188567	15	45
U2-GFF-15	1-1/2"	188574	12	36
U2-GFF-20	2"	188581	8	24

Cross - FPT



U2-GCR-02	1/4"	232581	80	240
U2-GCR-03	3/8"	232598	60	120
U2-GCR-05	1/2"	188307	45	90
U2-GCR-07	3/4"	188314	30	60
U2-GCR-10	1"	188321	16	32
U2-GCR-12	1-1/4"	188338	9	18
U2-GCR-15	1-1/2"	188345	8	16
U2-GCR-20	2"	188352	5	10

Locknut - FPT



U2-GLN-05	1/2"	241965	100	600
U2-GLN-07	3/4"	241972	50	300
U2-GLN-10	1"	241989	60	240
U2-GLN-12	1-1/4"	241996	30	120
U2-GLN-15	1-1/2"	242009	25	100
U2-GLN-20	2"	242016	30	60

Plug - MPT



U2-GP-01	1/8"	230297	90	1080
U2-GP-02	1/4"	230211	75	900
U2-GP-03	3/8"	188598	45	540
U2-GP-05	1/2"	188604	40	480
U2-GP-07	3/4"	188611	25	300
U2-GP-10	1"	188628	40	160
U2-GP-12	1-1/4"	188635	25	100
U2-GP-15	1-1/2"	188642	24	72
U2-GP-20	2"	188659	15	45
U2-GP-25	2-1/2"	398492	40	
U2-GP-30	3"	387052	30	
U2-GP-40	4"	406326	8	

90° Elbow - FPT



U2-GE-01	1/8"	188369	50	600
U2-GE-02	1/4"	188376	35	420
U2-GE-03	3/8"	188383	45	270
U2-GE-05	1/2"	188390	50	200
U2-GE-07	3/4"	188406	30	90
U2-GE-10	1"	188413	20	60
U2-GE-12	1-1/4"	188420	20	40
U2-GE-15	1-1/2"	188437	10	20
U2-GE-20	2"	188444	8	16
U2-GE-25	2-1/2"	188451	15	
U2-GE-30	3"	188468	10	
U2-GE-40	4"	386888	5	

45° Elbow - FPT



U2-GE4-01	1/8"	230303	50	600
U2-GE4-02	1/4"	230204	35	420
U2-GE4-03	3/8"	215195	50	300
U2-GE4-05	1/2"	188475	50	200
U2-GE4-07	3/4"	188482	40	120
U2-GE4-10	1"	188499	20	60
U2-GE4-12	1-1/4"	188505	20	40
U2-GE4-15	1-1/2"	188512	15	30
U2-GE4-20	2"	188529	9	18
U2-GE4-25	2-1/2"	399864	9	18
U2-GE4-30	3"	400058	9	18
U2-GE4-40	4"	401680	9	18

Reducing Coupling - FPT



U2-GRC-0201	1/4" x 1/8"	188666	35	420
U2-GRC-0301	3/8" x 1/8"	230280	30	360
U2-GRC-0302	3/8" x 1/4"	188673	30	360
U2-GRC-0501	1/2" x 1/8"	232802	50	300
U2-GRC-0502	1/2" x 1/4"	188680	50	300
U2-GRC-0503	1/2" x 3/8"	188697	40	240
U2-GRC-0701	3/4" x 1/8"	232819	30	180
U2-GRC-0702	3/4" x 1/4"	230242	30	180
U2-GRC-0703	3/4" x 3/8"	188703	30	180
U2-GRC-0705	3/4" x 1/2"	188710	60	180
U2-GRC-1002	1" x 1/4"	232826	40	120
U2-GRC-1003	1" x 3/8"	232833	40	120
U2-GRC-1005	1" x 1/2"	188727	25	100
U2-GRC-1007	1" x 3/4"	188734	25	100
U2-GRC-1205	1-1/4" x 1/2"	188741	25	75

Other sizes may be available - Contact your inside sales rep for more information.

150 GALVANIZED FITTINGS

Part No.	Size	UPC 777808+	Quantity	
			L1	L2
U2-GRC-1207	1-1/4" x 3/4"	188758	25	75
U2-GRC-1210	1-1/4" x 1"	188765	20	60
U2-GRC-1505	1-1/2" x 1/2"	188772	20	60
U2-GRC-1507	1-1/2" x 3/4"	188789	30	60
U2-GRC-1510	1-1/2" x 1"	188796	25	50
U2-GRC-1512	1-1/2" x 1-1/4"	188802	24	48
U2-GRC-2005	2" x 1/2"	188819	21	42
U2-GRC-2007	2" x 3/4"	188826	21	42
U2-GRC-2010	2" x 1"	188833	21	42
U2-GRC-2012	2" x 1-1/4"	188840	14	28
U2-GRC-2015	2" x 1-1/2"	188857	12	24
U2-GRC-2520	2-1/2" x 2"	391486	15	30
U2-GRC-3020	3" x 2"	253364	12	
U2-GRC-3025	3" x 2-1/2"	387083	15	30
U2-GRC-4020	4" x 2"	401703	8	
U2-GRC-4030	4" x 3"	386703	8	

Part No.	Size	UPC 777808+	Quantity	
			L1	L2
U2-GSE-30	3"	253128	8	

45° Street Elbow - FPT x MPT



U2-GSE4-01	1/8"	232420	50	600
U2-GSE4-02	1/4"	246656	35	420
U2-GSE4-03	3/8"	189182	45	270
U2-GSE4-05	1/2"	189199	100	200
U2-GSE4-07	3/4"	189205	60	120
U2-GSE4-10	1"	189212	30	60
U2-GSE4-12	1-1/4"	189229	20	40
U2-GSE4-15	1-1/2"	189236	15	30
U2-GSE4-20	2"	189243	9	18

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Reducing 90° Elbow - FPT



U2-GRE-0503	1/2" x 3/8"	188864	50	200
U2-GRE-0705	3/4" x 1/2"	188871	40	120
U2-GRE-1007	1" x 3/4"	188895	30	90
U2-GRE-1210	1-1/4" x 1"	214174	20	40
U2-GRE-1512	1-1/2" x 1-1/4"	214204	15	30
U2-GRE-2015	2" x 1-1/2"	214235	10	20

Street Tee - MPT x FPT



U2-GST-05	1/2"	232499	25	150
U2-GST-07	3/4"	232505	25	100
U2-GST-10	1"	232512	20	60
U2-GST-12	1-1/4"	232529	6	24
U2-GST-15	1-1/2"	232536	12	36

Reducing Tee - FPT



U2-GRT-070505	3/4" x 1/2" x 1/2"	188918	45	90
U2-GRT-070507	3/4" x 1/2" x 3/4"	188925	45	90
U2-GRT-070702	3/4" x 3/4" x 1/4"	386727	50	100
U2-GRT-070703	3/4" x 3/4" x 3/8"	402304	30	120
U2-GRT-070705	3/4" x 3/4" x 1/2"	188932	45	90
U2-GRT-100707	1" x 3/4" x 3/4"	391493	25	50
U2-GRT-100710	1" x 3/4" x 1"	232666	25	50
U2-GRT-101002	1" x 1" x 1/4"	387014	35	70
U2-GRT-101005	1" x 1" x 1/2"	188994	35	70
U2-GRT-101007	1" x 1" x 3/4"	189007	30	60
U2-GRT-121207	1-1/4" x 1-1/4" x 3/4"	189021	12	36
U2-GRT-121210	1-1/4" x 1-1/4" x 1"	189038	18	36
U2-GRT-151507	1-1/2" x 1-1/2" x 3/4"	410279	18	36
U2-GRT-202007	2" x 2" x 3/4"	386574	9	18
U2-GRT-202010	2" x 2" x 1"	387045	9	18
U2-GRT-202012	2" x 2" x 1-1/4"	391417	9	18
U2-GRT-303020	3" x 3" x 2"	391424	9	18

Tee - FPT



U2-GT-01	1/8"	189250	75	450
U2-GT-02	1/4"	189267	50	300
U2-GT-03	3/8"	189274	45	180
U2-GT-05	1/2"	189281	40	120
U2-GT-07	3/4"	189298	35	70
U2-GT-10	1"	189304	20	40
U2-GT-12	1-1/4"	189311	14	28
U2-GT-15	1-1/2"	189328	11	22
U2-GT-20	2"	189335	6	12
U2-GT-30	3"	253272	6	
U2-GT-40	4"	401697	5	30

90° Street Elbow - MPT x FPT



U2-GSE-01	1/8"	189090	50	600
U2-GSE-02	1/4"	189106	35	420
U2-GSE-03	3/8"	189113	40	240
U2-GSE-05	1/2"	189120	60	180
U2-GSE-07	3/4"	189137	30	90
U2-GSE-10	1"	189144	30	60
U2-GSE-12	1-1/4"	189151	20	40
U2-GSE-15	1-1/2"	189168	13	26
U2-GSE-20	2"	189175	7	14

Union - FPT



U2-GU-01	1/8"	232925	30	180
U2-GU-02	1/4"	230228	30	180
U2-GU-03	3/8"	230235	35	140
U2-GU-05	1/2"	189342	30	120
U2-GU-07	3/4"	189359	25	75
U2-GU-10	1"	189366	30	60
U2-GU-12	1-1/4"	189373	18	36
U2-GU-15	1-1/2"	189380	12	24
U2-GU-20	2"	189397	8	16
U2-GU-25	2-1/2"	387038	8	16
U2-GU-30	3"	387069	5	
U2-GU-40	4"	387144	8	16

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

MALLEABLE IRON MERCHANT COUPLINGS

Part No.	Size	Pipe Length	UPC		Quantity	
			777808+	L1	L2	



Coupling Class 150 Black Malleable Iron, Leaded,
FPT Connection

UBLMC-01	1/8"	3/4"	118779	100
UBLMC-02	1/4"	1-1/8"	118786	100
UBLMC-03	3/8"	1-1/8"	118793	100
UBLMC-05	1/2"	1-1/2"	118809	100
UBLMC-07	3/4"	1-9/16"	118816	50
UBLMC-10	1"	1-15/16"	118823	30
UBLMC-12	1-1/4"	2"	118830	25
UBLMC-15	1-1/2"	2"	118847	25
UBLMC-20	2"	2-1/16"	118854	20
UBLMC-25	2-1/2"	3-1/16"	118861	24
UBLMC-30	3"	3-3/16"	118878	18
UBLMC-35	3-1/2"	3-5/16"	239801	
UBLMC-40	4"	3-7/16"	118885	12
UBLMC-60	6"	3-15/16"	118892	



Half Coupling Class 150 Black Malleable Iron, Leaded,
FPT Connection

UBLMHC-01	1/8"	17/32"	118908	100
UBLMHC-02	1/4"	17/32"	118915	100
UBLMHC-03	3/8"	17/32"	118922	100
UBLMHC-05	1/2"	22/32"	118939	100
UBLMHC-07	3/4"	3/4"	118946	100
UBLMHC-10	1"	15/16"	118953	50
UBLMHC-12	1-1/4"	31/32"	118960	50
UBLMHC-15	1-1/2"	31/32"	118977	50
UBLMHC-20	2"	1"	118984	50
UBLMHC-25	2-1/2"	1-1/2"	118991	
UBLMHC-30	3"	1-9/16"	119004	
UBLMHC-35	3-1/2"	1-5/8"	119011	
UBLMHC-40	4"	1-11/16"	119028	
UBLMHC-50	5"	1-3/4"	119035	
UBLMHC-60	6"	1-7/8"	119042	

GALVANIZED MERCHANT COUPLINGS

Part No.	Size	Pipe Length	UPC		Quantity	
			777808+	L1	L2	



Coupling Galvanized Carbon Steel, No Lead,
FPT Connection

UGMC-01	1/8"	3/4"	125586	100
UGMC-02	1/4"	1-1/8"	125593	100
UGMC-03	3/8"	1-1/8"	125609	100
UGMC-05	1/2"	1-1/2"	125616	100
UGMC-07	3/4"	1-9/16"	125623	50
UGMC-10	1"	1-15/16"	125630	30
UGMC-12	1-1/4"	2"	125647	25
UGMC-15	1-1/2"	2"	125654	25
UGMC-20	2"	2-1/16"	125661	20
UGMC-25	2-1/2"	3-1/16"	125678	
UGMC-30	3"	3-3/16"	125685	18
UGMC-40	4"	3-7/16"	125692	12
UGMC-60	6"	3-15/16"	125708	

Other sizes may be available - Contact your inside sales rep for more information.

GALVANIZED COMPRESSION COUPLINGS

Plumbeeze Galvanized Compression Couplings fit the iron pipe size listed. Pipes must be properly restrained or end blocked to prevent blow off after installation.



Part No.	Size	Pipe OD	UPC 777808+	Quantity	
				L1	L2
Galvanized Malleable Iron, No Lead, Gasket Material: Nitrile Rubber Temperature Range: 14°F to 140°F (-10°C to 60°C), Maximum Pressure: 150 PSI					
UGCC-05	1/2"	0.840"	252220	24	48
UGCC-07	3/4"	1.050"	252237	20	40
UGCC-10	1"	1.315"	252244	12	24
UGCC-12	1-1/4"	1.660"	252251	9	18
UGCC-15	1-1/2"	1.900"	252268	6	12
UGCC-20	2"	2.375"	252275	5	10

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

READY CUT PIPE RACK

Plumbeeze Ready Cut Pipe Rack is strong and sturdy. Built for storing and displaying your specific ready cut pipe assortment in a shoppable appearance.



Part No.	UPC	Quantity	
	777808+	L1	L2
PE-RCP-RACK	327379		

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

SCHEDULE 40 BLACK PIPE NIPPLES & READY CUT PIPE

Plumbeeze Schedule 40 Black Pipe Nipples and Ready Cut Pipe are welded.



PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
Pipe Size - 1/8"				
UBLN-01	3/4" - Close	119059	25	400
UBLN-0115	1-1/2"	119097	25	400
UBLN-0120	2"	119103	25	400
UBLN-0125	2-1/2"	119110	25	400
UBLN-0130	3"	119127	25	400
UBLN-0135	3-1/2"	119134	25	400
UBLN-0140	4"	119141	25	400
UBLN-0145	4-1/2"	119158	25	400
UBLN-0150	5"	119165	25	400
UBLN-0155	5-1/2"	119172	25	400
UBLN-0160	6"	119189	25	400
Pipe Size - 1/4"				
UBLN-02	3/4" - Close	119226	25	400
UBLN-0215	1-1/2"	119264	25	400
UBLN-0220	2"	119271	25	400
UBLN-0225	2-1/2"	119288	25	400
UBLN-0230	3"	119295	25	400
UBLN-0235	3-1/2"	119301	25	400
UBLN-0240	4"	119318	25	400
UBLN-0245	4-1/2"	119325	25	400
UBLN-0250	5"	119332	25	400
UBLN-0255	5-1/2"	119349	25	300
UBLN-0260	6"	119356	25	300
Pipe Size - 3/8"				
UBLN-03	3/4" - Close	119394	25	400
UBLN-0315	1-1/2"	119431	25	400
UBLN-0320	2"	119448	25	400
UBLN-0325	2-1/2"	119455	25	400
UBLN-0330	3"	119462	25	400
UBLN-0335	3-1/2"	119479	25	300
UBLN-0340	4"	119486	25	300
UBLN-0345	4-1/2"	119493	25	300
UBLN-0350	5"	119509	25	200
UBLN-0355	5-1/2"	119516	25	200
UBLN-0360	6"	119523	25	200
Pipe Size - 1/2"				
UBLN-05	3/4" - Close	119561	25	400
UBLN-0515	1-1/2"	119608	25	400
UBLN-0520	2"	119615	25	400
UBLN-0525	2-1/2"	119622	25	300
UBLN-0530	3"	119639	25	300
UBLN-0535	3-1/2"	119646	25	200
UBLN-0540	4"	119653	25	200
UBLN-0545	4-1/2"	119660	25	200
UBLN-0550	5"	119677	25	200
UBLN-0555	5-1/2"	119684	25	150
UBLN-0560	6"	119691	25	150
UBLN-0580	8"	119714	25	100
UBLN-05100	10"	119578	25	75
UBLN-05120	12"	119592	25	75
UBLRCP-05180	18"	238453	5	
UBLRCP-05240	24"	238460	5	
UBLRCP-05300	30"	238477	5	
UBLRCP-05360	36"	238484	5	
UBLRCP-05480	48"	238491	5	
UBLRCP-05600	60"	238507	5	
UBLRCP-05720	72"	238514	5	

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
Pipe Size - 3/4"				
UBLN-07	3/4" - Close	119738	25	400
UBLN-0715	1-1/2"	119776	25	400
UBLN-0720	2"	119783	25	300
UBLN-0725	2-1/2"	119790	25	300
UBLN-0730	3"	119806	25	200
UBLN-0735	3-1/2"	119813	25	200
UBLN-0740	4"	119820	25	150
UBLN-0745	4-1/2"	119837	25	150
UBLN-0750	5"	119844	25	100
UBLN-0755	5-1/2"	119851	25	100
UBLN-0760	6"	119868	25	100
UBLN-0780	8"	119882	25	75
UBLN-07100	10"	119745	25	50
UBLN-07120	12"	119769	25	50
UBLRCP-07180	18"	238521	5	
UBLRCP-07240	24"	238538	5	
UBLRCP-07300	30"	238545	5	
UBLRCP-07360	36"	238552	5	
UBLRCP-07480	48"	238569	5	
UBLRCP-07600	60"	238576	5	
UBLRCP-07720	72"	238583	5	
Pipe Size - 1"				
UBLN-10	3/4" - Close	119905	25	200
UBLN-1020	2"	119943	25	200
UBLN-1025	2-1/2"	119950	25	150
UBLN-1030	3"	119967	25	150
UBLN-1035	3-1/2"	119974	25	100
UBLN-1040	4"	119981	25	100
UBLN-1045	4-1/2"	119998	25	100
UBLN-1050	5"	120000	25	75
UBLN-1055	5-1/2"	120017	25	75
UBLN-1060	6"	120024	25	50
UBLN-1080	8"	120048	25	50
UBLN-10100	10"	119912	20	40
UBLN-10120	12"	119936	20	40
UBLRCP-10180	18"	238590	5	
UBLRCP-10240	24"	238606	5	
UBLRCP-10300	30"	238613	5	
UBLRCP-10360	36"	238620	5	
UBLRCP-10480	48"	238637	5	
UBLRCP-10600	60"	238644	5	
UBLRCP-10720	72"	238651	5	
Pipe Size - 1-1/4"				
UBLN-12	3/4" - Close	120062	25	150
UBLN-1220	2"	120109	25	100
UBLN-1225	2-1/2"	120116	25	100
UBLN-1230	3"	120123	25	100
UBLN-1235	3-1/2"	120130	25	50
UBLN-1240	4"	120147	25	50
UBLN-1245	4-1/2"	120154	25	50
UBLN-1250	5"	120161	25	50
UBLN-1255	5-1/2"	120178	25	50
UBLN-1260	6"	120185	25	50
UBLN-1280	8"	120208	15	30
UBLN-12100	10"	120079	30	
UBLN-12120	12"	120093	30	
UBLRCP-12180	18"	238668	5	
UBLRCP-12240	24"	238675	5	
UBLRCP-12300	30"	238682	5	
UBLRCP-12360	36"	238699	5	
UBLRCP-12480	48"	238705	5	
UBLRCP-12600	60"	238712	5	
UBLRCP-12720	72"	238729	5	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

SCHEDULE 40 BLACK PIPE NIPPLES & READY CUT PIPE

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
Pipe Size - 1-1/2"				
UBLN-15	3/4" - Close	120222	25	100
UBLN-1520	2"	120260	25	100
UBLN-1525	2-1/2"	120277	25	50
UBLN-1530	3"	120284	25	50
UBLN-1535	3-1/2"	120291	25	50
UBLN-1540	4"	120307	25	50
UBLN-1545	4-1/2"	120314	25	50
UBLN-1550	5"	120321	20	40
UBLN-1555	5-1/2"	120338	20	40
UBLN-1560	6"	120345	20	40
UBLN-1580	8"	120369	25	
UBLN-15100	10"	120239	15	
UBLN-15120	12"	120253	15	
UBLRCP-15180	18"	238736	5	
UBLRCP-15240	24"	238743	5	
UBLRCP-15300	30"	238750	5	
UBLRCP-15360	36"	238767	5	
UBLRCP-15480	48"	238774	5	
UBLRCP-15600	60"	238781	5	
UBLRCP-15720	72"	238798	5	
Pipe Size - 2"				
UBLN-20	3/4" - Close	120383	25	50
UBLN-2025	2-1/2"	120420	25	50
UBLN-2030	3"	120437	50	
UBLN-2035	3-1/2"	120444	25	
UBLN-2040	4"	120451	25	
UBLN-2045	4-1/2"	120468	25	
UBLN-2050	5"	120475	25	
UBLN-2055	5-1/2"	120482	25	
UBLN-2060	6"	120499	25	
UBLN-2070	7"	120505	18	
UBLN-2080	8"	120512	18	
UBLN-20100	10"	120390	14	
UBLN-20110	11"	120406	14	
UBLN-20120	12"	120413	14	
UBLRCP-20180	18"	238804	5	
UBLRCP-20240	24"	238811	5	
UBLRCP-20300	30"	238828	5	
UBLRCP-20360	36"	238835	5	
UBLRCP-20480	48"	238842	5	
UBLRCP-20600	60"	238859	5	
UBLRCP-20720	72"	238866	2	2

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
Pipe Size - 2-1/2"				
UBLN-25	3/4" - Close	120536	36	
UBLN-2530	3"	120574	36	
UBLN-2535	3-1/2"	120581	27	
UBLN-2540	4"	120598	27	
UBLN-2545	4-1/2"	120604	24	
UBLN-2550	5"	120611	18	
UBLN-2555	5-1/2"	120628	18	
UBLN-2560	6"	120635	18	
UBLN-2570	7"	120642	14	
UBLN-2580	8"	120659	12	
UBLN-2590	9"	120666	12	
UBLN-25100	10"	120543	9	
UBLN-25110	11"	120550	9	
UBLN-25120	12"	120567	9	
Pipe Size - 3"				
UBLN-30	3/4" - Close	120673	24	
UBLN-3030	3"	120710	24	
UBLN-3035	3-1/2"	120727	18	
UBLN-3040	4"	120734	18	
UBLN-3045	4-1/2"	120741	16	
UBLN-3050	5"	120758	12	
UBLN-3055	5-1/2"	120765	12	
UBLN-3060	6"	120772	12	
UBLN-3070	7"	120789	9	
UBLN-3080	8"	120796	8	
UBLN-3090	9"	120802	8	
UBLN-30100	10"	120680	6	
UBLN-30110	11"	120697	6	
UBLN-30120	12"	120703	6	
Pipe Size - 4"				
UBLN-40	3/4" - Close	120819	15	
UBLN-4035	3-1/2"	120857	12	
UBLN-4040	4"	120864	12	
UBLN-4045	4-1/2"	120871	10	
UBLN-4050	5"	120888	8	
UBLN-4055	5-1/2"	120895	8	
UBLN-4060	6"	120901	8	
UBLN-4070	7"	120918	5	
UBLN-4080	8"	120925	5	
UBLN-4090	9"	120932	5	
UBLN-40100	10"	120826	4	
UBLN-40110	11"	120833	4	
UBLN-40120	12"	120840	4	

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

SCHEDULE 40 GALVANIZED PIPE NIPPLES & READY CUT PIPE



Plumbeeze Schedule 40 Galvanized Pipe Nipples and Ready Cut Pipe are welded. No Lead

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
Pipe Size - 1/8"				
UGN-01	3/4" - Close	125715	25	400
UGN-0115	1-1/2"	125753	25	400
UGN-0120	2"	125760	25	400
UGN-0125	2-1/2"	125777	25	400
UGN-0130	3"	125784	25	400
UGN-0135	3-1/2"	125791	25	400
UGN-0140	4"	125807	25	400
UGN-0145	4-1/2"	125814	25	400
UGN-0150	5"	125821	25	400
UGN-0155	5-1/2"	125838	25	400
UGN-0160	6"	125845	25	400
Pipe Size - 1/4"				
UGN-02	3/4" - Close	125883	25	400
UGN-0215	1-1/2"	125920	25	400
UGN-0220	2"	125937	25	400
UGN-0225	2-1/2"	125944	25	400
UGN-0230	3"	125951	25	400
UGN-0235	3-1/2"	125968	25	400
UGN-0240	4"	125975	25	400
UGN-0245	4-1/2"	125982	25	400
UGN-0250	5"	125999	25	400
UGN-0255	5-1/2"	126002	25	300
UGN-0260	6"	126019	25	300
Pipe Size - 3/8"				
UGN-03	3/4" - Close	126057	25	400
UGN-0315	1-1/2"	126095	25	400
UGN-0320	2"	126101	25	400
UGN-0325	2-1/2"	126118	25	400
UGN-0330	3"	126125	25	400
UGN-0335	3-1/2"	126132	25	300
UGN-0340	4"	126149	25	300
UGN-0345	4-1/2"	126156	25	300
UGN-0350	5"	126163	25	200
UGN-0355	5-1/2"	126170	25	200
UGN-0360	6"	126187	25	200
Pipe Size - 1/2"				
UGN-05	3/4" - Close	126224	25	400
UGN-0515	1-1/2"	126262	25	400
UGN-0520	2"	126279	25	400
UGN-0525	2-1/2"	126286	25	300
UGN-0530	3"	126293	25	300
UGN-0535	3-1/2"	126309	25	200
UGN-0540	4"	126316	25	200
UGN-0545	4-1/2"	126323	25	200
UGN-0550	5"	126330	25	200
UGN-0555	5-1/2"	126347	25	150
UGN-0560	6"	126354	25	150
UGN-0580	8"	126378	25	100
UGRCP-05180	18"	238880	5	
UGRCP-05240	24"	238897	5	
UGRCP-05300	30"	238903	5	
UGRCP-05360	36"	238910	5	
UGRCP-05480	48"	238927	5	
UGRCP-05600	60"	238934	5	
UGRCP-05720	72"	238941	5	
UGN-05100	10"	126231	25	75
UGN-05120	12"	126255	25	75

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
Pipe Size - 3/4"				
UGN-07	3/4" - Close	126392	25	400
UGN-0715	1-1/2"	126439	25	400
UGN-0720	2"	126446	25	300
UGN-0725	2-1/2"	126453	25	300
UGN-0730	3"	126460	25	200
UGN-0735	3-1/2"	126477	25	200
UGN-0740	4"	126484	25	150
UGN-0745	4-1/2"	126491	25	150
UGN-0750	5"	126507	25	100
UGN-0755	5-1/2"	126514	25	100
UGN-0760	6"	126521	25	100
UGN-0780	8"	126545	25	75
UGN-07100	10"	126408	25	50
UGN-07120	12"	126422	25	50
UGRCP-07180	18"	238958	5	
UGRCP-07240	24"	238965	5	
UGRCP-07300	30"	238972	5	
UGRCP-07360	36"	238989	5	
UGRCP-07480	48"	238996	5	
UGRCP-07600	60"	239009	5	
UGRCP-07720	72"	239016	5	
Pipe Size - 1"				
UGN-10	3/4" - Close	126569	25	200
UGN-1020	2"	126606	25	200
UGN-1025	2-1/2"	126613	25	150
UGN-1030	3"	126620	25	150
UGN-1035	3-1/2"	126637	25	100
UGN-1040	4"	126644	25	100
UGN-1045	4-1/2"	126651	25	100
UGN-1050	5"	126668	25	75
UGN-1055	5-1/2"	126675	25	75
UGN-1060	6"	126682	25	50
UGN-1080	8"	126705	25	50
UGN-10100	10"	126576	20	40
UGN-10120	12"	126590	20	40
UGRCP-10180	18"	239023	5	
UGRCP-10240	24"	239030	5	
UGRCP-10300	30"	239047	5	
UGRCP-10360	36"	239054	5	
UGRCP-10480	48"	239061	5	
UGRCP-10600	60"	239078	5	
UGRCP-10720	72"	239085	5	
Pipe Size - 1-1/4"				
UGN-12	3/4" - Close	126729	25	150
UGN-1220	2"	126767	25	100
UGN-1225	2-1/2"	126774	25	100
UGN-1230	3"	126781	25	100
UGN-1235	3-1/2"	126798	25	50
UGN-1240	4"	126804	25	50
UGN-1245	4-1/2"	126811	25	50
UGN-1250	5"	126828	25	50
UGN-1255	5-1/2"	126835	25	50
UGN-1260	6"	126842	25	50
UGN-1280	8"	126866	15	30
UGN-12100	10"	126736	30	
UGN-12120	12"	126750	30	
UGRCP-12180	18"	239092	5	
UGRCP-12240	24"	239108	5	
UGRCP-12300	30"	239115	5	
UGRCP-12360	36"	239122	5	
UGRCP-12480	48"	239139	5	
UGRCP-12600	60"	239146	5	
UGRCP-12720	72"	239153	5	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

SCHEDULE 40 GALVANIZED PIPE NIPPLES & READY CUT PIPE

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
Pipe Size - 1-1/2"				
UGN-15	3/4" - Close	126880	25	100
UGN-1520	2"	126927	25	100
UGN-1525	2-1/2"	126934	25	50
UGN-1530	3"	126941	25	50
UGN-1535	3-1/2"	126958	25	50
UGN-1540	4"	126965	25	50
UGN-1545	4-1/2"	126972	25	50
UGN-1550	5"	126989	20	40
UGN-1555	5-1/2"	126996	20	40
UGN-1560	6"	127009	20	40
UGN-1580	8"	127023	25	
UGN-15100	10"	126897	15	
UGN-15120	12"	126910	15	
UGRCP-15180	18"	239160	5	
UGRCP-15240	24"	239177	5	
UGRCP-15300	30"	239184	5	
UGRCP-15360	36"	239191	5	
UGRCP-15480	48"	239207	5	
UGRCP-15600	60"	239214	5	
UGRCP-15720	72"	239221	5	
Pipe Size - 2"				
UGN-20	3/4" - Close	127047	25	50
UGN-2025	2-1/2"	127085	25	50
UGN-2030	3"	127092	50	
UGN-2035	3-1/2"	127108	25	
UGN-2040	4"	127115	25	
UGN-2045	4-1/2"	127122	25	
UGN-2050	5"	127139	25	
UGN-2055	5-1/2"	127146	25	
UGN-2060	6"	127153	25	
UGN-2070	7"	127160	18	
UGN-2080	8"	127177	18	
UGN-20100	10"	127054	14	
UGN-20110	11"	127061	14	
UGN-20120	12"	127078	14	
UGRCP-20180	18"	239238	5	
UGRCP-20240	24"	239245	5	
UGRCP-20300	30"	239252	5	
UGRCP-20360	36"	239269	5	
UGRCP-20480	48"	239276	5	
UGRCP-20600	60"	239283	5	
UGRCP-20720	72"	239290	2	

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
Pipe Size - 2-1/2"				
UGN-25	3/4" - Close	127191		36
UGN-2530	3"	127238		36
UGN-2535	3-1/2"	127245		27
UGN-2540	4"	127252		27
UGN-2545	4-1/2"	127269		24
UGN-2550	5"	127276		18
UGN-2555	5-1/2"	127283		18
UGN-2560	6"	127290		18
UGN-2570	7"	127306		14
UGN-2580	8"	127313		12
UGN-2590	9"	127320		12
UGN-25100	10"	127207		9
UGN-25110	11"	127214		9
UGN-25120	12"	127221		9
Pipe Size - 3"				
UGN-30	3/4" - Close	127337		24
UGN-3030	3"	127375		24
UGN-3035	3-1/2"	127382		18
UGN-3040	4"	127399		18
UGN-3045	4-1/2"	127405		16
UGN-3050	5"	127412		12
UGN-3055	5-1/2"	127429		12
UGN-3060	6"	127436		12
UGN-3070	7"	127443		9
UGN-3080	8"	127450		8
UGN-3090	9"	127467		8
UGN-30100	10"	127344		6
UGN-30110	11"	127351		6
UGN-30120	12"	127368		6
Pipe Size - 4"				
UGN-40	3/4" - Close	127474		15
UGN-4035	3-1/2"	127511		12
UGN-4040	4"	127528		12
UGN-4045	4-1/2"	127535		10
UGN-4050	5"	127542		8
UGN-4055	5-1/2"	127559		8
UGN-4060	6"	127566		8
UGN-4070	7"	127573		5
UGN-4080	8"	127580		5
UGN-4090	9"	127597		5
UGN-40100	10"	127481		4
UGN-40110	11"	127498		4
UGN-40120	12"	127504		4

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

DIELECTRIC UNIONS

Plumbeeze Dielectric Unions are used in commercial and residential applications to prevent accelerated corrosion and deterioration in the piping system due to galvanic and stray current. They consist of a union nut, two tailpieces, and a gasket that separates the tailpieces to prevent an electric current from occurring. Dielectric Unions are ideal in applications such as hot water storage tanks, water and air conditioners, processing tanks, steam, gas, and water piping. No Lead

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Dielectric Union - FPT x Sweat



UDU-05FS	1/2"	269112	10	
UDU-07F05S	3/4" x 1/2"	307487	10	
UDU-07FS	3/4"	269129	10	80
UDU-10FS	1"	269136	10	
UDU-12FS	1-1/4"	307425	6	48
UDU-15FS	1-1/2"	307432	6	48
UDU-20FS	2"	307449	6	24

Dielectric Union - MPT x Sweat



UDU-05MS	1/2"	307494	10	
UDU-07MS	3/4"	307517	10	

PIPE FITTINGS & NIPLLES
BLACK, GALV., BRASS,
STAINLESS, PVC

NO LEAD BRONZE FITTINGS

No Lead

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Bushing - MPT x FPT
† Inside Head * Octagon Head



UNLBRB-0201	1/4" x 1/8"	445509	120	1440
UNLBRB-0301	3/8" x 1/8"	445516	75	900
UNLBRB-0302	3/8" x 1/4"	445523	75	900
UNLBRB-0501-3	1/2" x 1/8"	445530	150	600
UNLBRB-0502	1/2" x 1/4"	445547	150	600
UNLBRB-0503	1/2" x 3/8"	445554	150	600
UNLBRB-0701-3	3/4" x 1/8"	445561	75	300
UNLBRB-0702-3	3/4" x 1/4"	445578	75	300
UNLBRB-0703	3/4" x 3/8"	445585	75	300
UNLBRB-0705	3/4" x 1/2"	445592	75	300
UNLBRB-1002-3 †	1" x 1/4"	445608	50	200
UNLBRB-1003-3 †	1" x 3/8"	445615	50	200
UNLBRB-1005	1" x 1/2"	445622	50	200
UNLBRB-1007	1" x 3/4"	445639	50	200
UNLBRB-1202-3 †	1-1/4" x 1/4"	445646	30	120
UNLBRB-1203-3 †	1-1/4" x 3/8"	445653	30	120
UNLBRB-1205-3 †	1-1/4" x 12"	445660	30	120
UNLBRB-1207	1-1/4" x 3/4"	445677	30	120
UNLBRB-1210	1-1/4" x 1"	445684	30	120
UNLBRB-1505-3 †	1-1/2" x 12"	445691	25	75
UNLBRB-1507-3 †	1-1/2" x 3/4"	445707	25	75
UNLBRB-1510	1-1/2" x 1"	445714	25	75
UNLBRB-1512	1-1/2" x 1-1/4"	445721	25	75
UNLBRB-2005-3 †	2" x 1/2"	445738	20	60
UNLBRB-2007-3 †	2" x 3/4"	445745	20	60
UNLBRB-2010-3 †	2" x 1"	445752	20	60
UNLBRB-2012 *	2" x 1-1/4"	445769	20	60
UNLBRB-2015	2" x 1-1/2"	445776	20	60

Coupling - FPT



UNLBRC-01	1/8"	445783	70	840
UNLBRC-02	1/4"	445790	40	480
UNLBRC-03	3/8"	445806	40	480
UNLBRC-05	1/2"	445813	60	240
UNLBRC-07	3/4"	445820	50	150
UNLBRC-10	1"	445837	25	100
UNLBRC-12	1-1/4"	445844	16	64
UNLBRC-15	1-1/2"	445851	18	36
UNLBRC-20	2"	445868	12	24

Cap - FPT



UNLBRCA-01	1/8"	445875	120	1440
UNLBRCA-02	1/4"	445882	80	960
UNLBRCA-03	3/8"	445899	60	720
UNLBRCA-05	1/2"	445905	75	300
UNLBRCA-07	3/4"	445912	40	160
UNLBRCA-10	1"	445929	25	100
UNLBRCA-12	1-1/4"	445936	20	80
UNLBRCA-15	1-1/2"	445943	18	54
UNLBRCA-20	2"	445950	12	36

Other sizes may be available - Contact your inside sales rep for more information.

NO LEAD BRONZE FITTINGS

Part No. Size UPC Quantity
777808+ L1 L2

Part No. Size UPC Quantity
777808+ L1 L2

90° Elbow - FPT



UNLBRE-01	1/8"	445967	50	600
UNLBRE-02	1/4"	445974	35	420
UNLBRE-03	3/8"	445981	90	360
UNLBRE-05	1/2"	445998	50	200
UNLBRE-07	3/4"	446001	35	105
UNLBRE-10	1"	446018	20	60
UNLBRE-12	1-1/4"	446025	20	40
UNLBRE-15	1-1/2"	446032	15	30
UNLBRE-20	2"	446049	8	16

UNLBRRC-1207	1-1/4" x 3/4"	446360	25	75
UNLBRRC-1210	1-1/4" x 1"	446377	15	60
UNLBRRC-1505-3	1-1/2" x 1/2"	446384	20	60
UNLBRRC-1507-3	1-1/2" x 3/4"	446391	15	60
UNLBRRC-1510	1-1/2" x 1"	446407	25	50
UNLBRRC-1512	1-1/2" x 1-1/4"	446414	12	48
UNLBRRC-2005-3	2" x 1/2"	446421	12	36
UNLBRRC-2007-3	2" x 3/4"	446438	12	36
UNLBRRC-2010-3	2" x 1"	446445	12	36
UNLBRRC-2012	2" x 1-1/4"	446452	9	27
UNLBRRC-2015	2" x 1-1/2"	446469	9	27

45° Elbow - FPT



UNLBRE4-01	1/8"	446056	50	600
UNLBRE4-02	1/4"	446063	30	360
UNLBRE4-03	3/8"	446070	75	300
UNLBRE4-05	1/2"	446087	50	200
UNLBRE4-07	3/4"	446094	40	120
UNLBRE4-10	1"	446100	20	60
UNLBRE4-12	1-1/4"	446117	20	40
UNLBRE4-15	1-1/2"	446124	10	30
UNLBRE4-20	2"	446131	12	24

Reducing 90° Elbow - FPT



UNLBRRE-0503	1/2" x 3/8"	446476	60	240
UNLBRRE-0705	3/4" x 1/2"	446483	40	160
UNLBRRE-1007	1" x 3/4"	446490	50	100

Plug - MPT



UNLBRP-01	1/8"	446148	400	4800
UNLBRP-02	1/4"	446155	150	1800
UNLBRP-03	3/8"	446162	120	1440
UNLBRP-05	1/2"	446179	50	600
UNLBRP-07	3/4"	446186	30	360
UNLBRP-10	1"	446193	20	240
UNLBRP-12	1-1/4"	446209	40	120
UNLBRP-15	1-1/2"	446216	30	90
UNLBRP-20	2"	446223	20	60

Reducing Tee - FPT



UNLBRRT-070505	3/4" x 1/2" x 1/2"	474592	25	100
UNLBRRT-070705	3/4" x 3/4" x 1/2"	446506	20	80
UNLBRRT-101005	1" x 1" x 1/2"	446513	15	60
UNLBRRT-101007	1" x 1" x 3/4"	446520	12	48
UNLBRRT-121210	1-1/4" x 1-1/4" x 1"	446537	20	40
UNLBRRT-151512	1-1/2" x 1-1/2" x 1-1/4"	446544	12	24

Reducing Coupling - FPT



UNLBRRC-0201	1/4" x 1/8"	446230	50	600
UNLBRRC-0301	3/8" x 1/8"	446247	35	420
UNLBRRC-0302	3/8" x 1/4"	446254	30	360
UNLBRRC-0501-3	1/2" x 1/8"	446261	75	300
UNLBRRC-0502	1/2" x 1/4"	446278	75	300
UNLBRRC-0503	1/2" x 3/8"	446285	60	240
UNLBRRC-0702-3	3/4" x 1/4"	446292	45	180
UNLBRRC-0703	3/4" x 3/8"	446308	45	180
UNLBRRC-0705	3/4" x 1/2"	446315	60	180
UNLBRRC-1003-3	1" x 3/8"	446322	30	120
UNLBRRC-1005	1" x 1/2"	446339	30	120
UNLBRRC-1007	1" x 3/4"	446346	25	100
UNLBRRC-1205-3	1-1/4" x 1/2"	446353	25	75

90° Street Elbow - MPT x FPT



UNLBRSE-01	1/8"	446551	60	720
UNLBRSE-02	1/4"	446568	35	420
UNLBRSE-03	3/8"	446575	60	240
UNLBRSE-05	1/2"	446582	60	180
UNLBRSE-07	3/4"	446599	35	105
UNLBRSE-10	1"	446605	45	90
UNLBRSE-12	1-1/4"	446612	25	50
UNLBRSE-15	1-1/2"	446629	9	27
UNLBRSE-20	2"	446636	8	16

Reducing Coupling - FPT



Tee - FPT



UNLBRT-01	1/8"	446643	120	480
UNLBRT-02	1/4"	446650	75	300
UNLBRT-03	3/8"	446667	45	180
UNLBRT-05	1/2"	446674	40	120
UNLBRT-07	3/4"	446681	35	70
UNLBRT-10	1"	446698	20	40
UNLBRT-12	1-1/4"	446704	14	28
UNLBRT-15	1-1/2"	446711	12	24
UNLBRT-20	2"	446728	8	16

Other sizes may be available - Contact your inside sales rep for more information.

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC



Toll Free: 1-888-838-8801 plumbeeze.com

NO LEAD BRONZE FITTINGS

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Union - FPT



UNLBRU-01	1/8"	446735	60	240
UNLBRU-02	1/4"	446742	20	240
UNLBRU-03	3/8"	446759	40	160
UNLBRU-05	1/2"	446766	50	100
UNLBRU-07	3/4"	446773	35	70
UNLBRU-10	1"	446780	20	40
UNLBRU-12	1-1/4"	446797	15	30
UNLBRU-15	1-1/2"	446803	10	20
UNLBRU-20	2"	446810	6	12

PIPE FITTINGS & NIPLLES
BLACK, GALV., BRASS,
STAINLESS, PVC

SOLDER & DROP EAR FITTINGS

Plumbeeze Solder Fittings connect to copper pipe. Drop ear elbows allow for the elbow to be mounted and secured to a stud, plywood, etc. No Lead

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Dropear 90° Elbow - CxC



UNLBRDECC-05	1/2"	447701	25	
--------------	------	--------	----	--

Dropear 90° Elbow - C x FPT



UNLBRDECF-05	1/2"	447718	25	
--------------	------	--------	----	--

Dropear 90° Elbow - PEX x FPT



UNLBRDEPF-05	1/2"	447725	25	
--------------	------	--------	----	--

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

90° Elbow - C x FPT



UNLBRECF-05	1/2"	447732		
UNLBRECF-0507	1/2" x 3/4"	447749	25	200
UNLBRECF-07	3/4"	447756	25	
UNLBRECF-0705	3/4" x 1/2"	447763	25	

Adapter - C x FPT



UNLBSAFC-0705	1/2" x 3/4"	464982	25	250
---------------	-------------	--------	----	-----

Adapter - C x MPT



UNLBSAMC-0705	1/2" x 3/4"	465033	25	300
---------------	-------------	--------	----	-----

Union - CxC



UNLBSUCC-05	1/2"	464951	25	300
-------------	------	--------	----	-----

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

BRASS NIPPLES



Plumbeeze Red Brass Nipples and Ready Cut Pipe are produced from red brass pipe which has higher copper content than yellow brass and offers much better corrosion resistance from water and resists attack from salt water, & minerals, contained in water. Ideal for use in high corrosion installations such as barns, underground installations, wells, basements or any other damp environments. Much longer lifespan than galvanized fittings. No Lead

Part No.	Pipe Length	UPC 777808+	Quantity L1	Quantity L2
Pipe Size - 1/8"				
UBRN-01	3/4" - Close	236169	25	600
UBRN-0115	1-1/2"	236176	25	
UBRN-0120	2"	236183	25	
UBRN-0125	2-1/2"	236190	25	
UBRN-0130	3"	236206	25	
UBRN-0135	3-1/2"	236213	25	
UBRN-0140	4"	236220	25	
UBRN-0145	4-1/2"	236237	25	
UBRN-0150	5"	236244	25	
UBRN-0155	5-1/2"	236251	25	
UBRN-0160	6"	236268	25	
Pipe Size - 1/4"				
UBRN-02	3/4" - Close	236336	25	600
UBRN-0215	1-1/2"	236343	25	600
UBRN-0220	2"	236350	25	600
UBRN-0225	2-1/2"	236367	25	
UBRN-0230	3"	230891	25	600
UBRN-0235	3-1/2"	236374	25	
UBRN-0240	4"	236381	25	400
UBRN-0245	4-1/2"	236398	25	
UBRN-0250	5"	236404	25	
UBRN-0255	5-1/2"	236411	25	
UBRN-0260	6"	236428	25	300
Pipe Size - 3/8"				
UBRN-03	3/4" - Close	236497	25	
UBRN-0315	1-1/2"	236503	25	
UBRN-0320	2"	236510	25	
UBRN-0325	2-1/2"	236527	25	
UBRN-0330	3"	236534	25	
UBRN-0335	3-1/2"	236541	25	
UBRN-0340	4"	236558	25	
UBRN-0345	4-1/2"	236565	25	
UBRN-0350	5"	236572	25	
UBRN-0355	5-1/2"	236589	25	
UBRN-0360	6"	236596	25	
Pipe Size - 1/2"				
UBRN-05	3/4" - Close	230907	25	600
UBRN-0515	1-1/2"	230945	25	600
UBRN-0520	2"	230952	25	400
UBRN-0525	2-1/2"	230969	25	400
UBRN-0530	3"	230976	25	300
UBRN-0535	3-1/2"	230983	25	200
UBRN-0540	4"	230990	25	200
UBRN-0545	4-1/2"	231003	25	200
UBRN-0550	5"	231010	25	150
UBRN-0555	5-1/2"	231027	25	150
UBRN-0560	6"	231034	25	150
Pipe Size - 3/4"				
UBRN-07	3/4" - Close	231072	25	400
UBRN-0715	1-1/2"	231089	25	400
UBRN-0720	2"	231096	25	300
UBRN-0725	2-1/2"	231102	25	300
UBRN-0730	3"	231119	25	200
UBRN-0735	3-1/2"	231126	25	
UBRN-0740	4"	231133	25	150
UBRN-0745	4-1/2"	231140	25	
UBRN-0750	5"	231157	25	
UBRN-0755	5-1/2"	231164	25	
UBRN-0760	6"	231171	25	100

Part No.	Pipe Length	UPC 777808+	Quantity L1	Quantity L2
Pipe Size - 1"				
UBRN-10	3/4" - Close	236725	25	300
UBRN-10120	12"	391745	25	
UBRN-1020	2"	231188	25	200
UBRN-1025	2-1/2"	236732	25	200
UBRN-1030	3"	231195	25	150
UBRN-1035	3-1/2"	236749	25	
UBRN-1040	4"	236756	25	100
UBRN-1045	4-1/2"	236763	25	
UBRN-1050	5"	236770	25	
UBRN-1055	5-1/2"	236787	25	
UBRN-1060	6"	236794	25	75
Pipe Size - 1-1/4"				
UBRN-12	3/4" - Close	236862	25	150
UBRN-1220	2"	231201	25	150
UBRN-1225	2-1/2"	236879	25	150
UBRN-1230	3"	236886	25	100
UBRN-1235	3-1/2"	236893	25	
UBRN-1240	4"	236909	25	75
UBRN-1245	4-1/2"	236916	25	
UBRN-1250	5"	236923	25	50
UBRN-1255	5-1/2"	236930	25	
UBRN-1260	6"	236947	25	50
Pipe Size - 1-1/2"				
UBRN-15	3/4" - Close	237012	25	
UBRN-1520	2"	237029	25	
UBRN-1525	2-1/2"	237036	25	
UBRN-1530	3"	237043	25	
UBRN-1535	3-1/2"	237050	25	
UBRN-1540	4"	237067	25	
UBRN-1545	4-1/2"	237074	25	
UBRN-1550	5"	237081	25	
UBRN-1555	5-1/2"	237098	25	
UBRN-1560	6"	237104	25	
Pipe Size - 2"				
UBRN-20	3/4" - Close	237173	25	
UBRN-2025	2-1/2"	237180	25	
UBRN-2030	3"	237197	25	
UBRN-2035	3-1/2"	237203	25	
UBRN-2040	4"	237210	25	
UBRN-2045	4-1/2"	237227	25	
UBRN-2050	5"	237234	25	
UBRN-2055	5-1/2"	237241	25	
UBRN-2060	6"	237258	25	10

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PIPE FITTINGS, 304 STAINLESS STEEL

Plumbeeze recommends using both Gray Stainless Steel PTFE Tape & Plumbeeze Pipe Joint Compound together for joining stainless steel threaded fittings. No Lead,

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Bushing - MPT x FPT
* Octagon Head



U2-SSB-0201	1/4" x 1/8"	457229	200	1200
U2-SSB-0301	3/8" x 1/8"	457236	150	600
U2-SSB-0302	3/8" x 1/4"	457243	150	600
U2-SSB-0501-3	1/2" x 1/8"	457250	150	600
U2-SSB-0502	1/2" x 1/4"	457267	150	600
U2-SSB-0503	1/2" x 3/8"	457274	150	600
U2-SSB-0701-3	3/4" x 1/8"	457281	50	300
U2-SSB-0702-3	3/4" x 1/4"	457298	50	300
U2-SSB-0703	3/4" x 3/8"	457304	50	300
U2-SSB-0705	3/4" x 1/2"	457311	50	200
U2-SSB-1002-3 *	1" x 1/4"	457328	50	200
U2-SSB-1003-3 *	1" x 3/8"	457335	50	200
U2-SSB-1005 *	1" x 1/2"	457342	50	200
U2-SSB-1007 *	1" x 3/4"	457359	50	200
U2-SSB-1202-3 *	1-1/4" x 1/4"	457366	30	120
U2-SSB-1203-3 *	1-1/4" x 3/8"	457373	30	120
U2-SSB-1205-3 *	1-1/4" x 1/2"	457380	30	120
U2-SSB-1207 *	1-1/4" x 3/4"	457397	30	120
U2-SSB-1210 *	1-1/4" x 1"	457403	30	120
U2-SSB-1505-3 *	1-1/2" x 1/2"	457410	25	75
U2-SSB-1507-3 *	1-1/2" x 3/4"	457427	25	75
U2-SSB-1510 *	1-1/2" x 1"	457434	25	75
U2-SSB-1512 *	1-1/2" x 1-1/4"	457441	25	75
U2-SSB-2005-3 *	2" x 1/2"	457458	20	60
U2-SSB-2007-3 *	2" x 3/4"	457465	20	60
U2-SSB-2010-3 *	2" x 1"	457472	20	60
U2-SSB-2012 *	2" x 1-1/4"	457489	20	60
U2-SSB-2015 *	2" x 1-1/2"	457496	20	60

Cross - FPT



U2-SSCR-01	1/8"	457687	80	480
U2-SSCR-02	1/4"	457694	60	360
U2-SSCR-03	3/8"	457700	60	120
U2-SSCR-05	1/2"	457717	45	90
U2-SSCR-07	3/4"	457724	30	60
U2-SSCR-10	1"	457731	16	32
U2-SSCR-12	1-1/4"	457748	9	18
U2-SSCR-15	1-1/2"	457755	8	16
U2-SSCR-20	2"	457762	6	12

90° Elbow - FPT



U2-SSE-01	1/8"	457779	100	600
U2-SSE-02	1/4"	457786	70	420
U2-SSE-03	3/8"	457793	45	270
U2-SSE-05	1/2"	457809	50	200
U2-SSE-07	3/4"	457816	30	90
U2-SSE-10	1"	457823	20	60
U2-SSE-12	1-1/4"	457830	20	40
U2-SSE-15	1-1/2"	457847	10	20
U2-SSE-20	2"	457854	8	16

Coupling - FPT



U2-SSC-01	1/8"	457502	120	720
U2-SSC-02	1/4"	457519	120	480
U2-SSC-03	3/8"	457526	50	300
U2-SSC-05	1/2"	457533	60	240
U2-SSC-07	3/4"	457540	50	150
U2-SSC-10	1"	457557	25	75
U2-SSC-12	1-1/4"	457564	32	64
U2-SSC-15	1-1/2"	457571	18	36
U2-SSC-20	2"	457588	12	24

45° Elbow - FPT



U2-SSE4-01	1/8"	457861	100	600
U2-SSE4-02	1/4"	457878	70	420
U2-SSE4-03	3/8"	457885	50	300
U2-SSE4-05	1/2"	457892	50	200
U2-SSE4-07	3/4"	457908	40	120
U2-SSE4-10	1"	457915	20	60
U2-SSE4-12	1-1/4"	457922	20	40
U2-SSE4-15	1-1/2"	457939	15	30
U2-SSE4-20	2"	457946	9	18

Cap - FPT



U2-SSCA-01	1/8"	457595	200	1200
U2-SSCA-02	1/4"	457601	200	800
U2-SSCA-03	3/8"	457618	100	600
U2-SSCA-05	1/2"	457625	75	300
U2-SSCA-07	3/4"	457632	60	240
U2-SSCA-10	1"	457649	35	140
U2-SSCA-12	1-1/4"	457656	25	100
U2-SSCA-15	1-1/2"	457663	25	75
U2-SSCA-20	2"	457670	18	54

Merchant Half Coupling - FPT



U2-SSMC-05	1/2"	458028	60	240
U2-SSMC-07	3/4"	458035	50	150
U2-SSMC-10	1"	458042	25	75
U2-SSMC-12	1-1/4"	458059	32	64
U2-SSMC-15	1-1/2"	458066	18	36
U2-SSMC-20	2"	458073	12	24

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PIPE FITTINGS, 304 STAINLESS STEEL

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Plug - MPT



U2-SSP-01	1/8"	459575	180	1080
U2-SSP-02	1/4"	459582	150	900
U2-SSP-03	3/8"	459599	90	540
U2-SSP-05	1/2"	459605	80	480
U2-SSP-07	3/4"	459612	50	300
U2-SSP-10	1"	459629	40	160
U2-SSP-12	1-1/4"	459636	25	100
U2-SSP-15	1-1/2"	459643	36	72
U2-SSP-20	2"	459650	15	45

Reducing Coupling - FPT



U2-SSRC-0201	1/4" x 1/8"	459667	140	420
U2-SSRC-0301	3/8" x 1/8"	459674	120	360
U2-SSRC-0302	3/8" x 1/4"	459681	120	360
U2-SSRC-0501-3	1/2" x 1/8"	459698	100	300
U2-SSRC-0502	1/2" x 1/4"	459704	100	300
U2-SSRC-0503	1/2" x 3/8"	459711	80	240
U2-SSRC-0702-3	3/4" x 1/4"	459728	60	180
U2-SSRC-0703	3/4" x 3/8"	459735	60	180
U2-SSRC-0705	3/4" x 1/2"	459742	60	180
U2-SSRC-1003-3	1" x 3/8"	459759	60	120
U2-SSRC-1005	1" x 1/2"	459766	50	100
U2-SSRC-1007	1" x 3/4"	459773	50	100
U2-SSRC-1205-3	1-1/4" x 1/2"	459780	40	80
U2-SSRC-1207	1-1/4" x 3/4"	459797	40	80
U2-SSRC-1210	1-1/4" x 1"	459803	30	60
U2-SSRC-1505-3	1-1/2" x 1/2"	459810	30	60
U2-SSRC-1507-3	1-1/2" x 3/4"	459827	30	60
U2-SSRC-1510	1-1/2" x 1"	459834	25	50
U2-SSRC-1512	1-1/2" x 1-1/4"	459841	24	48
U2-SSRC-2005-3	2" x 1/2"	459858	21	42
U2-SSRC-2007-3	2" x 3/4"	459865	21	42
U2-SSRC-2010-3	2" x 1"	459872	21	42
U2-SSRC-2012	2" x 1-1/4"	459889	20	40
U2-SSRC-2015	2" x 1-1/2"	459896	20	40

Reducing Elbow - FPT



U2-SSRE-1210	1-1/4" x 1"	459902	20	40
--------------	-------------	--------	----	----

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Reducing Tee - FPT



U2-SSRT-050502	1/2" x 1/2" x 1/4"	459919	40	120
U2-SSRT-070507	3/4" x 1/2" x 3/4"	459926	35	70
U2-SSRT-070702	3/4" x 3/4" x 1/4"	459933	35	70
U2-SSRT-070705	3/4" x 3/4" x 1/2"	459940	35	70
U2-SSRT-101005	1" x 1" x 1/2"	459957	20	40
U2-SSRT-101007	1" x 1" x 3/4"	459964	20	40
U2-SSRT-121207	1-1/4" x 1-1/4" x 3/4"	459971	14	28
U2-SSRT-121210	1-1/4" x 1-1/4" x 1"	459988	14	28
U2-SSRT-151507	1-1/2" x 1-1/2" x 3/4"	459995	11	22
U2-SSRT-151510	1-1/2" x 1-1/2" x 1"	460007	11	22
U2-SSRT-202007	2" x 2" x 3/4"	460014	6	12
U2-SSRT-202010	2" x 2" x 1"	460021	6	12

90° Street Elbow - MPT x FPT



U2-SSSE-01	1/8"	460038	100	600
U2-SSSE-02	1/4"	460045	70	420
U2-SSSE-03	3/8"	460052	40	240
U2-SSSE-05	1/2"	460069	60	180
U2-SSSE-07	3/4"	460076	30	90
U2-SSSE-10	1"	460083	30	60
U2-SSSE-12	1-1/4"	460090	20	40
U2-SSSE-15	1-1/2"	460106	13	26
U2-SSSE-20	2"	460113	7	14

Tee - FPT



U2-SST-01	1/8"	460120	75	450
U2-SST-02	1/4"	460137	50	300
U2-SST-03	3/8"	460144	45	180
U2-SST-05	1/2"	460151	40	120
U2-SST-07	3/4"	460168	35	70
U2-SST-10	1"	460175	20	40
U2-SST-12	1-1/4"	460182	14	28
U2-SST-15	1-1/2"	460199	11	22
U2-SST-20	2"	460205	6	12

Union - FPT



U2-SSU-01	1/8"	460212	60	360
U2-SSU-02	1/4"	460229	30	180
U2-SSU-03	3/8"	460236	35	140
U2-SSU-05	1/2"	460243	30	120
U2-SSU-07	3/4"	460250	25	75
U2-SSU-10	1"	460267	20	40
U2-SSU-12	1-1/4"	460274	18	36
U2-SSU-15	1-1/2"	460281	12	24
U2-SSU-20	2"	460298	8	16

Other sizes may be available - Contact your inside sales rep for more information.

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC



Toll Free: 1-888-838-8801 plumbeeze.com

316 STAINLESS STEEL LIGHT FITTINGS

Plumbeeze recommends using both Gray Stainless Steel PTFE Tape & Gray Magic Pipe Thread Compound together for joining stainless steel threaded fittings. No Lead

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Bushing - MPT x FPT
* Octagon Head



USSB-0201	1/4" x 1/8"	471386	200	1200
USSB-0301	3/8" x 1/8"	471393	150	600
USSB-0302	3/8" x 1/4"	471409	150	600
USSB-0501-3	1/2" x 1/8"	471416	150	600
USSB-0502	1/2" x 1/4"	471423	150	600
USSB-0503	1/2" x 3/8"	471430	150	600
USSB-0701-3	3/4" x 1/8"	471447	50	300
USSB-0702-3	3/4" x 1/4"	471454	50	300
USSB-0703	3/4" x 3/8"	471461	50	300
USSB-0705	3/4" x 1/2"	471478	50	200
USSB-1002-3 *	1" x 1/4"	471485	50	200
USSB-1003-3 *	1" x 3/8"	471492	50	200
USSB-1005 *	1" x 1/2"	471508	50	200
USSB-1007 *	1" x 3/4"	471515	50	200
USSB-1202-3 *	1-1/4" x 1/4"	471522	30	120
USSB-1203-3 *	1-1/4" x 3/8"	471539	30	120
USSB-1205-3 *	1-1/4" x 1/2"	471546	30	120
USSB-1207 *	1-1/4" x 3/4"	471553	30	120
USSB-1210 *	1-1/4" x 1"	471560	30	120
USSB-1505-3 *	1-1/2" x 1/2"	471577	25	75
USSB-1507-3 *	1-1/2" x 3/4"	471584	25	75
USSB-1510 *	1-1/2" x 1"	471591	25	75
USSB-1512 *	1-1/2" x 1-1/4"	471607	25	75
USSB-2005-3 *	2" x 1/2"	471614	20	60
USSB-2007-3 *	2" x 3/4"	471621	20	60
USSB-2010-3 *	2" x 1"	471638	20	60
USSB-2012 *	2" x 1-1/4"	471645	20	60
USSB-2015 *	2" x 1-1/2"	471652	20	60

Cap - FPT



USSCA-01	1/8"	471751	200	1200
USSCA-02	1/4"	471768	200	800
USSCA-03	3/8"	471775	100	600
USSCA-05	1/2"	471782	75	300
USSCA-07	3/4"	471799	60	240
USSCA-10	1"	471805	35	140
USSCA-12	1-1/4"	471812	25	100
USSCA-15	1-1/2"	471829	25	75
USSCA-20	2"	471836	18	54

90° Elbow - FPT



USSE-01	1/8"	471843	100	600
USSE-02	1/4"	471850	70	420
USSE-03	3/8"	471867	45	270
USSE-05	1/2"	471874	50	200
USSE-07	3/4"	471881	30	90
USSE-10	1"	471898	20	60
USSE-12	1-1/4"	471904	20	40
USSE-15	1-1/2"	471911	10	20
USSE-20	2"	471928	8	16

45° Elbow - FPT



Coupling - FPT



USSC-01	1/8"	471669	120	720
USSC-02	1/4"	471676	120	480
USSC-03	3/8"	471683	50	300
USSC-05	1/2"	471690	60	240
USSC-07	3/4"	471706	50	150
USSC-10	1"	471713	25	75
USSC-12	1-1/4"	471720	32	64
USSC-15	1-1/2"	471737	18	36
USSC-20	2"	471744	12	24

USSE4-01	1/8"	471935	100	600
USSE4-02	1/4"	471942	70	420
USSE4-03	3/8"	471959	50	300
USSE4-05	1/2"	471966	50	200
USSE4-07	3/4"	471973	40	120
USSE4-10	1"	471980	20	60
USSE4-12	1-1/4"	471997	20	40
USSE4-15	1-1/2"	472000	15	30
USSE4-20	2"	472017	9	18

Plug - MPT



USSP-01	1/8"	472024	180	1080
USSP-02	1/4"	472031	150	900
USSP-03	3/8"	472048	90	540
USSP-05	1/2"	472055	80	480
USSP-07	3/4"	472062	50	300
USSP-10	1"	472079	40	160
USSP-12	1-1/4"	472086	25	100
USSP-15	1-1/2"	472093	36	72
USSP-20	2"	472109	15	45

Other sizes may be available - Contact your inside sales rep for more information.

316 STAINLESS STEEL LIGHT FITTINGS

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Reducing Coupling - FPT



USSRC-0201	1/4" x 1/8"	472116	140	420
USSRC-0301	3/8" x 1/8"	472123	120	360
USSRC-0302	3/8" x 1/4"	472130	120	360
USSRC-0501-3	1/2" x 1/8"	472147	100	300
USSRC-0502	1/2" x 1/4"	472154	100	300
USSRC-0503	1/2" x 3/8"	472161	80	240
USSRC-0702-3	3/4" x 1/4"	472178	60	180
USSRC-0703	3/4" x 3/8"	472185	60	180
USSRC-0705	3/4" x 1/2"	472192	60	180
USSRC-1003-3	1" x 3/8"	472208	60	120
USSRC-1005	1" x 1/2"	472215	50	100
USSRC-1007	1" x 3/4"	472222	50	100
USSRC-1205-3	1-1/4" x 1/2"	472239	40	80
USSRC-1207	1-1/4" x 3/4"	472246	40	80
USSRC-1210	1-1/4" x 1"	472253	30	60
USSRC-1505-3	1-1/2" x 1/2"	472260	30	60
USSRC-1507-3	1-1/2" x 3/4"	472277	30	60
USSRC-1510	1-1/2" x 1"	472284	25	50
USSRC-1512	1-1/2" x 1-1/4"	472291	24	48
USSRC-2005-3	2" x 1/2"	472307	21	42
USSRC-2007-3	2" x 3/4"	472314	21	42
USSRC-2010-3	2" x 1"	472321	21	42
USSRC-2012	2" x 1-1/4"	472338	20	
USSRC-2015	2" x 1-1/2"	472345	20	

90° Street Elbow - MPT x FPT



USSSE-01	1/8"	472369	100	600
USSSE-02	1/4"	472376	70	420
USSSE-03	3/8"	472383	40	240
USSSE-05	1/2"	472390	60	180
USSSE-07	3/4"	472406	30	90
USSSE-10	1"	472413	30	60
USSSE-12	1-1/4"	472420	20	40
USSSE-15	1-1/2"	472437	13	26
USSSE-20	2"	472444	7	14

Tee - FPT



USST-01	1/8"	472451	75	450
USST-02	1/4"	472468	50	300
USST-03	3/8"	472475	45	180
USST-05	1/2"	472482	40	120
USST-07	3/4"	472499	35	70
USST-10	1"	472505	20	40
USST-12	1-1/4"	472512	14	28
USST-15	1-1/2"	472529	11	22
USST-20	2"	472536	6	12

Union - FPT



USSU-01	1/8"	472543	60	360
USSU-02	1/4"	472550	30	180
USSU-03	3/8"	472567	35	140
USSU-05	1/2"	472574	30	120
USSU-07	3/4"	472581	25	75
USSU-10	1"	472598	20	40
USSU-12	1-1/4"	472604	18	36
USSU-15	1-1/2"	472611	12	24
USSU-20	2"	472628	8	16

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

304 STAINLESS STEEL HEAVY FITTINGS

Plumbeeze recommends using both Gray Stainless Steel PTFE Tape & Gray Magic Pipe Thread Compound together for joining stainless steel threaded fittings. No Lead

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Locknut - FPT



U2-SSLN-03	3/8"	457953	100	600
U2-SSLN-05	1/2"	457960	100	600
U2-SSLN-07	3/4"	457977	50	300
U2-SSLN-10	1"	457984	60	240
U2-SSLN-12	1-1/4"	457991	60	120
U2-SSLN-15	1-1/2"	458004	50	100
U2-SSLN-20	2"	458011	80	

 PIPE FITTINGS & NIPPLES
 BLACK, GALV., BRASS,
 STAINLESS, PVC

SCHEDULE 40 304 STAINLESS STEEL PIPE NIPPLES & READY CUT PIPE



Plumbeeze recommends using both Gray Stainless Steel PTFE Tape & Plumbeeze Pipe Joint Compound together for joining stainless steel threaded fittings. No Lead,
 • NSF/ANSI 372

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2

Pipe Size - 1/8"

U2-SSN-01	3/4" - Close	458080	25	450
U2-SSN-0115	1-1/2"	458127	25	450
U2-SSN-0120	2"	458134	25	450
U2-SSN-0125	2-1/2"	458141	25	450
U2-SSN-0130	3"	458158	25	450
U2-SSN-0135	3-1/2"	458165	25	450
U2-SSN-0140	4"	458172	25	450
U2-SSN-0145	4-1/2"	458189	25	300
U2-SSN-0150	5"	458196	25	300
U2-SSN-0155	5-1/2"	458202	25	300
U2-SSN-0160	6"	458219	25	200
U2-SSN-0170	7"	458226	25	200
U2-SSN-0180	8"	458233	25	150
U2-SSN-0190	9"	458240	25	150
U2-SSN-01100	10"	458097	25	150
U2-SSN-01110	11"	458103	25	150
U2-SSN-01120	12"	458110	25	150

Pipe Size - 1/4"

U2-SSN-02	3/4" - Close	458257	25	450
U2-SSN-0215	1-1/2"	458295	25	450
U2-SSN-0220	2"	458301	25	450
U2-SSN-0225	2-1/2"	458318	25	450
U2-SSN-0230	3"	458325	25	450
U2-SSN-0235	3-1/2"	458332	25	450
U2-SSN-0240	4"	458349	25	450
U2-SSN-0245	4-1/2"	458356	25	300
U2-SSN-0250	5"	458363	25	300
U2-SSN-0255	5-1/2"	458370	25	300
U2-SSN-0260	6"	458387	25	200
U2-SSN-0270	7"	458394	25	200
U2-SSN-0280	8"	458400	25	150
U2-SSN-0290	9"	458417	25	150
U2-SSN-02100	10"	458264	25	150
U2-SSN-02110	11"	458271	25	150
U2-SSN-02120	12"	458288	25	150

Pipe Size - 3/8"

U2-SSN-03	3/4" - Close	458424	25	450
U2-SSN-0315	1-1/2"	458462	25	450
U2-SSN-0320	2"	458479	25	450
U2-SSN-0325	2-1/2"	458486	25	450
U2-SSN-0330	3"	458493	25	450
U2-SSN-0335	3-1/2"	458509	25	450
U2-SSN-0340	4"	458516	25	300
U2-SSN-0345	4-1/2"	458523	25	300
U2-SSN-0350	5"	458530	25	300
U2-SSN-0355	5-1/2"	458547	25	300
U2-SSN-0360	6"	458554	25	200
U2-SSN-0370	7"	458561	25	200
U2-SSN-0380	8"	458578	25	150
U2-SSN-0390	9"	458585	25	150
U2-SSN-03100	10"	458431	25	100
U2-SSN-03110	11"	458448	25	100
U2-SSN-03120	12"	458455	25	100

Pipe Size - 1/2"

U2-SSN-05	3/4" - Close	458592	25	450
U2-SSN-0515	1-1/2"	458639	25	450
U2-SSN-0520	2"	458646	25	450
U2-SSN-0525	2-1/2"	458653	25	300
U2-SSN-0530	3"	458660	25	300
U2-SSN-0535	3-1/2"	458677	25	300
U2-SSN-0540	4"	458684	25	200
U2-SSN-0545	4-1/2"	458691	25	200
U2-SSN-0550	5"	458707	25	200
U2-SSN-0555	5-1/2"	458714	25	150
U2-SSN-0560	6"	458721	25	150
U2-SSN-0570	7"	458738	25	150
U2-SSN-0580	8"	458745	25	100
U2-SSN-0590	9"	458752	25	100
U2-SSN-05100	10"	458608	25	100
U2-SSN-05110	11"	458615	20	80
U2-SSN-05120	12"	458622	20	80

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

SCHEDULE 40 304 STAINLESS STEEL PIPE NIPPLES & READY CUT PIPE

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
U2-SSRCP-05180	18"	506392	5	
U2-SSRCP-05240	24"	506408	5	
U2-SSRCP-05300	30"	506415	5	
U2-SSRCP-05360	36"	506422	5	
U2-SSRCP-05480	48"	506439	3	
U2-SSRCP-05600	60"	510900	3	
U2-SSRCP-05720	72"	506446	2	
U2-SSRCP-05840	84"	506453	2	
U2-SSRCP-05960	96"	506460	2	
U2-SSRCP-051080	108"	507573	2	
U2-SSRCP-051200	120"	507580	2	
Pipe Size - 3/4"				
U2-SSN-07	3/4" - Close	458769	25	450
U2-SSN-0715	1-1/2"	458806	25	450
U2-SSN-0720	2"	458813	25	300
U2-SSN-0725	2-1/2"	458820	25	200
U2-SSN-0730	3"	458837	25	200
U2-SSN-0735	3-1/2"	458844	25	200
U2-SSN-0740	4"	458851	25	200
U2-SSN-0745	4-1/2"	458868	25	150
U2-SSN-0750	5"	458875	25	150
U2-SSN-0755	5-1/2"	458882	25	150
U2-SSN-0760	6"	458899	20	120
U2-SSN-0770	7"	458905	20	120
U2-SSN-0780	8"	458912	20	80
U2-SSN-0790	9"	458929	20	80
U2-SSN-07100	10"	458776	20	80
U2-SSN-07110	11"	458783	15	60
U2-SSN-07120	12"	458790	15	60
U2-SSRCP-07180	18"	506491	5	
U2-SSRCP-07240	24"	506507	5	
U2-SSRCP-07300	30"	506514	5	
U2-SSRCP-07360	36"	506521	5	
U2-SSRCP-07480	48"	506538	3	
U2-SSRCP-07600	60"	510917	3	
U2-SSRCP-07720	72"	506545	2	
U2-SSRCP-07840	84"	506552	2	
U2-SSRCP-07960	96"	506569	2	
U2-SSRCP-071080	108"	506477	2	
U2-SSRCP-071200	120"	506484	2	
Pipe Size - 1"				
U2-SSN-10	3/4" - Close	458936	25	200
U2-SSN-1020	2"	458974	25	200
U2-SSN-1025	2-1/2"	458981	25	150
U2-SSN-1030	3"	458998	25	150
U2-SSN-1035	3-1/2"	459001	25	150
U2-SSN-1040	4"	459018	25	100
U2-SSN-1045	4-1/2"	459025	25	100
U2-SSN-1050	5"	459032	25	100
U2-SSN-1055	5-1/2"	459049	10	80
U2-SSN-1060	6"	459056	10	80
U2-SSN-1070	7"	459063	10	80
U2-SSN-1080	8"	459070	10	60
U2-SSN-1090	9"	459087	10	60
U2-SSN-10100	10"	458943	10	40
U2-SSN-10110	11"	458950	10	40
U2-SSN-10120	12"	458967	10	40
U2-SSRCP-10180	18"	506590	3	
U2-SSRCP-10240	24"	506606	3	
U2-SSRCP-10300	30"	506613	3	
U2-SSRCP-10360	36"	506620	3	
U2-SSRCP-10480	48"	506637	2	
U2-SSRCP-10600	60"	510924	2	
U2-SSRCP-10720	72"	506644	2	
U2-SSRCP-10840	84"	506651	2	
U2-SSRCP-10960	96"	506668	2	
U2-SSRCP-101080	108"	506576	2	
U2-SSRCP-101200	120"	506583	2	

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
Pipe Size - 1-1/4"				
U2-SSN-12	3/4" - Close	459094	5	90
U2-SSN-1220	2"	459148	5	90
U2-SSN-1225	2-1/2"	459155	5	90
U2-SSN-1230	3"	459162	5	90
U2-SSN-1235	3-1/2"	459179	5	90
U2-SSN-1240	4"	459186	5	90
U2-SSN-1245	4-1/2"	459193	5	60
U2-SSN-1250	5"	459209	5	60
U2-SSN-1255	5-1/2"	459216	5	60
U2-SSN-1260	6"	459223	5	40
U2-SSN-1270	7"	459230	5	40
U2-SSN-1280	8"	459247	5	30
U2-SSN-1290	9"	459254	5	30
U2-SSN-12100	10"	459100	5	30
U2-SSN-12110	11"	459117	5	30
U2-SSN-12120	12"	459124	5	30
U2-SSRCP-12180	18"	506699	5	
U2-SSRCP-12240	24"	506705	3	
U2-SSRCP-12300	30"	506712	3	
U2-SSRCP-12360	36"	506729	3	
U2-SSRCP-12480	48"	506736	3	
U2-SSRCP-12600	60"	510931	2	
U2-SSRCP-12720	72"	506743	2	
U2-SSRCP-12840	84"	506750	2	
U2-SSRCP-12960	96"	506767	2	
U2-SSRCP-121080	108"	506675	2	
U2-SSRCP-121200	120"	506682	2	
Pipe Size - 1-1/2"				
U2-SSN-15	3/4" - Close	459261	5	90
U2-SSN-1520	2"	459308	5	90
U2-SSN-1525	2-1/2"	459315	5	60
U2-SSN-1530	3"	459322	5	60
U2-SSN-1535	3-1/2"	459339	5	60
U2-SSN-1540	4"	459346	5	60
U2-SSN-1545	4-1/2"	459353	5	40
U2-SSN-1550	5"	459360	5	40
U2-SSN-1555	5-1/2"	459377	5	40
U2-SSN-1560	6"	459384	5	40
U2-SSN-1570	7"	459391	5	40
U2-SSN-1580	8"	459407	4	24
U2-SSN-1590	9"	459414	5	20
U2-SSN-15100	10"	459278	5	20
U2-SSN-15110	11"	459285	5	20
U2-SSN-15120	12"	459292	5	20
U2-SSRCP-15180	18"	506798	3	
U2-SSRCP-15240	24"	506804	3	
U2-SSRCP-15300	30"	506811	3	
U2-SSRCP-15360	36"	506828	2	
U2-SSRCP-15480	48"	506835	2	
U2-SSRCP-15600	60"	510948	2	
U2-SSRCP-15720	72"	506842	2	
U2-SSRCP-15840	84"	506859	2	
U2-SSRCP-15960	96"	506866	2	
U2-SSRCP-151080	108"	506774	2	
U2-SSRCP-151200	120"	506781	2	

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

SCHEDULE 40 304 STAINLESS STEEL PIPE NIPPLES & READY CUT PIPE

Part No.	Pipe Length	UPC 777808+	Quantity		Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2				L1	L2
Pipe Size - 2"					U2-SSN-20100	10"	459438	4	16
U2-SSN-20	3/4" - Close	459421	5	60	U2-SSN-20110	11"	459445	4	16
U2-SSN-2025	2-1/2"	459469	5	40	U2-SSN-20120	12"	459452	4	16
U2-SSN-2030	3"	459476	5	40	U2-SSRCP-20180	18"	506897	3	
U2-SSN-2035	3-1/2"	459483	5	40	U2-SSRCP-20240	24"	506903	3	
U2-SSN-2040	4"	459490	5	40	U2-SSRCP-20300	30"	506910	3	
U2-SSN-2045	4-1/2"	459506	5	30	U2-SSRCP-20360	36"	506927	2	
U2-SSN-2050	5"	459513	5	30	U2-SSRCP-20480	48"	506934	2	
U2-SSN-2055	5-1/2"	459520	5	30	U2-SSRCP-20600	60"	510955	2	
U2-SSN-2060	6"	459537	5	20	U2-SSRCP-20720	72"	506941	2	
U2-SSN-2070	7"	459544	4	16	U2-SSRCP-20840	84"	506958	2	
U2-SSN-2080	8"	459551	4	16	U2-SSRCP-20960	96"	506965	2	
U2-SSN-2090	9"	459568	4	16	U2-SSRCP-201080	108"	506873	2	
					U2-SSRCP-201200	120"	506880	2	

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

SCHEDULE 40 316 STAINLESS STEEL PIPE NIPPLES & READY CUT PIPE



Plumbeeze recommends using both Gray Stainless Steel PTFE Tape & Plumbeeze Pipe Joint Compound together for joining stainless steel threaded fittings. No Lead,
• NSF/ANSI 372 (USSRCP series only)

Part No.	Pipe Length	UPC 777808+	Quantity		Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2				L1	L2
Pipe Size - 1/8"					Pipe Size - 3/8"				
USSN-01	3/4" - Close	472635	25	450	USSN-03	3/4" - Close	472970	25	450
USSN-0115	1-1/2"	472673	25	450	USSN-0315	1-1/2"	473014	25	450
USSN-0120	2"	472680	25	450	USSN-0320	2"	473021	25	450
USSN-0125	2-1/2"	472697	25	450	USSN-0325	2-1/2"	473038	25	450
USSN-0130	3"	472703	25	450	USSN-0330	3"	473045	25	450
USSN-0135	3-1/2"	472710	25	450	USSN-0335	3-1/2"	473052	25	450
USSN-0140	4"	472727	25	450	USSN-0340	4"	473069	25	300
USSN-0145	4-1/2"	472734	25	300	USSN-0345	4-1/2"	473076	25	300
USSN-0150	5"	472741	25	300	USSN-0350	5"	473083	25	300
USSN-0155	5-1/2"	472758	25	300	USSN-0355	5-1/2"	473090	25	300
USSN-0160	6"	472765	25	200	USSN-0360	6"	473106	25	200
USSN-0170	7"	472772	25	200	USSN-0370	7"	473113	25	200
USSN-0180	8"	472789	25	150	USSN-0380	8"	473120	25	150
USSN-0190	9"	472796	25	150	USSN-0390	9"	473137	25	150
USSN-01100	10"	472642	25	150	USSN-03100	10"	472987	25	100
USSN-01110	11"	472659	25	150	USSN-03110	11"	472994	25	100
USSN-01120	12"	472666	25	150	USSN-03120	12"	473007	25	100
Pipe Size - 1/4"					Pipe Size - 1/2"				
USSN-02	3/4" - Close	472802	25	450	USSN-05	3/4" - Close	473144	25	450
USSN-0215	1-1/2"	472840	25	450	USSN-0515	1-1/2"	473182	25	450
USSN-0220	2"	472857	25	450	USSN-0520	2"	473199	25	450
USSN-0225	2-1/2"	472864	25	450	USSN-0525	2-1/2"	473205	25	300
USSN-0230	3"	472871	25	450	USSN-0530	3"	473212	25	300
USSN-0235	3-1/2"	472888	25	450	USSN-0535	3-1/2"	473229	25	300
USSN-0240	4"	472895	25	450	USSN-0540	4"	473236	25	300
USSN-0245	4-1/2"	472901	25	300	USSN-0545	4-1/2"	473243	25	200
USSN-0250	5"	472918	25	300	USSN-0550	5"	473250	25	200
USSN-0255	5-1/2"	472925	25	300	USSN-0555	5-1/2"	473267	25	150
USSN-0260	6"	472932	25	200	USSN-0560	6"	473274	25	150
USSN-0270	7"	472949	25	150	USSN-0570	7"	473281	25	150
USSN-0280	8"	472956	25	150	USSN-0580	8"	473298	25	100
USSN-0290	9"	472963	25	100	USSN-0590	9"	473304	25	100
USSN-02100	10"	472819	25	150	USSN-05100	10"	473151	25	100
USSN-02110	11"	472826	25	150	USSN-05110	11"	473168	20	80
USSN-02120	12"	472833	25	150	USSN-05120	12"	473175	20	80

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

SCHEDULE 40 316 STAINLESS STEEL PIPE NIPPLES & READY CUT PIPE

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
USSRCP-05180	18"	506996	5	
USSRCP-05240	24"	507009	5	
USSRCP-05300	30"	507016	5	
USSRCP-05360	36"	507023	5	
USSRCP-05480	48"	507030	3	
USSRCP-05600	60"	511006	3	
USSRCP-05720	72"	507047	2	
USSRCP-05840	84"	507054	2	
USSRCP-05960	96"	507061	2	
USSRCP-051080	108"	506972	2	
USSRCP-051200	120"	506989	2	
Pipe Size - 3/4"				
USSN-07	3/4" - Close	473311	25	450
USSN-0715	1-1/2"	473359	25	450
USSN-0720	2"	473366	25	300
USSN-0725	2-1/2"	473373	25	200
USSN-0730	3"	473380	25	200
USSN-0735	3-1/2"	473397	25	200
USSN-0740	4"	473403	25	200
USSN-0745	4-1/2"	473410	25	150
USSN-0750	5"	473427	25	150
USSN-0755	5-1/2"	473434	25	150
USSN-0760	6"	473441	20	120
USSN-0770	7"	473458	20	120
USSN-0780	8"	473465	20	80
USSN-0790	9"	473472	20	80
USSN-07100	10"	473328	20	80
USSN-07110	11"	473335	15	60
USSN-07120	12"	473342	15	60
USSRCP-07180	18"	507092	5	
USSRCP-07240	24"	507108	5	
USSRCP-07300	30"	507115	5	
USSRCP-07360	36"	507122	5	
USSRCP-07480	48"	507139	3	
USSRCP-07600	60"	511013	5	
USSRCP-07720	72"	507146	2	
USSRCP-07840	84"	507153	2	
USSRCP-07960	96"	507160	2	
USSRCP-071080	108"	507078	2	
USSRCP-071200	120"	507085	2	
Pipe Size - 1"				
USSN-10	3/4" - Close	473489	25	200
USSN-1020	2"	473526	25	200
USSN-1025	2-1/2"	473533	25	150
USSN-1030	3"	473540	25	150
USSN-1035	3-1/2"	473557	25	150
USSN-1040	4"	473564	25	100
USSN-1045	4-1/2"	473571	25	100
USSN-1050	5"	473588	25	100
USSN-1055	5-1/2"	473595	10	80
USSN-1060	6"	473601	10	80
USSN-1070	7"	473618	10	80
USSN-1080	8"	473625	10	60
USSN-1090	9"	473632	10	60
USSN-10100	10"	473496	10	40
USSN-10110	11"	473502	10	40
USSN-10120	12"	473519	10	40
USSRCP-10180	18"	507191	3	
USSRCP-10240	24"	507207	3	
USSRCP-10300	30"	507214	3	
USSRCP-10360	36"	507221	3	
USSRCP-10480	48"	507238	2	
USSRCP-10600	60"	511020	2	
USSRCP-10720	72"	507245	2	
USSRCP-10840	84"	507252	2	
USSRCP-10960	96"	507269	2	
USSRCP-101080	108"	507177	2	
USSRCP-101200	120"	507184	2	

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
Pipe Size - 1-1/4"				
USSN-12	3/4" - Close	473649	5	90
USSN-1220	2"	473687	5	90
USSN-1225	2-1/2"	473694	5	90
USSN-1230	3"	473700	5	90
USSN-1235	3-1/2"	473717	5	90
USSN-1240	4"	473724	5	90
USSN-1245	4-1/2"	473731	5	60
USSN-1250	5"	473748	5	60
USSN-1255	5-1/2"	473755	5	60
USSN-1260	6"	473762	5	40
USSN-1270	7"	473779	5	40
USSN-1280	8"	473786	5	30
USSN-1290	9"	473793	5	30
USSN-12100	10"	473656	5	30
USSN-12110	11"	473663	5	30
USSN-12120	12"	473670	5	30
USSRCP-12180	18"	507290	3	
USSRCP-12240	24"	507306	3	
USSRCP-12300	30"	507313	3	
USSRCP-12360	36"	507320	3	
USSRCP-12480	48"	507337	3	
USSRCP-12600	60"	511037	2	
USSRCP-12720	72"	507344	2	
USSRCP-12840	84"	507351	2	
USSRCP-12960	96"	507368	2	
USSRCP-121080	108"	507276	2	
USSRCP-121200	120"	507283	2	
Pipe Size - 1-1/2"				
USSN-15	3/4" - Close	473809	5	90
USSN-1520	2"	473847	5	90
USSN-1525	2-1/2"	473854	5	60
USSN-1530	3"	473861	5	60
USSN-1535	3-1/2"	473878	5	60
USSN-1540	4"	473885	5	60
USSN-1545	4-1/2"	473892	5	40
USSN-1550	5"	473908	5	40
USSN-1555	5-1/2"	473915	5	40
USSN-1560	6"	473922	5	40
USSN-1570	7"	473939	5	40
USSN-1580	8"	473946	4	24
USSN-1590	9"	473953	5	20
USSN-15100	10"	473816	5	20
USSN-15110	11"	473823	5	20
USSN-15120	12"	473830	5	20
USSRCP-15180	18"	507399	3	
USSRCP-15240	24"	507405	3	
USSRCP-15300	30"	507412	3	
USSRCP-15360	36"	507429	2	
USSRCP-15480	48"	507436	2	
USSRCP-15600	60"	511044	2	
USSRCP-15720	72"	507443	2	
USSRCP-15840	84"	507450	2	
USSRCP-15960	96"	507467	2	
USSRCP-151080	108"	507375	2	
USSRCP-151200	120"	507382	2	

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

SCHEDULE 40 316 STAINLESS STEEL PIPE NIPPLES & READY CUT PIPE

Part No.	Pipe Length	UPC 777808+	Quantity L1 L2	Part No.	Pipe Length	UPC 777808+	Quantity L1 L2
Pipe Size - 2"				USSN-20100	10"	473977	4 16
USSN-20	3/4" - Close	473960	5 60	USSN-20110	11"	473984	4 16
USSN-2025	2-1/2"	474004	5 40	USSN-20120	12"	473991	4 16
USSN-2030	3"	474011	5 40	USSRCP-20180	18"	507498	3
USSN-2035	3-1/2"	474028	5 40	USSRCP-20240	24"	507504	3
USSN-2040	4"	474035	5 40	USSRCP-20300	30"	507511	3
USSN-2045	4-1/2"	474042	5 30	USSRCP-20360	36"	507528	2
USSN-2050	5"	474059	5 30	USSRCP-20480	48"	507535	2
USSN-2055	5-1/2"	474066	5 30	USSRCP-20600	60"	511051	2
USSN-2060	6"	474073	5 20	USSRCP-20720	72"	507542	2
USSN-2070	7"	474080	4 16	USSRCP-20840	84"	507559	2
USSN-2080	8"	474097	4 16	USSRCP-20960	96"	507566	2
USSN-2090	9"	474103	4 16	USSRCP-201080	108"	507474	2
				USSRCP-201200	120"	507481	2

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

WHITE PVC SCHEDULE 40 FITTINGS

Plumbeeze White PVC Schedule 40 Fittings come in a wide range of sizes and fitting types. No Lead

Part No.	Size	UPC 777808+	Quantity L1 L2	Part No.	Size	UPC 777808+	Quantity L1 L2
Tee - Slip				U401-337	3" x 3" x 1-1/2"	378166	5
				U401-338	3" x 3" x 2"	378173	5
				U401-416	4" x 4" x 3/4"	378197	5
				U401-420	4" x 4" x 2"	378234	3
				U401-422	4" x 4" x 3"	378241	3
				U401-528	6" x 6" x 2"	378272	2
				U401-530	6" x 6" x 3"	378289	2
				U401-532	6" x 6" x 4"	378296	2
U401-005	1/2"	377596	10 150	Tee - Slip x FPT			
U401-007	3/4"	377602	10 100	U402-005	1/2"	378326	10 150
U401-010	1"	377619	10 50	U402-007	3/4"	378333	10 100
U401-012	1-1/4"	377626	5 40	U402-010	1"	378340	10 50
U401-015	1-1/2"	377633	25	U402-012	1-1/4"	378357	25
U401-020	2"	377640	15	U402-015	1-1/2"	378364	25
U401-025	2-1/2"	377657	8	U402-020	2"	378371	15
U401-030	3"	377664	5	U402-040	4"	378395	3
U401-040	4"	377671	3	U402-071	1/2" x 1/2" x 1/8"	378401	10 250
U401-050	5"	377688		U402-072	1/2" x 1/2" x 1/4"	378418	10 150
U401-060	6"	377695		U402-101	3/4" x 3/4" x 1/2"	378449	10 100
U401-074	1/2" x 1/2" x 3/4"	377701	10 100	U402-124	1" x 3/4" x 1/2"	378456	5 100
U401-080	8"	377718	2	U402-130	1" x 1" x 1/2"	378470	10 50
U401-094	3/4" x 1/2" x 1/2"	377725	10 100	U402-131	1" x 1" x 3/4"	378487	10 50
U401-095	3/4" x 1/2" x 3/4"	377732	10 100	U402-166	1-1/4" x 1-1/4" x 1/2"	378517	10 50
U401-101	3/4" x 3/4" x 1/2"	377749	10 100	U402-167	1-1/4" x 1-1/4" x 3/4"	378524	10 50
U401-102	3/4" x 3/4" x 1"	377756	10 50	U402-168	1-1/4" x 1-1/4" x 1"	378531	5 25
U401-124	1" x 3/4" x 1/2"	377763	10 50	U402-209	1-1/2" x 1-1/2" x 1/2"	378562	50
U401-125	1" x 3/4" x 3/4"	377770	10 50	U402-210	1-1/2" x 1-1/2" x 3/4"	378579	50
U401-126	1" x 3/4" x 1"	377787	10 50	U402-211	1-1/2" x 1-1/2" x 1"	378586	25
U401-130	1" x 1" x 1/2"	377794	10 50	U402-247	2" x 2" x 1/2"	378616	20
U401-131	1" x 1" x 3/4"	377800	10 50	U402-248	2" x 2" x 3/4"	378623	20
U401-132	1" x 1" x 1-1/4"	377817	10 50	U402-249	2" x 2" x 1"	378630	15
U401-133	1" x 1" x 1-1/2"	377824	10 40	U402-250	2" x 2" x 1-1/4"	378647	15
U401-166	1-1/4" x 1-1/4" x 1/2"	377862	10 50	U402-251	2" x 2" x 1-1/2"	378654	10
U401-167	1-1/4" x 1-1/4" x 3/4"	377879	10 50	U402-289	2-1/2" x 2-1/2" x 1"	378678	10
U401-168	1-1/4" x 1-1/4" x 1"	377886	5 25	U402-292	2-1/2" x 2-1/2" x 2"	378708	10
U401-202	1-1/2" x 1-1/4" x 1"	377916	25	U402-334	3" x 3" x 3/4"	378722	5
U401-209	1-1/2" x 1-1/2" x 1/2"	377930	25	U402-335	3" x 3" x 1"	378739	5
U401-210	1-1/2" x 1-1/2" x 3/4"	377947	25	U402-338	3" x 3" x 2"	378760	5
U401-211	1-1/2" x 1-1/2" x 1"	377954	25	U402-420	4" x 4" x 2"	378814	3
U401-212	1-1/2" x 1-1/2" x 1-1/4"	377961	25				
U401-213	1-1/2" x 1-1/2" x 2"	377978	20				
U401-247	2" x 2" x 1/2"	378012	20				
U401-248	2" x 2" x 3/4"	378029	20				
U401-249	2" x 2" x 1"	378036	15				
U401-250	2" x 2" x 1-1/4"	378043	15				
U401-251	2" x 2" x 1-1/2"	378050	10				
U401-335	3" x 3" x 1"	378142	5				

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

WHITE PVC SCHEDULE 40 FITTINGS

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

45° Elbow - Slip



U417-005	1/2"	379767	10	250
U417-007	3/4"	379774	10	100
U417-010	1"	379781	10	100
U417-012	1-1/4"	379798	5	50
U417-015	1-1/2"	379804	10	50
U417-020	2"	379811	5	20
U417-025	2-1/2"	379828	10	
U417-030	3"	379835	8	
U417-040	4"	379842	3	
U417-060	6"	379866	2	
U417-080	8"	379873	2	

Cross - Slip



U420-005	1/2"	379880	10	100
U420-007	3/4"	379897	10	50
U420-010	1"	379903	5	25
U420-012	1-1/4"	379910	5	25
U420-015	1-1/2"	379927	5	15
U420-020	2"	379934	10	
U420-030	3"	379958		
U420-040	4"	379965		

Coupling - Slip



U429-005	1/2"	380084	10	250
U429-007	3/4"	380091	10	250
U429-010	1"	380107	10	100
U429-012	1-1/4"	380114	10	50
U429-015	1-1/2"	380121	10	50
U429-020	2"	380138	5	25
U429-025	2-1/2"	380145	25	
U429-030	3"	380152	10	
U429-040	4"	380169	6	
U429-050	5"	380176	5	
U429-060	6"	380183	4	
U429-080	8"	380190	5	
U429-101	3/4" x 1/2"	380206	25	100
U429-131	1" x 3/4"	380213	5	40
U429-168	1-1/4" x 1"	380220	5	20
U429-212	1-1/2" x 1-1/4"	380237	5	20
U429-251	2" x 1-1/2"	380244	30	
U429-338	3" x 2"	380251	5	
U429-422	4" x 3"	380268		
U429-532	6" x 4"	380275		

Coupling - FPT



U430-005	1/2"	380299	10	250
U430-007	3/4"	380312	10	250
U430-010	1"	380336	10	100
U430-101	3/4" x 1/2"	380381	10	250
U430-131	1" x 3/4"	380404	10	100

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Adapter - MPT x Spigot



U433-005	1/2"	436309	10	
U433-012	1-1/4"	432387	5	25
U433-020	2"	418664	5	

Adapter - Slip x FPT



U435-005	1/2"	380466	10	250
U435-007	3/4"	380473	10	250
U435-010	1"	380480	10	100
U435-012	1-1/4"	380497	5	50
U435-015	1-1/2"	380503	5	50
U435-020	2"	380510	5	25
U435-025	2-1/2"	380527	15	
U435-030	3"	380534	10	
U435-040	4"	380541	5	
U435-050	5"	380558		
U435-074	1/2" x 3/4"	380572	10	250
U435-080	8"	380589		
U435-101	3/4" x 1/2"	380596	10	250
U435-102	3/4" x 1"	380602	10	100
U435-131	1" x 3/4"	380619	10	100

Adapter - MPT x Slip



U436-005	1/2"	380633	10	250
U436-007	3/4"	380640	10	250
U436-010	1"	380657	10	100
U436-012	1-1/4"	380664	5	50
U436-015	1-1/2"	380671	5	50
U436-020	2"	380688	5	25
U436-025	2-1/2"	380695	25	
U436-030	3"	380701	16	
U436-040	4"	380718	12	
U436-050	5"	380725	5	
U436-060	6"	380732	3	
U436-074	1/2" x 3/4"	380756	10	250
U436-101	3/4" x 1/2"	380770	10	250
U436-102	3/4" x 1"	380787	10	100
U436-131	1" x 3/4"	380794	10	200
U436-132	1" x 1-1/4"	380800	5	50
U436-168	1-1/4" x 1"	380817	5	100
U436-169	1-1/4" x 1-1/2"	380824	5	125
U436-212	1-1/2" x 1-1/4"	380831	5	50
U436-213	1-1/2" x 2"	380848	5	50
U436-251	2" x 1-1/2"	380855	5	

Other sizes may be available - Contact your inside sales rep for more information.

WHITE PVC SCHEDULE 40 FITTINGS

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Bushing - Spigot x Slip



U437-073	1/2" x 3/8"	380893	10	500
U437-101	3/4" x 1/2"	380909	10	250
U437-130	1" x 1/2"	380916	10	250
U437-131	1" x 3/4"	380923	10	250
U437-166	1-1/4" x 1/2"	380930	5	150
U437-167	1-1/4" x 3/4"	380947	5	150
U437-168	1-1/4" x 1"	380954	5	150
U437-209	1-1/2" x 1/2"	380961	5	100
U437-210	1-1/2" x 3/4"	380978	5	100
U437-211	1-1/2" x 1"	380985	10	100
U437-212	1-1/2" x 1-1/4"	380992	10	100
U437-247	2" x 1/2"	381005	5	50
U437-248	2" x 3/4"	381012	5	50
U437-249	2" x 1"	381029	5	50
U437-250	2" x 1-1/4"	381036	5	50
U437-251	2" x 1-1/2"	381043	5	50
U437-290	2-1/2" x 1-1/4"	381081	5	25
U437-291	2-1/2" x 1-1/2"	381098	5	25
U437-292	2-1/2" x 2"	381104	5	25
U437-335	3" x 1"	381128	5	25
U437-336	3" x 1-1/4"	381135	5	25
U437-337	3" x 1-1/2"	381142	5	25
U437-338	3" x 2"	381159	5	25
U437-339	3" x 2-1/2"	381166	5	25
U437-420	4" x 2"	381173	10	
U437-421	4" x 2-1/2"	381180	10	
U437-422	4" x 3"	381197	10	
U437-488	5" x 3"	381203	5	
U437-490	5" x 4"	381210	5	
U437-528	6" x 2"	381227	4	
U437-530	6" x 3"	381234	4	
U437-532	6" x 4"	381241	4	
U437-534	6" x 5"	381258	4	
U437-582	8" x 4"	381265	2	
U437-585	8" x 6"	381272	2	

U438-248	2" x 3/4"	381449	5	50
U438-249	2" x 1"	381456	5	50
U438-250	2" x 1-1/4"	381463	5	50
U438-251	2" x 1-1/2"	381470	5	50
U438-290	2-1/2" x 1-1/4"	381494	5	25
U438-291	2-1/2" x 1-1/2"	381500	5	25
U438-292	2-1/2" x 2"	381517	5	25
U438-335	3" x 1"	381524	5	25
U438-336	3" x 1-1/4"	381531	5	25
U438-337	3" x 1-1/2"	381548	5	25
U438-338	3" x 2"	381555	5	25
U438-339	3" x 2-1/2"	381562	5	25
U438-420	4" x 2"	381579	10	
U438-421	4" x 2-1/2"	381586	10	
U438-422	4" x 3"	381593	10	

Bushing - MPT x FPT



U439-052	3/8" x 1/4"	381630	10	250
U439-072	1/2" x 1/4"	381647	10	500
U439-073	1/2" x 3/8"	381654	10	500
U439-098	3/4" x 1/4"	381661	10	500
U439-099	3/4" x 3/8"	381678	10	250
U439-101	3/4" x 1/2"	381685	10	500
U439-128	1" x 1/4"	381692	5	250
U439-130	1" x 1/2"	381715	10	250
U439-131	1" x 3/4"	381722	10	250
U439-166	1-1/4" x 1/2"	381739	5	150
U439-167	1-1/4" x 3/4"	381746	5	150
U439-168	1-1/4" x 1"	381753	5	150
U439-209	1-1/2" x 1/2"	381777	10	100
U439-210	1-1/2" x 3/4"	381784	10	100
U439-211	1-1/2" x 1"	381791	10	100
U439-212	1-1/2" x 1-1/4"	381807	10	100
U439-249	2" x 1"	381814	10	
U439-250	2" x 1-1/4"	381821	10	
U439-251	2" x 1-1/2"	381838	5	50
U439-338	3" x 2"	381852	5	

Bushing - Spigot x FPT



U438-071	1/2" x 1/8"	381289	10	250
U438-072	1/2" x 1/4"	381296	10	250
U438-073	1/2" x 3/8"	381302	10	250
U438-098	3/4" x 1/4"	381319	10	250
U438-101	3/4" x 1/2"	381326	10	500
U438-128	1" x 1/4"	381333	10	250
U438-130	1" x 1/2"	381340	10	250
U438-131	1" x 3/4"	381357	10	250
U438-166	1-1/4" x 1/2"	381364	10	150
U438-167	1-1/4" x 3/4"	381371	10	150
U438-168	1-1/4" x 1"	381388	10	150
U438-209	1-1/2" x 1/2"	381395	5	100
U438-210	1-1/2" x 3/4"	381401	5	100
U438-211	1-1/2" x 1"	381418	5	100
U438-212	1-1/2" x 1-1/4"	381425	5	100
U438-247	2" x 1/2"	381432	5	50

Cap - Slip



U447-005	1/2"	381869	10	250
U447-007	3/4"	381876	10	250
U447-010	1"	381883	10	250
U447-012	1-1/4"	381890	5	125
U447-015	1-1/2"	381906	5	50
U447-020	2"	381913	5	50
U447-025	2-1/2"	381920	25	
U447-030	3"	381937	15	
U447-040	4"	381944	9	
U447-050	5"	381951	5	
U447-060	6"	381968	3	
U447-080	8"	381975	2	

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

WHITE PVC SCHEDULE 40 FITTINGS

PIPE FITTINGS & NIPLLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Cap - FPT



U448-005	1/2"	381982	10	250
U448-007	3/4"	381999	10	250
U448-010	1"	382002	10	250
U448-012	1-1/4"	382019	5	125
U448-015	1-1/2"	382026	5	50
U448-020	2"	382033	5	50
U448-030	3"	382040	15	
U448-040	4"	382057	9	
U448-050	5"	409815	5	50
U448-060	6"	419760		

Plug - Spigot



U449-005	1/2"	382064	10	250
U449-007	3/4"	382071	10	250
U449-010	1"	382088	10	250
U449-012	1-1/4"	382095	5	125
U449-015	1-1/2"	382101	5	50
U449-020	2"	382118	5	50
U449-025	2-1/2"	382125	5	25
U449-030	3"	382132	5	25
U449-040	4"	382149	10	

Plug - MPT



U450-002	1/4"	382156	10	500
U450-003	3/8"	382163	10	500
U450-005	1/2"	382170	10	250
U450-007	3/4"	382187	10	500
U450-010	1"	382194	10	250
U450-012	1-1/4"	382200	5	125
U450-015	1-1/2"	382217	5	125
U450-020	2"	382224	5	50
U450-025	2-1/2"	382231	5	25
U450-030	3"	382248	5	25
U450-040	4"	382255	10	

Union - Slip



U457-005	1/2"	382262	36	288
U457-007	3/4"	382279	24	144
U457-010	1"	382286	12	96
U457-012	1-1/4"	382293	12	96
U457-015	1-1/2"	382309	8	64
U457-020	2"	382316	4	48

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Union - FPT



U458-005	1/2"	382323	36	288
U458-007	3/4"	382330	24	144
U458-010	1"	382347	12	96
U458-012	1-1/4"	382354	12	96
U458-015	1-1/2"	382361	8	64
U458-020	2"	382378	4	48

Adapter - Insert x Spigot



U460-007	3/4"	419814	10	100
----------	------	--------	----	-----

Adapter - Insert x Slip



U474-005	1/2"	406371	10	
U474-007	3/4"	382439	10	
U474-010	1"	382446	10	
U474-012	1-1/4"	400133	10	
U474-015	1-1/2"	382453	10	50
U474-020	2"	403738	5	

Adapter - Spigot x FPT



U478-005	1/2"	382484	10	250
U478-007	3/4"	437016	10	
U478-010	1"	382491	10	100
U478-012	1-1/4"	382507	5	50
U478-015	1-1/2"	382514	5	50
U478-020	2"	421152	25	
U478-030	3"	400102	10	

Deep Coupling - Slip



U479-015	1-1/2"	382521	25	
U479-020	2"	382538	15	
U479-025	2-1/2"	382545	10	
U479-030	3"	382552	8	
U479-040	4"	382569	6	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PVC EXPANSION COUPLINGS

Plumbeeze PVC Expansion Couplings feature solvent weld connections and are recommended for cold water applications only.



Part No.	Size	UPC 777808+	Quantity	
			L1	L2
PVC				
U29-EC05	1/2"	313877		
U29-EC07	3/4"	313884		
U29-EC10	1"	313891		
U29-EC12	1-1/4"	313907		
U29-EC15	1-1/2"	313914		
U29-EC20	2"	313921	12	

PVC COMPRESSION FITTINGS

Plumbeeze Compression Fittings are easy to use and create a water tight seal. They are designed for quick connections, system modifications or repairs.



Part No.	Size	UPC 777808+	Quantity	
			L1	L2
PVC, No Lead, Gasket Material: Nitrile Rubber IPS Connection				
U29-CC05	1/2"	313778	100	
U29-CC07	3/4"	313785	90	
U29-CC10	1"	313792	60	
U29-CC12	1-1/4"	313808	40	
U29-CC15	1-1/2"	313815	30	
U29-CC20	2"	313822	20	
U29-CC25	2-1/2"	313839	10	
U29-CC30	3"	313846	4	
U29-CC40	4"	313853	2	
U29-CC60	6"	313860	2	



CPVC, No Lead, Gasket Material: Nitrile Rubber CTS Connection				
U29CTS-CC05	1/2"	240388	20	
U29CTS-CC07	3/4"	240395	20	

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

GRAY PVC SCHEDULE 40 FITTINGS

Plumbeeze Gray PVC Schedule 40 Fittings come in a wide range of sizes and fitting types. No Lead

Part No.	Size	UPC	Quantity	
			L1	L2
		777808+		

Coupling - FPT



U430-012	1-1/4"	380350	5	50
U430-015	1-1/2"	380367	5	50
U430-020	2"	380374	5	25

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

GRAY PVC SCHEDULE 80 FITTINGS

Plumbeeze Gray PVC Schedule 80 Fittings come in a wide range of sizes and fitting types. No Lead, EPDM Rubber O-ring

Part No.	Size	UPC	Quantity	
			L1	L2
		777808+		

Union - Slip



U897-005	1/2"	470310	36	288
U897-007	3/4"	470327	24	144
U897-010	1"	470334	12	96
U897-012	1-1/4"	470341	12	96
U897-015	1-1/2"	470358	8	64
U897-020	2"	470365	4	48
U897-030	3"	470372	2	12

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PVC SCHEDULE 80 NIPPLES

No Lead



Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
Pipe Size - 1/2"				
U882-015	1-1/2"	383566	50	
U882-020	2"	383573	50	
U882-025	2-1/2"	383580	50	
U882-030	3"	383597	50	
U882-035	3-1/2"	383603	50	
U882-040	4"	383610	50	
U882-045	4-1/2"	383627	50	
U882-050	5"	383634	50	
U882-055	5-1/2"	383641	50	
U882-060	6"	383658	50	
U882-070	7"	383665	50	
U882-080	8"	383672	50	
U882-090	9"	383689	50	
U882-100	10"	383696	50	
U882-110	11"	383719	50	
U882-120	12"	383726	50	
Pipe Size - 3/4"				
U883-005	3/4" - Close	383733	50	
U883-015	1-1/2"	383740	50	
U883-020	2"	383757	50	
U883-025	2-1/2"	383764	50	
U883-030	3"	383771	50	
U883-035	3-1/2"	383788	50	
U883-040	4"	383795	50	
U883-045	4-1/2"	383801	25	
U883-050	5"	383818	25	
U883-055	5-1/2"	383825	25	
U883-060	6"	383832	25	
U883-070	7"	383849	25	
U883-080	8"	383856	25	
U883-090	9"	383863	25	
U883-100	10"	383870	25	
U883-110	11"	383887	25	
U883-120	12"	383894	25	
Pipe Size - 1"				
U884-005	3/4" - Close	383900	50	
U884-020	2"	383917	50	
U884-025	2-1/2"	383924	50	
U884-030	3"	383931	50	
U884-035	3-1/2"	383948	25	
U884-040	4"	383955	25	
U884-045	4-1/2"	383962	25	
U884-050	5"	383979	25	
U884-055	5-1/2"	383986	25	
U884-060	6"	383993	25	
U884-070	7"	384006	25	
U884-080	8"	384013	25	
U884-090	9"	384020	25	
U884-100	10"	384037	25	
U884-110	11"	384044	25	
U884-120	12"	384051	25	

Part No.	Pipe Length	UPC 777808+	Quantity	
			L1	L2
Pipe Size - 1-1/4"				
U885-005	3/4" - Close	384068	25	
U885-020	2"	384075	25	
U885-025	2-1/2"	384082	25	
U885-030	3"	384099	25	
U885-035	3-1/2"	384105	25	
U885-040	4"	384112	25	
U885-045	4-1/2"	384129	25	
U885-050	5"	384136	25	
U885-055	5-1/2"	384143	25	
U885-060	6"	384150	25	
U885-070	7"	384167	25	
U885-080	8"	384174	25	
U885-090	9"	384181	25	
U885-100	10"	384198	25	
U885-110	11"	384204	25	
U885-120	12"	384211	25	
Pipe Size - 1-1/2"				
U886-005	3/4" - Close	384228	25	
U886-020	2"	384235	25	
U886-025	2-1/2"	384242	25	
U886-030	3"	384259	25	
U886-035	3-1/2"	384266	25	
U886-040	4"	384273	25	
U886-045	4-1/2"	384280	25	
U886-050	5"	384297	25	
U886-055	5-1/2"	384303	25	
U886-060	6"	384310	25	
U886-070	7"	384327	25	
U886-080	8"	384334	25	
U886-090	9"	384341	25	
U886-100	10"	384358	25	
U886-110	11"	384365	25	
U886-120	12"	384372	25	
Pipe Size - 2"				
U887-005	3/4" - Close	384389	25	
U887-025	2-1/2"	384396	25	
U887-030	3"	384402	25	
U887-035	3-1/2"	384419	25	
U887-040	4"	384426	25	
U887-045	4-1/2"	384433	25	
U887-050	5"	384440	25	
U887-055	5-1/2"	384457	25	
U887-060	6"	384464	25	
U887-070	7"	384471	25	
U887-080	8"	384488	25	
U887-090	9"	384495	25	
U887-100	10"	384501	25	
U887-110	11"	384518	25	
U887-120	12"	384525	25	

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PIPE FITTINGS & NIPPLES
BLACK, GALV., BRASS,
STAINLESS, PVC

Other sizes may be available - Contact your inside sales rep for more information.

FLARE COMPRESSION, HOSE & TUBE FITTINGS, TUBING & HOSE



FLARE FITTINGS

Plumbeeze Flare Fittings are not suitable for potable water, they're only for heating or refrigeration. They are applicable with aluminum, brass, copper and steel tubing. Flare fittings can be disassembled and reassembled many times with no effect on the seal.

Part No.	Size	UPC 777808+	Quantity	
			L1	L2
Short Forged Nut - Flare				
Use only forged flare nuts on gas and fuel oil installations.				
PEBF-40-04	1/4"	243754	25	
PEBF-40-06	3/8"	243761	25	
PEBF-40-08	1/2"	243778	25	
PEBF-40-10	5/8"	243785	25	
PEBF-40-12	3/4"	243792	5	



Long Milled Nut - Flare				
Use only forged flare nuts on gas and fuel oil installations.				
PEBF-41-04	1/4"	243808	25	
PEBF-41-05	5/16"	243815	25	
PEBF-41-06	3/8"	243822	25	
PEBF-41-08	1/2"	243839	25	
PEBF-41-10	5/8"	243846	25	



Short Milled Nut - Flare				
Use only forged flare nuts on gas and fuel oil installations.				
PEBF-41S-04	1/4"	231317	25	
PEBF-41S-05	5/16"	231324	25	
PEBF-41S-06	3/8"	231331	25	
PEBF-41S-08	1/2"	231348	25	
PEBF-41S-10	5/8"	243860	25	
PEBF-41S-12	3/4"	243877	5	



Union - Flare				
PEBF-42-04	1/4"	231843	25	
PEBF-42-06	3/8"	231867	25	
PEBF-42-08	1/2"	231874	25	
PEBF-42-10	5/8"	244003	25	
PEBF-42-12	3/4"	244010	5	
PEBF-42R-0604	3/8" x 1/4"	244027	25	
PEBF-42R-0806	1/2" x 3/8"	244034	25	
PEBF-42R-1008	5/8" x 1/2"	244041	25	



Part No.	Size	UPC 777808+	Quantity	
			L1	L2
Tee - Flare				
PEBF-44-04	1/4"	231881	25	
PEBF-44-06	3/8"	231904	25	
PEBF-44-08	1/2"	243921	25	
PEBF-44-10	5/8"	243938	25	



Coupling - Flare x FPT				
PEBF-46-0402	1/4" x 1/8"	231355	25	
PEBF-46-0404	1/4"	243884	25	
PEBF-46-0604	3/8" x 1/4"	231379	25	
PEBF-46-0606	3/8" x 3/8"	232024	25	
PEBF-46-0806	1/2" x 3/8"	243891	25	
PEBF-46-0808	1/2"	243907	25	
PEBF-46-1008	5/8" x 1/2"	243914	25	



Union - Flare x MPT				
PEBF-48-0402	1/4" x 1/8"	231416	25	
PEBF-48-0404	1/4"	231423	25	
PEBF-48-0604	3/8" x 1/4"	231393	25	
PEBF-48-0606	3/8" x 3/8"	231409	25	
PEBF-48-0608	3/8" x 1/2"	232055	25	
PEBF-48-0806	1/2" x 3/8"	243945	25	
PEBF-48-0808	1/2"	243952	25	
PEBF-48-0812	1/2" x 3/4"	243969	5	
PEBF-48-1008	5/8" x 1/2"	243976	25	
PEBF-48-1012	5/8" x 3/4"	243983	25	
PEBF-48-1212	3/4" x 3/4"	243990	5	



90° Elbow - Flare x MPT				
PEBF-49-0402	1/4" x 1/8"	244058	25	
PEBF-49-0404	1/4"	244065	25	
PEBF-49-0604	3/8" x 1/4"	231928	25	
PEBF-49-0606	3/8" x 3/8"	232154	25	
PEBF-49-0608	3/8" x 1/2"	244072	25	
PEBF-49-0806	1/2" x 3/8"	244089	25	
PEBF-49-0808	1/2"	244096	25	
PEBF-49-1008	5/8" x 1/2"	244102	25	



FLARE COMPRESSION, HOSE & TUBE FITTINGS, TUBING & HOSE

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

GAS APPLIANCE CONNECTORS

Plumbeeze Gas Appliance Connectors allow for the proper alignment of a fixed piping system to the gas appliance. They are easy to install and have deep corrugations to enhance their flexibility.

304 Stainless Steel



Part No.	Size	Pipe Length	Short Length Capacity BTU/Hour	UPC 777808+	Quantity L1 L2
FPT Connection					
PE-GACF8-18	1/2"	18"	164200	418466	10
PE-GACF8-24	1/2"	24"	150000	418473	10
PE-GACF8-36	1/2"	36"	125000	180059	10
PE-GACF8-48	1/2"	48"	106000	180066	10
PE-GACF8-60	1/2"	60"	93200	431106	10
PE-GACF8-72	1/2"	72"	86000	214051	10



MPT Connection					
PE-GACM8-24	1/2"	24"	150000	241545	10
PE-GACM8-36	1/2"	36"	125000	241552	10
PE-GACM8-48	1/2"	48"	106000	241569	10
PE-GACM8-60	1/2"	60"	93200	241576	10

GAS CONNECTOR FITTINGS

Plumbeeze Gas Connector Fittings have a 16 thread flare connection.

Part No.	Size	UPC 777808+	Quantity L1 L2
----------	------	-------------	----------------



Connector - FPT x Flare

PE-GACF-F8	1/2"	180103	10
PE-GACF-F12	3/4"	418442	10

Part No.	Size	UPC 777808+	Quantity L1 L2
----------	------	-------------	----------------



Connector - MPT x Flare

PE-GACF-M8	1/2"	180073	10
PE-GACF-M12	3/4"	418459	10

NO LEAD COMPRESSION FITTINGS

Plumbeeze Compression Fittings are suitable for use in low to medium pressure applications for gasoline, grease, oil, water, vacuum and air lines. They are applicable with copper, brass, aluminum, plastic, CPVC & PEX tubing. The use of long nuts in applications where vibrations exist is recommended for extra resistance.

Part No.	Size	UPC 777808+	Quantity L1 L2
----------	------	-------------	----------------



Coupling - Comp x MPT

PENL-BC68-0402	1/4" x 1/8"	452583	25 300
PENL-BC68-0404	1/4"	452590	25 300
PENL-BC68-0406	1/4" x 3/8"	452606	25 300
PENL-BC68-0408	1/4" x 1/2"	452613	25 300
PENL-BC68-0604	3/8" x 1/4"	452620	25 300
PENL-BC68-0606	3/8" x 3/8"	452637	25 300
PENL-BC68-0608	3/8" x 1/2"	452644	25 300
PENL-BC68-0806	1/2" x 3/8"	452651	25 300
PENL-BC68-0808	1/2"	452668	25 300
PENL-BC68-1008	5/8" x 1/2"	452675	25 300
PENL-BC68-1412	7/8" x 3/4"	452682	25 150

Part No.	Size	UPC 777808+	Quantity L1 L2
----------	------	-------------	----------------



Coupling - Comp x FPT

PENL-BC66-0402	1/4" x 1/8"	452514	25 300
PENL-BC66-0404	1/4"	452521	25 300
PENL-BC66-0406	1/4" x 3/8"	465613	25 300
PENL-BC66-0604	3/8" x 1/4"	452538	25 300
PENL-BC66-0606	3/8"	452545	25 300
PENL-BC66-0608	3/8" x 1/2"	452552	25 300
PENL-BC66-0808	1/2"	452569	25 300
PENL-BC66-1008	5/8" x 1/2"	452576	25 300
PENL-BC66-1012	5/8" x 3/4"	482740	25
PENL-BC66-1412	7/8" x 3/4"	482757	25

Other sizes may be available - Contact your inside sales rep for more information.

FLARE, COMPRESSION, HOSE & TUBE FITTINGS, TUBING & HOSE

NO LEAD COMPRESSION FITTINGS

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Hex Coupling - FPT



PENL-BHC02	1/4"	479108	25	300
PENL-BHC03	3/8"	479115	25	300
PENL-BHC05	1/2"	479122	25	300

90° Elbow - Comp



PENL-BC65-04	1/4"	452460	25	300
PENL-BC65-06	3/8"	452477	25	300
PENL-BC65-08	1/2"	452484	25	300
PENL-BC65-10	5/8"	452491	25	300
PENL-BC65R-0806	3/8" x 1/2"	478248	25	300

90° Elbow - Comp x MPT



PENL-BC69-0402	1/4" x 1/8"	452699	25	300
PENL-BC69-0404	1/4"	452705	25	300
PENL-BC69-0406	1/4" x 3/8"	452712	25	300
PENL-BC69-0604	3/8" x 1/4"	452729	25	300
PENL-BC69-0606	3/8"	452736	25	300
PENL-BC69-0608	3/8" x 1/2"	452743	25	300
PENL-BC69-0806	1/2" x 3/8"	452750	25	300
PENL-BC69-0808	1/2"	452767	25	300
PENL-BC69-1008	5/8" x 1/2"	452774	25	300

Hex Nipple - MPT



PENL-BHN05	1/2"	479092	25	300
------------	------	--------	----	-----

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Tee - Comp



PENL-BC64-04	1/4"	452415	25	300
PENL-BC64-06	3/8"	452422	25	300
PENL-BC64-08	1/2"	452439	25	300
PENL-BC64-10	5/8"	452446	25	200

Union - Comp



PENL-BC62-04	1/4"	452323	25	300
PENL-BC62-05	5/16"	478231	25	300
PENL-BC62-06	3/8"	452330	25	300
PENL-BC62-08	1/2"	452347	25	300
PENL-BC62-10	5/8"	452354	25	300
PENL-BC62-14	7/8"	452361	25	200
PENL-BC62R-0604	3/8" x 1/4"	452378	25	300
PENL-BC62R-0806	1/2" x 3/8"	452385	25	300
PENL-BC62R-1006	5/8" x 3/8"	452392	25	300
PENL-BC62R-1008	5/8" x 1/2"	452408	25	300

Valve Adapter - Comp



PENL-BCVA-0604	3/8" x 3/8" x 1/4"	479078	25	300
PENL-BCVA-0606	3/8"	479085	25	300

Insert - Comp



PENL-BC61P-02	1/8"	452255	25	300
PENL-BC61P-03	3/16"	452262	25	300
PENL-BC61P-04	1/4"	452279	25	300
PENL-BC61P-05	5/16"	452286	25	300
PENL-BC61P-06	3/8"	452293	25	300
PENL-BC61P-08	1/2"	452309	25	300
PENL-BC61P-10	5/8"	452316	25	300

FLARE COMPRESSION,
HOSE & TUBE FITTINGS,
TUBING & HOSE

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

DISHWASHER HOSE FITTING

Plumbeeze Dishwasher Hose Fitting is simple to install since the connection is easier to align & attach, saving time. They require less torque and no tape or putty. No Lead,
 • NSF/ANSI Standard 372 Certified

Part No.	Size	UPC 777808+	Quantity	
			L1	L2



90° Elbow - Comp x FHT

PENL-BC-DWE	3/8" x 3/4"	464715	20	200
-------------	-------------	--------	----	-----

COMPRESSION FITTINGS

Plumbeeze Compression Fittings are suitable for use in low to medium pressure applications for gasoline, grease, oil, water, vacuum and air lines. They are applicable with copper, brass, aluminum, plastic, CPVC & PEX tubing. The use of long nuts in applications where vibrations exist is recommended for extra resistance.

Part No.	Size	UPC 777808+	Quantity	
			L1	L2



Nut - Comp

PEBC-61-03	3/16"	231522	25	
PEBC-61-04	1/4"	231539	25	300
PEBC-61-05	5/16"	231546	25	
PEBC-61-06	3/8"	231553	25	
PEBC-61-08	1/2"	231560	25	
PEBC-61-10	5/8"	231577	25	
PEBC-61-12	3/4"	245352	25	
PEBC-61-14	7/8"	244133	25	

Part No.	Size	UPC 777808+	Quantity	
			L1	L2



Standard Sleeve - Comp

PENL-BC60-02-03	1/8"	477562	25	300
PENL-BC60-03-03	3/16"	477579	25	300
PENL-BC60-04-03	1/4"	477586	25	300
PENL-BC60-05-03	5/16"	477593	25	300
PENL-BC60-06-03	3/8"	477609	25	300
PENL-BC60-08-03	1/2"	477616	25	300
PENL-BC60-10-03	5/8"	477623	25	300
PENL-BC60-14-03	7/8"	477630	25	300

Plastic Sleeve - Comp
Acetal



PENL-BC60P04-03	1/4"	471317	25	300
PENL-BC60P06-03	3/8"	471324	25	300

Other sizes may be available - Contact your inside sales rep for more information.

FLARE, COMPRESSION, HOSE & TUBE FITTINGS, TUBING & HOSE

NO LEAD HOSE BARB FITTINGS

Plumbeeze No Lead Hose Barb Fittings are suitable for use with various hose and tubing.

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Coupling - Barb x MPT



PENL-BH125-0202	1/8"	452781	25	300
PENL-BH125-0204	1/8" x 1/4"	452798	25	300
PENL-BH125-0302	3/16" x 1/8"	452804	25	300
PENL-BH125-0402	1/4" x 1/8"	452811	25	300
PENL-BH125-0404	1/4"	452828	25	300
PENL-BH125-0406	1/4" x 3/8"	452835	25	300
PENL-BH125-0408	1/4" x 1/2"	452842	25	300
PENL-BH125-0502	5/16" x 1/8"	452859	25	300
PENL-BH125-0504	5/16" x 1/4"	452866	25	300
PENL-BH125-0506	5/16" x 3/8"	452873	25	300
PENL-BH125-0602	3/8" x 1/8"	452880	25	300
PENL-BH125-0604	3/8" x 1/4"	452897	25	300
PENL-BH125-0606	3/8"	452903	25	300
PENL-BH125-0608	3/8" x 1/2"	452910	25	300
PENL-BH125-0804	1/2" x 1/4"	452927	25	300
PENL-BH125-0806	1/2" x 3/8"	452934	25	300
PENL-BH125-0808	1/2"	452941	25	300
PENL-BH125-0812	1/2" x 3/4"	452958	25	300
PENL-BH125-1008	5/8" x 1/2"	452972	25	300
PENL-BH125-1208	3/4" x 1/2"	452989	25	300
PENL-BH125-1212	3/4"	452996	25	300
PENL-BH125-1616	1"	453009	25	300

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Coupling - Barb x FPT



PENL-BH126-0404	1/4"	471294	25	300
PENL-BH126-0606	3/8"	482764	25	300
PENL-BH126-0808	1/2"	471300	25	300

Coupling - Barb



PENL-BH129-02	1/8"	453016	25	300
PENL-BH129-03	3/16"	453023	25	300
PENL-BH129-04	1/4"	453030	25	300
PENL-BH129-05	5/16"	453047	25	300
PENL-BH129-06	3/8"	453054	25	300
PENL-BH129-08	1/2"	453061	25	300
PENL-BH129-10	5/8"	453078	25	300
PENL-BH129-12	3/4"	453085	25	300

90° Elbow - Barb x MPT



PENL-BH139-0402	1/4" x 1/8"	453092	25	300
PENL-BH139-0404	1/4"	453108	25	300
PENL-BH139-0604	3/8" x 1/4"	453115	25	300
PENL-BH139-0606	3/8"	453122	25	300

FLARE COMPRESSION,
HOSE & TUBE FITTINGS,
TUBING & HOSE

NO LEAD GARDEN HOSE FITTINGS

Plumbeeze No Lead Garden Hose fittings are suitable for use in residential, commercial or industrial plumbing.

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Washer - FHT



PEBG-GHW-12-10	3/4"	245338	10	
----------------	------	--------	----	--

Coupling - Barb
With washer



PENL-BG-08	1/2"	453153	25	
PENL-BG-10	5/8"	453160	25	
PENL-BG-12	3/4"	453177	25	

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Coupling - Barb x MHT



PENL-BG193-0812	1/2" x 3/4"	453191	25	300
PENL-BG193-1012	5/8" x 3/4"	453207	25	300
PENL-BG193-1212	3/4"	453214	25	300

Swivel Coupling - FHT x MHT



PENL-BG194-1204	1/4"	453221	25	300
PENL-BG194-1206	3/8"	453238	25	300
PENL-BG194-1208	1/2"	453245	25	300

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

NO LEAD GARDEN HOSE FITTINGS

Part No. Size UPC Quantity
777808+ L1 L2

Swivel Coupling - Barb x FHT
With washer



PENL-BG195-0612	3/8" x 3/4"	453252	25	300
PENL-BG195-0812	1/2" x 3/4"	453269	25	300
PENL-BG195-1012	5/8" x 3/4"	453276	25	300
PENL-BG195-1212	3/4"	453283	25	300

Coupling - MHT x MPT



PENL-BG196-1206	3/4" x 3/8"	453290	25	300
PENL-BG196-1208	3/4" x 1/2"	453306	25	300
PENL-BG196-1212	3/4"	453313	25	300

Coupling - MHT



PENL-BG196W-1212	3/4"	453320	25	300
------------------	------	--------	----	-----

Coupling - MHT x FPT



PENL-BG197-1208	3/4" x 1/2"	453337	25	300
PENL-BG197-1212	3/4"	453344	25	300

Coupling - FHT x FPT
With washer



PENL-BG198-1208	3/4" x 1/2"	453351	25	300
PENL-BG198-1212	3/4"	453368	25	300

Part No. Size UPC Quantity
777808+ L1 L2

Coupling - FHT x MPT
With washer



PENL-BG199-1208	3/4" x 1/2"	453375	25	300
PENL-BG199-1212	3/4"	453382	25	300

Swivel Coupling - FHT x FPT
With washer



PENL-BG199S-1208	3/4" x 1/2"	453399	25	300
PENL-BG199S-1212	3/4"	453405	25	300

Cap Nut - FHT
With washer



PENL-BG200-12	3/4"	453412	25	300
---------------	------	--------	----	-----

Y Coupling - MHT x FHT



PENL-BG202-12	3/4"	453429	25	
---------------	------	--------	----	--

Swivel Coupling - FHT
With washer



PENL-BG203-12	3/4"	453436	25	300
---------------	------	--------	----	-----

Y Valve - MHT x FHT
1/4 turn ball valve shut-offs



PENL-G202V	3/4"	451210	10	60
------------	------	--------	----	----

FLARE, COMPRESSION,
HOSE & TUBE FITTINGS,
TUBING & HOSE

POLYETHYLENE TUBING



Plumbeeze Poly Tubing is lightweight, low density, odorless & taste-free. The material is compliant with FDA standards and resistant to stress cracking. Typical applications include air instrumentation, water lines, food transfer, chemical sprays, beverage & soda transfer, conduit, pneumatic control lines and light vacuum lines. This tubing is type 5. No Lead, Temperature Range: -45°F to 150°F (-43°C to 66°C)

Part No.	Size I.D.	Size O.D.	Wall Thickness	Working Pressure PSI	UPC 777808+	Quantity L1 L2
Length: 25'						
PE105-04-25	0.170"	1/4"	0.040"	140	482511	20
PE105-06-25	0.250"	3/8"	0.062"	125	482528	8
PE105-08-25	0.375"	1/2"	0.062"	100	482535	15

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PVC BRAIDED HOSE



Plumbeeze Braided Hose is lightweight, non-marking and chemical resistant. It is made from clear PVC tube and is polyester reinforced. The material is compliant with FDA standards and self-extinguishing. Typical industrial applications include air & water lines, lubrication lines, packaging machines, glue lines, air breathing lines, deionized water systems, wire conduit, pneumatic lines and vacuum lines. This tubing is type 2. No Lead, Temperature Range: 25°F to 150°F (-4°C to 66°C)

Part No.	Size I.D.	Size O.D.	Working Pressure PSI	UPC 777808+	Quantity	
					L1	L2
Length: 10'						
PE107-10-10	5/8"	0.875"	200 @ 70°F (21°C), 100 @ 122°F (50°C)	482658	15	
PE107-12-10	3/4"	1.030"	150 @ 70°F (21°C), 85 @ 122°F (50°C)	482665	15	
PE107-16-10	1"	1.300"	125 @ 70°F (21°C), 75 @ 122°F (50°C)	482672	8	
PE107-20-10	1-1/4"	1.625"	100 @ 70°F (21°C), 55 @ 122°F (50°C)	482689		
PE107-24-10	1-1/2"	1.937"	100 @ 70°F (21°C), 50 @ 122°F (50°C)	482696		
Length: 20'						
PE107-06-20	0.375"	0.600"	225 @ 70°F (21°C), 125 @ 122°F (50°C)	482634	20	
PE107-08-20	0.500"	0.750"	200 @ 70°F (21°C), 100 @ 122°F (50°C)	482641	15	
Length: 50'						
PE107-20-50	1-1/4"	1.625"	100 @ 70°F (21°C), 55 @ 122°F (50°C)	482726		
PE107-24-50	1-1/2"	1.937"	100 @ 70°F (21°C), 50 @ 122°F (50°C)	482733		

PVC TUBING



Plumbeeze PVC Clear Tubing is non-toxic, odorless & taste-free. The material is nonconductive, fire resistant, & self-extinguishing. Typical applications include laboratory, food & beverage, drain lines, water & chemical transfer, wire harness, sight gauges and light vacuum lines. This tubing is type 1. No Lead, Temperature Range: 25°F to 150°F (-4°C to 66°C)

Part No.	Size I.D.	Size O.D.	Wall Thickness	Working Pressure PSI	UPC 777808+	Quantity	
						L1	L2
Length: 10'							
PE106-1014-10	5/8"	7/8"	0.125"	40 @ 68°F (20°C)	482603	15	
PE106-1216-10	3/4"	1"	0.125"	35 @ 68°F (20°C)	482610	12	
PE106-1620-10	1"	1-1/4"	0.125"	25 @ 68°F (20°C)	482627	10	
Length: 20'							
PE106-0204-20	1/8"	1/4"	0.063"	65 @ 68°F (20°C)	482542	15	
PE106-0305-20	3/16"	5/16"	0.063"	55 @ 68°F (20°C)	482559	20	
PE106-0406-20	1/4"	3/8"	0.063"	55 @ 68°F (20°C)	482566	15	
PE106-0507-20	5/16"	7/16"	0.063"	50 @ 68°F (20°C)	482573	15	
PE106-0608-20	3/8"	1/2"	0.063"	45 @ 68°F (20°C)	482580	20	
PE106-0810-20	1/2"	5/8"	0.063"	30 @ 68°F (20°C)	482597	15	
Length: 100'							
PE106-1620-100	1"	1-1/4"	0.125"	25 @ 68°F (20°C)	482719		

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

BULK POLYETHYLENE TUBING



This Poly Tubing is lightweight, low density, odorless & taste-free. The material is compliant with FDA standards and resistant to stress cracking. Typical applications include air instrumentation, water lines, food transfer, chemical sprays, beverage & soda transfer, conduit, pneumatic control lines and light vacuum lines. This tubing is type 50.
Temperature Range: -45°F to 150°F (-43°C to 66°C)

Part No.	Size I.D.	Size O.D.	Wall Thickness	Working Pressure PSI	Quantity	
					L1	L2
Length: 100'						
105-04-100	0.170"	1/4"	0.040"	140	100	1200
105-04H-100	0.125"	1/4"	0.062"	150	100	1200
105-06-100	0.250"	3/8"	0.062"	125	100	1000
105-08-100	0.375"	1/2"	0.062"	100	100	600
105-10-100	0.500"	5/8"	0.062"	75	100	
Length: 500'						
105-06-500	0.250"	3/8"	0.062"	125	500	
105-08-500	0.375"	1/2"	0.062"	100	500	
105-10-500	0.500"	5/8"	0.062"	75	500	
Length: 2000'						
105-04-2000	0.170"	1/4"	0.040"	140	2000	
105-04H-2000	0.125"	1/4"	0.062"	150	2000	

BULK PVC BRAIDED HOSE



Boshart's Braided Hose is lightweight, non-marking and chemical resistant. It is made from clear PVC tube and is polyester reinforced. The material is compliant with FDA standards and self extinguishing. Typical industrial applications include air & water lines, lubrication lines, packaging machines, glue lines, air breathing lines, deionized water systems, wire conduit, pneumatic lines and vacuum lines. This tubing is type 20.

- NSF 51 Certified

Temperature Range: 25°F to 150°F (-4°C to 66°C)

Part No.	Size I.D.	Size O.D.	Working Pressure PSI	Quantity	
				L1	L2
Length: 50'					
107-20-050	1-1/4"	1.625"	100 @ 70°F (21°C), 55 @ 122°F (50°C)	100	
107-24-050	1-1/2"	1.937"	100 @ 70°F (21°C), 50 @ 122°F (50°C)	50	
107-32-050	2"	2.490"	75 @ 70°F (21°C), 35 @ 122°F (50°C)	50	
Length: 100'					
107-03-100	3/16"	0.375"	250 @ 70°F (21°C), 150 @ 122°F (50°C)	100	
107-04-100	1/4"	0.438"	250 @ 70°F (21°C), 150 @ 122°F (50°C)	100	
107-05-100	5/16"	0.525"	250 @ 70°F (21°C), 150 @ 122°F (50°C)	100	
107-06-100	0.375"	0.600"	225 @ 70°F (21°C), 125 @ 122°F (50°C)	100	
107-08-100	0.500"	0.750"	200 @ 70°F (21°C), 100 @ 122°F (50°C)	100	
107-10-100	5/8"	0.875"	200 @ 70°F (21°C), 100 @ 122°F (50°C)	100	
107-12-100	3/4"	1.030"	150 @ 70°F (21°C), 85 @ 122°F (50°C)	100	
107-16-100	1"	1.300"	125 @ 70°F (21°C), 75 @ 122°F (50°C)	100	
107-20-100	1-1/4"	1.625"	100 @ 70°F (21°C), 55 @ 122°F (50°C)	100	
107-24-100	1-1/2"	1.937"	100 @ 70°F (21°C), 50 @ 122°F (50°C)	100	
107-32-100	2"	2.490"	75 @ 70°F (21°C), 35 @ 122°F (50°C)	100	
Length: 200'					
107-16-200	1"	1.300"	125 @ 70°F (21°C), 75 @ 122°F (50°C)	200	
Length: 300'					
107-08-300	0.500"	0.750"	200 @ 70°F (21°C), 100 @ 122°F (50°C)	300	
107-12-300	3/4"	1.030"	150 @ 70°F (21°C), 85 @ 122°F (50°C)	300	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

BULK PVC TUBING



Boshart's PVC Clear Tubing is non-toxic, odorless & taste-free. The material is non conductive, fire resistant, & self extinguishing. Typical applications include laboratory, food & beverage, drain lines, water & chemical transfer, wire harness, sight gauges and light vacuum lines. This tubing is type 10.

- NSF 51 Certified
- Temperature Range: 25°F to 150°F (-4°C to 66°C)

Part No.	Size I.D.	Size O.D.	Wall Thickness	Working Pressure PSI	Quantity	
					L1	L2
Length: 100'						
106-0204-100	1/8"	1/4"	0.063"	65 @ 68°F (20°C)	100	
106-0305-100	3/16"	5/16"	0.063"	55 @ 68°F (20°C)	100	
106-0406-100	1/4"	3/8"	0.063"	55 @ 68°F (20°C)	100	
106-0408-100	1/4"	1/2"	0.125"	60 @ 68°F (20°C)	100	
106-0507-100	5/16"	7/16"	0.063"	50 @ 68°F (20°C)	100	
106-0608-100	3/8"	1/2"	0.063"	45 @ 68°F (20°C)	100	
106-0610-100	3/8"	5/8"	0.125"	55 @ 68°F (20°C)	100	
106-0810-100	1/2"	5/8"	0.063"	30 @ 68°F (20°C)	100	
106-0812-100	1/2"	3/4"	0.125"	45 @ 68°F (20°C)	100	
106-1014-100	5/8"	7/8"	0.125"	40 @ 68°F (20°C)	100	
106-1216-100	3/4"	1"	0.125"	35 @ 68°F (20°C)	100	
106-1418-100	7/8"	1-1/8"	0.125"	30 @ 68°F (20°C)	100	
106-1620-100	1"	1-1/4"	0.125"	25 @ 68°F (20°C)	100	
106-2024-100	1-1/4"	1-1/2"	0.125"	20 @ 68°F (20°C)	100	
106-2430-100	1-1/2"	1-7/8"	0.188"	30 @ 68°F (20°C)	100	

FLARE, COMPRESSION, HOSE & TUBE FITTINGS, TUBING & HOSE

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

FLARE, COMPRESSION,
HOSE & TUBE FITTINGS,
TUBING & HOSE

Other sizes may be available - Contact your inside sales rep for more information.

STAINLESS STEEL CLAMPS, INSERT FITTINGS FOR PLASTIC PIPE





Toll Free: 1-888-838-8801 plumbeeze.com

STAINLESS STEEL CLAMPS - SERIES 77



Plumbeeze Stainless Steel Clamps are an excelled product for securing a hose over a fitting. Preventing any fluid flowing through the hose from leaking at the connection.

Part No.	Min Size	Max Size	UPC 777808+	Quantity L1 L2	Part No.	Min Size	Max Size	UPC 777808+	Quantity L1 L2
Individual 0.25" Carbon Steel Screw • 5/16" Wide Band					USSC7704	1/4"	5/8"	136599	10 200
					USSC7705	5/16"	7/8"	136605	10 200
Individual 0.31" Yellow Dichromate Plated Carbon Steel Screw • 1/2" Wide Band					USSC7706	3/8"	7/8"	136612	10 200
					USSC7708	7/16"	1"	136629	10 200
					USSC7710	1/2"	1-1/16"	136636	10 200
					USSC7712	1/2"	1-1/4"	136667	10 200
					USSC7716	11/16"	1-1/2"	136735	10 200
					USSC7720	3/4"	1-3/4"	136773	10 200
					USSC7724	1"	2"	136803	10 200
					USSC7728	1-1/4"	2-1/4"	136810	10 200
					USSC7732	1-1/2"	2-1/2"	136827	10 200
					USSC7736	1-3/4"	2-3/4"	136834	10 100
					USSC7740	2"	3"	136841	10 100
					USSC7744	2-1/4"	3-1/4"	136858	10 100
					USSC7748	2-1/2"	3-1/2"	136865	10 100
					USSC7752	2-3/4"	3-3/4"	136872	10 100
					USSC7756	3"	4"	136896	10 100
					USSC7764	2-1/2"	4-1/2"	136919	10 50
					USSC7772	3"	5"	136926	10 50
					USSC7780	3-1/2"	5-1/2"	136933	10 50
					USSC7788	4"	6"	136957	10 50
					USSC7796	4-1/2"	6-1/2"	136964	10 50
					USSC77104	5"	7"	136643	10 200
					USSC77116	5-3/4"	7-3/4"	136650	10 100
					USSC77128	6-1/2"	8-1/2"	136698	10 200
					USSC77140	7-1/4"	9-1/4"	136704	10 100
					USSC77152	8"	10"	136711	10 100

ALL STAINLESS STEEL CLAMPS - SERIES 87



Plumbeeze Marine-Grade Series Stainless Steel Clamps provide strong corrosion resistance due to their higher content of nickel and chromium. They are suitable for outdoor use with no shielding.

- 300 Series Stainless Steel Band & Housing
- Must order L1 or L2 quantity No Lead
- cUPC Certified

Part No.	Min Size	Max Size	UPC 777808+	Quantity L1 L2	Part No.	Min Size	Max Size	UPC 777808+	Quantity L1 L2
Individual 0.25" 304 Series Stainless Steel Screw • 5/16" Wide Band					USSC8704	1/4"	5/8"	136971	10 200
					USSC8705	5/16"	7/8"	136988	10 200
Multi Pack 0.25" 304 Series Stainless Steel Screw • 5/16" Wide Band • 10 clamps per pack					USSC8704-10	1/4"	5/8"	401277	20
					USSC8705-10	5/16"	7/8"	401284	20
Individual 0.31" 304 Series Stainless Steel Screw • 1/2" Wide Band					USSC8706	3/8"	7/8"	136995	10 200
					USSC8708	7/16"	1"	137008	10 200
					USSC8710	1/2"	1-1/16"	137015	10 200
					USSC8712	1/2"	1-1/4"	137046	10 200
					USSC8716	11/16"	1-1/2"	137114	10 200
					USSC8720	3/4"	1-3/4"	137152	10 200
					USSC8724	1"	2"	137183	10 200
					USSC8728	1-1/4"	2-1/4"	137190	10 200
					USSC8732	1-1/2"	2-1/2"	137206	10 200
					USSC8736	1-3/4"	2-3/4"	137213	10 100
					USSC8740	2"	3"	137220	10 100
					USSC8744	2-1/4"	3-1/4"	137237	10 100
					USSC8748	2-1/2"	3-1/2"	137244	10 100
					USSC8752	2-3/4"	3-3/4"	137251	10 100
					USSC8756	3"	4"	137275	10 100
					USSC8764	2-1/2"	4-1/2"	137299	10 50
					USSC8772	3"	5"	137305	10 50
					USSC8780	3-1/2"	5-1/2"	137312	10 50
					USSC8788	4"	6"	137336	10 50
					USSC8796	4-1/2"	6-1/2"	137343	10 50
					USSC87104	5"	7"	137022	10 200
					USSC87116	5-3/4"	7-3/4"	137039	10 100
					USSC87128	6-1/2"	8-1/2"	137077	10 200
					USSC87140	7-1/4"	9-1/4"	137084	10 100
					USSC87152	8"	10"	137091	10 100
					USSC87224	12-1/2"	14-1/2"	137176	10 100
Multi Pack 0.31" 304 Series Stainless Steel Screw • 1/2" Wide Band • 10 clamps per pack					USSC8706-10	3/8"	7/8"	401291	20
					USSC8708-10	7/16"	1"	400683	20
					USSC8710-10	1/2"	1-1/16"	391554	20
					USSC8712-10	1/2"	1-1/4"	391547	20
					USSC8716-10	11/16"	1-1/2"	391561	20
					USSC8720-10	3/4"	1-3/4"	401307	20
					USSC8724-10	1"	2"	391578	20
					USSC8732-10	1-1/2"	2-1/2"	400690	20
					USSC8736-10	1-3/4"	2-3/4"	401314	10
					USSC8740-10	2"	3"	400706	10
					USSC8748-10	2-1/2"	3-1/2"	401321	10
					USSC8764-10	2-1/2"	4-1/2"	401345	10 50

STAINLESS STEEL CLAMPS,
INSERT FITTINGS FOR
PLASTIC PIPE

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

CLAMP CADDY - WITH OR WITHOUT NUT DRIVER

Plumbeeze Clamp Caddies are plastic storage tote featuring a clear lid and latches to secure contents. Each one includes 9 removable bins and 12 premium all stainless steel marine grade clamps.

Clamp sizes are:

- (2) #5 USSC875
- (1) #8 USSC878
- (1) #1 USSC871
- (2) #12 USSC8712
- (2) #16 USSC8716
- (1) #2 USSC872
- (1) #24 USSC8724
- (1) #32 USSC8732
- (1) #4 USSC874

Part No.		UPC 777808+	Quantity	
			L1	L2
USSC87-K	Nut Driver not included	461127	1	5
USSC87-K1	Includes nut driver with flexible shaft and reversible socket (1/4" x 5/16")	417148	5	



NYLON FITTINGS

Plumbeeze Nylon Fittings are great for water well, underground, barns, livestock and watering systems. These are not ideal for applications exposed to sunlight as ultraviolet rays will cause fittings to become brittle. No Lead,

- NSF/ANSI 14

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Adapter - MPT x Insert

UNA-05	1/2"	130450	10	400
UNA-07	3/4"	130467	10	250
UNA-10	1"	130474	10	160
UNA-12	1-1/4"	130481	10	80
UNA-15	1-1/2"	130498	5	60
UNA-20	2"	130504	5	40



90° Elbow - MPT x Insert

UNME-05	1/2"	130634	10	300
UNME-07	3/4"	130641	10	200
UNME-10	1"	130658	10	100
UNME-12	1-1/4"	130665	5	60
UNME-15	1-1/2"	130672	5	40



Coupling - Insert

UNC-05	1/2"	130511	10	400
UNC-07	3/4"	130528	10	250
UNC-10	1"	130535	10	160
UNC-12	1-1/4"	130542	10	80
UNC-15	1-1/2"	130559	5	60
UNC-20	2"	130566	5	40



Tee - Insert

UNT-05	1/2"	130719	10	180
UNT-07	3/4"	130726	10	100
UNT-10	1"	130733	10	60
UNT-12	1-1/4"	130740	5	40
UNT-15	1-1/2"	130757	5	30
UNT-20	2"	130764	5	15



90° Elbow - Insert

UNE-05	1/2"	130573	10	300
UNE-07	3/4"	130580	10	180
UNE-10	1"	130597	10	100
UNE-12	1-1/4"	130603	5	60
UNE-15	1-1/2"	130610	5	40
UNE-20	2"	130627	5	25



Other sizes may be available - Contact your inside sales rep for more information.

STAINLESS STEEL CLAMPS, INSERT FITTINGS FOR PLASTIC PIPE



Toll Free: 1-888-838-8801 plumbeeze.com

POLYPROPYLENE FITTINGS

Part No. Size UPC 777808+ Quantity L1 L2

Plug - Insert



UPPP-05	1/2"	222377	10	800
UPPP-07	3/4"	222384	10	500
UPPP-10	1"	222391	10	350
UPPP-12	1-1/4"	222407	10	200
UPPP-15	1-1/2"	222414	5	140
UPPP-20	2"	222421	5	80

Tee - Insert



UPPRT-050507	1/2" x 1/2" x 3/4"	222667	10	200
UPPRT-070705	3/4" x 3/4" x 1/2"	222681	10	120
UPPRT-101005	1" x 1" x 1/2"	222728	10	80
UPPRT-101007	1" x 1" x 3/4"	222735	10	80
UPPRT-121205	1-1/4" x 1-1/4" x 1/2"	222780	5	60
UPPRT-121207	1-1/4" x 1-1/4" x 3/4"	222797	5	50
UPPRT-121210	1-1/4" x 1-1/4" x 1"	222803	5	50

Part No. Size UPC 777808+ Quantity L1 L2

UPPRT-151505	1-1/2" x 1-1/2" x 1/2"	222841	5	40
UPPRT-151507	1-1/2" x 1-1/2" x 3/4"	222858	5	40
UPPRT-151510	1-1/2" x 1-1/2" x 1"	222865	5	40
UPPRT-151512	1-1/2" x 1-1/2" x 1-1/4"	222872	5	40
UPPRT-202005	2" x 2" x 1/2"	222896	5	30
UPPRT-202007	2" x 2" x 3/4"	222902	5	30
UPPRT-202010	2" x 2" x 1"	222919	5	30
UPPRT-202012	2" x 2" x 1-1/4"	222926	5	25
UPPRT-202015	2" x 2" x 1-1/2"	222933	5	25
UPPT-05	1/2"	131822	10	180
UPPT-07	3/4"	131839	10	100
UPPT-10	1"	131846	10	60
UPPT-12	1-1/4"	131853	5	40
UPPT-15	1-1/2"	131860	5	30
UPPT-20	2"	131877	5	15

Tee - Insert x Insert x MPT



UPPMT-05	1/2"	222315	10	200
UPPMT-07	3/4"	222322	10	120
UPPMT-10	1"	222339	10	80
UPPMT-12	1-1/4"	222346	5	50
UPPMT-15	1-1/2"	222353	5	30

STAINLESS STEEL CLAMPS, INSERT FITTINGS FOR PLASTIC PIPE

PVC FITTINGS

Plumbeeze PVC Fittings come in a wide range of sizes and fitting types. They are suitable for a wide range of applications including ultraviolet exposure. No Lead, • NSF/ANSI 14

Part No. Size UPC 777808+ Quantity L1 L2

Adapter - MPT x Insert



UPVCA-05	1/2"	131884	10	400
UPVCA-07	3/4"	131891	10	250
UPVCA-10	1"	131907	10	160
UPVCA-12	1-1/4"	131914	10	80
UPVCA-15	1-1/2"	131921	5	60
UPVCA-20	2"	131938	5	40
UPVCIA-0507	1/2" x 3/4"	132645	10	300
UPVCIA-0710	3/4" x 1"	132652	10	200
UPVCIA-1012	1" x 1-1/4"	132669	10	100
UPVCIA-1015	1" x 1-1/2"	132676	5	100
UPVCIA-1215	1-1/4" x 1-1/2"	132683	5	80
UPVCIA-1520	1-1/2" x 2"	132690	5	50
UPVCRA-0705	3/4" x 1/2"	132881	10	300
UPVCRA-1007	1" x 3/4"	132898	10	200
UPVCRA-1207	1-1/4" x 3/4"	132904	10	120
UPVCRA-1210	1-1/4" x 1"	132911	10	120
UPVCRA-1510	1-1/2" x 1"	132928	5	100
UPVCRA-1512	1-1/2" x 1-1/4"	132935	5	80
UPVCRA-2015	2" x 1-1/2"	132942	5	50

Part No. Size UPC 777808+ Quantity L1 L2

Adapter - FPT x Insert



UPVCF A-05	1/2"	132157	10	350
UPVCF A-07	3/4"	132164	10	250
UPVCF A-10	1"	132171	10	150
UPVCF A-12	1-1/4"	132188	10	80
UPVCF A-15	1-1/2"	132195	5	60
UPVCF A-20	2"	132201	5	40

Coupling - Insert



UPVCC-05	1/2"	131976	10	400
UPVCC-07	3/4"	131983	10	250
UPVCC-10	1"	131990	10	160
UPVCC-12	1-1/4"	132003	10	80
UPVCC-15	1-1/2"	132010	5	60
UPVCC-20	2"	132027	5	40

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PVC FITTINGS

Part No.	Size	UPC 777808+	Quantity	
			L1	L2
UPVCRC-0705	3/4" x 1/2"	132959	10	300
UPVCRC-1005	1" x 1/2"	132966	10	220
UPVCRC-1007	1" x 3/4"	132973	10	220
UPVCRC-1207	1-1/4" x 3/4"	132980	10	140
UPVCRC-1210	1-1/4" x 1"	132997	10	100
UPVCRC-1507	1-1/2" x 3/4"	133000	5	100
UPVCRC-1510	1-1/2" x 1"	133017	5	100
UPVCRC-1512	1-1/2" x 1-1/4"	133024	5	80
UPVCRC-2010	2" x 1"	133031	5	60
UPVCRC-2012	2" x 1-1/4"	133048	5	50
UPVCRC-2015	2" x 1-1/2"	133055	5	50

Cross - Insert



UPVCCR-07	3/4"	132058	10	100
UPVCCR-10	1"	132065	10	50

90° Elbow - Insert



UPVCE-05	1/2"	132072	10	300
UPVCE-07	3/4"	132089	10	180
UPVCE-10	1"	132096	10	100
UPVCE-12	1-1/4"	132102	5	60
UPVCE-15	1-1/2"	132119	5	40
UPVCE-20	2"	132126	5	25
UPVCRE-0705	3/4" x 1/2"	133062	10	250
UPVCRE-1007	1" x 3/4"	133079	10	150
UPVCRE-1210	1-1/4" x 1"	133086	5	100
UPVCRE-1512	1-1/2" x 1-1/4"	133093	5	50
UPVCRE-2015	2" x 1-1/2"	133109	5	30

90° Elbow - Insert x MPT



UPVCME-05	1/2"	132706	10	300
UPVCME-07	3/4"	132713	10	200
UPVCME-10	1"	132720	10	100
UPVCME-12	1-1/4"	132737	5	60
UPVCME-15	1-1/2"	132744	5	50
UPVCME-20	2"	132751	5	30
UPVCMIE-0507	1/2" x 3/4"	456420	10	250
UPVCMIE-0710	3/4" x 1"	456413	10	100
UPVCMRE-0705	3/4" x 1/2"	400539	10	200

90° Elbow - Insert x FPT



UPVCFE-05	1/2"	132218	10	300
UPVCFE-07	3/4"	132225	10	160
UPVCFE-10	1"	132232	10	100
UPVCFE-12	1-1/4"	132249	5	60
UPVCFE-15	1-1/2"	132256	5	40
UPVCFE-20	2"	132263	5	30
UPVCFRE-0705	3/4" x 1/2"	132270	10	200
UPVCFRE-1005	1" x 1/2"	132287	10	160
UPVCFRE-1007	1" x 3/4"	132294	10	160
UPVCFRE-1205	1-1/4" x 1/2"	132300	5	120
UPVCFRE-1207	1-1/4" x 3/4"	132317	5	100

Part No.	Size	UPC 777808+	Quantity	
			L1	L2
UPVCFRE-1210	1-1/4" x 1"	132324	5	80
UPVCFRE-1510	1-1/2" x 1"	132331	5	60
UPVCFRE-1512	1-1/2" x 1-1/4"	132348	5	50
UPVCFRE-2015	2" x 1-1/2"	132355	5	30

Plug - Insert



UPVCP-05	1/2"	132829	10	800
UPVCP-07	3/4"	132836	10	500
UPVCP-10	1"	132843	10	350
UPVCP-12	1-1/4"	132850	10	200
UPVCP-15	1-1/2"	132867	5	140
UPVCP-20	2"	132874	5	80

Tee - Insert



UPVCRT-050507	1/2" x 1/2" x 3/4"	133116	10	200
UPVCRT-070505	3/4" x 1/2" x 1/2"	133123	10	200
UPVCRT-070705	3/4" x 3/4" x 1/2"	133130	10	120
UPVCRT-070710	3/4" x 3/4" x 1"	133147	10	120
UPVCRT-100705	1" x 3/4" x 1/2"	133154	10	200
UPVCRT-100707	1" x 3/4" x 3/4"	133161	10	120
UPVCRT-101005	1" x 1" x 1/2"	133178	10	80
UPVCRT-101007	1" x 1" x 3/4"	133185	10	80
UPVCRT-121007	1-1/4" x 1" x 3/4"	133215	5	60
UPVCRT-121010	1-1/4" x 1" x 1"	133222	5	60
UPVCRT-121205	1-1/4" x 1-1/4" x 1/2"	133239	5	60
UPVCRT-121207	1-1/4" x 1-1/4" x 3/4"	133246	5	50
UPVCRT-121210	1-1/4" x 1-1/4" x 1"	133253	5	50
UPVCRT-151505	1-1/2" x 1-1/2" x 1/2"	133291	5	40
UPVCRT-151507	1-1/2" x 1-1/2" x 3/4"	133307	5	40
UPVCRT-151510	1-1/2" x 1-1/2" x 1"	133314	5	40
UPVCRT-151512	1-1/2" x 1-1/2" x 1-1/4"	133321	5	40
UPVCRT-202005	2" x 2" x 1/2"	133345	5	30
UPVCRT-202007	2" x 2" x 3/4"	133352	5	30
UPVCRT-202010	2" x 2" x 1"	133369	5	30
UPVCRT-202012	2" x 2" x 1-1/4"	133376	5	25
UPVCRT-202015	2" x 2" x 1-1/2"	133383	5	25
UPVCT-05	1/2"	133420	10	180
UPVCT-07	3/4"	133437	10	100
UPVCT-10	1"	133444	10	60
UPVCT-12	1-1/4"	133451	5	40
UPVCT-15	1-1/2"	133468	5	30
UPVCT-20	2"	133475	5	15

Tee - MPT x Insert



UPVCMT-05	1/2"	132768	10	200
UPVCMT-07	3/4"	132775	10	120
UPVCMT-10	1"	132782	10	80

STAINLESS STEEL CLAMPS, INSERT FITTINGS FOR PLASTIC PIPE

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PVC FITTINGS

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Tee - Insert x Insert x FPT



UPVCFRT-070705	3/4" x 3/4" x 1/2"	132379	10	140
UPVCFRT-100705	1" x 3/4" x 1/2"	132386	10	120
UPVCFRT-100707	1" x 3/4" x 3/4"	132393	10	120
UPVCFRT-101005	1" x 1" x 1/2"	132409	10	100
UPVCFRT-101007	1" x 1" x 3/4"	132416	10	100
UPVCFRT-121205	1-1/4" x 1-1/4" x 1/2"	132447	5	60
UPVCFRT-121207	1-1/4" x 1-1/4" x 3/4"	132454	5	60
UPVCFRT-121210	1-1/4" x 1-1/4" x 1"	132461	5	50
UPVCFRT-151210	1-1/2" x 1-1/4" x 1"	132492	5	50

UPVCFRT-151505	1-1/2" x 1-1/2" x 1/2"	132508	5	50
UPVCFRT-151507	1-1/2" x 1-1/2" x 3/4"	132515	5	50
UPVCFRT-151510	1-1/2" x 1-1/2" x 1"	132522	5	40
UPVCFRT-151512	1-1/2" x 1-1/2" x 1-1/4"	132539	5	30
UPVCFRT-202005	2" x 2" x 1/2"	132546	5	30
UPVCFRT-202007	2" x 2" x 3/4"	132553	5	30
UPVCFRT-202010	2" x 2" x 1"	132560	5	15
UPVCFRT-202015	2" x 2" x 1-1/2"	132577	5	20
UPVCFRT-05	1/2"	132584	10	180
UPVCFRT-07	3/4"	132591	10	100
UPVCFRT-10	1"	132607	10	80
UPVCFRT-12	1-1/4"	132614	5	40
UPVCFRT-15	1-1/2"	132621	5	30
UPVCFRT-20	2"	132638	5	15

BRASS INSERT FITTINGS

Plumbeeze Brass Insert Fittings are available in a variety of sizes and fitting types. No Lead

Part No.	Size	Number of Barbs	UPC 777808+	Quantity	
				L1	L2



Swaged Adapter - MPT x Insert					
UMAB-050	1/2"	6	305322	25	200
UMAB-075	3/4"	6	305339	25	150
UMAB-100	1"	7	305346	20	120
UMAB-125	1-1/4"	7	305353	20	80
UMAB-150	1-1/2"	9	305360	10	60
UMAB-200	2"	9	305377	10	40

STAINLESS STEEL CLAMPS, INSERT FITTINGS FOR PLASTIC PIPE

BRONZE INSERT FITTINGS

Plumbeeze Bronze Insert Fittings are available in a variety of sizes and fitting types. The elbows have been designed with a smooth sweep channel to minimize friction loss. This ensures the highest possible flow rates and pumping efficiency. No Lead

Part No.	Size	Number of Barbs	UPC 777808+	Quantity	
				L1	L2



Adapter - MPT x Insert					
PENL-BMA05	1/2"	5	433018	10	
PENL-BMA07	3/4"	6	433025	10	200
PENL-BMA0710	3/4" x 1"	7	433032	10	100
PENL-BMA10	1"	7	433049	10	100
PENL-BMA1012	1" x 1-1/4"	7	433056	10	
PENL-BMA1015	1" x 1-1/2"	7	433063	10	
PENL-BMA12	1-1/4"	7	433087	10	80
PENL-BMA1210	1-1/4" x 1"	7	433094	10	100
PENL-BMA1215	1-1/4" x 1-1/2"	7	433100	10	
PENL-BMA15	1-1/2"	7	433124	10	
PENL-BMA20	2"	7	433131	10	



Extra Long Adapter - MPT x Insert					
PENL-BMAXL10	1"	13	433179	10	
PENL-BMAXL12	1-1/4"	13	433186	10	
PENL-BMAXL1210	1-1/4" x 1"	13	433193	10	
PENL-BMAXL15	1-1/2"	13	433216	10	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

BRONZE INSERT FITTINGS



Part No.	Size	Number of Barbs	UPC 777808+	Quantity	
				L1	L2
Adapter - FPT x Insert					
PENL-BFA07	3/4"	5	432905	10	
PENL-BFA10	1"	5	432912	10	
PENL-BFA1012	1" x 1-1/4"	6	432929	10	
PENL-BFA12	1-1/4"	7	432936	10	
Union Adapter - FPT x Insert					
PENL-BFAU10	1"	7	432943	10	
PENL-BFAU12	1-1/4"	7	432974	10	
PENL-BFAU1210	1-1/4" x 1"	7	432981	10	
Union Adapter - MPT x Insert					
PENL-BMAU07	3/4"	6	433148	10	
PENL-BMAU10	1"	7	433155	10	
PENL-BMAU12	1-1/4"	7	433162	10	
Union Adapter - FPT x PEX					
PENL-BFAU10-P07	1" x 3/4"		432950	10	
PENL-BFAU10-P10	1"		432967	10	
Union Adapter - FPT x Spigot or Socket					
PENL-BFAU-C10	1" x 1" or 3/4"		432998	10	
PENL-BFAU-C12	1-1/4" x 1" or 3/4"		433001	10	
Easy Tie Adapter - MPT x Insert					
PENL-BMA10-L	1"	7	433070	10	
PENL-BMA12-L	1-1/4"	7	433117	10	
PENL-BMAXL1210-L	1-1/4" x 1"	13	433209	10	60

STAINLESS STEEL CLAMPS,
INSERT FITTINGS FOR
PLASTIC PIPE

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

STAINLESS STEEL INSERT FITTINGS

Plumbeeze Stainless Steel Insert Fittings are available in a variety of sizes and fitting types. The elbows have been designed with a smooth sweep channel to minimize friction loss. This ensures the highest possible flow rates and pumping efficiency. Plumbeeze recommends using both Gray Stainless Steel PTFE Tape & Plumbeeze Pipe Joint Compound together for joining stainless steel threaded fittings. No Lead,

Part No.	Size	Number of Barbs	UPC 777808+	Quantity L1	L2
Adapter - MPT x Insert					
PE-SSMA05	1/2"	6	214730	25	200
PE-SSMA07	3/4"	6	215201	25	200
PE-SSMA0710	3/4" x 1"	6	485505	20	120
PE-SSMA10	1"	7	214747	10	120
PE-SSMA12	1-1/4"	7	214754	10	80
PE-SSMA1210	1-1/4" x 1"	7	214785	10	
PE-SSMA15	1-1/2"	6	514380	10	
PE-SSMA20	2"	7	514397	5	
Extra Long Adapter - MPT x Insert					
PE-SSMAXL10	1"	13	310098	10	
PE-SSMAXL1210	1-1/4" x 1"	13	214792	10	
Swaged Adapter - MPT x Insert					
UMASS-05	1/2"	6	464586	25	200
UMASS-0507	1/2" x 3/4"	6	479467	20	80
UMASS-07	3/4"	6	464593	25	150
UMASS-10	1"	7	464609	20	120
UMASS-12	1-1/4"	7	464616	20	80
UMASS-1210	1-1/4" x 1"	7	479450	20	80
UMASS-15	1-1/2"	9	464623	10	60
UMASS-20	2"	9	464630	10	40
Swaged Adapter - FPT x Insert					
PE-SSFA07	3/4"	6	477500	10	
PE-SSFA10	1"	7	477517	10	
PE-SSFA12	1-1/4"	7	477524	10	
PE-SSFA15	1-1/2"	9	477531	10	
PE-SSFA20	2"	9	477548	10	
Coupling - Insert					
PE-SSC05	1/2"	6	437962	25	200
PE-SSC07	3/4"	6	437979	25	150
PE-SSC0705	3/4" x 1/2"	6	437986	10	
PE-SSC10	1"	7	437993	20	120
PE-SSC1007	1" x 3/4"	7 x 6	438006	10	
PE-SSC12	1-1/4"	7	438013	10	
PE-SSC1210	1-1/4" x 1"	7	438020	10	
PE-SSC15	1-1/2"	9	438037	10	
PE-SSC1512	1-1/2" x 1-1/4"	9 x 7	438044	10	
PE-SSC20	2"	9	438051	10	
PE-SSC2015	2" x 1-1/2"	9	438068	10	
90° Elbow - Insert					
PE-SSE07	3/4"	6	438075	10	
PE-SSE10	1"	7	438082	10	
PE-SSE1007	1" x 3/4"	7 x 6	438099	10	
PE-SSE12	1-1/4"	7	438105	10	
PE-SSE15	1-1/2"	9	438112	10	
Tee - Insert					
PE-SST07	3/4"	6	438129	10	
PE-SST10	1"	7	438136	10	
PE-SST1007	1" x 1" x 3/4"	7 x 6	438143	10	
PE-SST12	1-1/4"	7	438150	10	
PE-SST15	1-1/2"	9	438167	10	



STAINLESS STEEL CLAMPS,
INSERT FITTINGS FOR
PLASTIC PIPE

Other sizes may be available - Contact your inside sales rep for more information.

ZINC PLATED INSERT FITTINGS

Plumbeeze Zinc Plated insert fittings are available in a variety of sizes and fitting types. No Lead



Part No.	Size	Number of Barbs	UPC 777808+	Quantity	
				L1	L2
Adapter - MPT x Insert					
UNLMAS-050	1/2"	6	433469	25	200
UNLMAS-075	3/4"	6	433476	25	150
UNLMAS-100	1"	7	433483	20	120
UNLMAS-100-125	1" x 1-1/4"	7	447688	10	80
UNLMAS-125	1-1/4"	7	433490	20	80
UNLMAS-125-100	1-1/4" x 1"	7	433506	20	80
UNLMAS-150	1-1/2"	9	433513	10	60
UNLMAS-200	2"	9	433520	10	40
Extra Long Adapter - MPT x Insert					
UNLMASXL-100	1"	13	444700	20	80
UNLMASXL-125	1-1/4"	14	444717	10	60
Coupling - Insert					
UNLCS-050	1/2"	6	433407	25	200
UNLCS-075	3/4"	6	433414	25	150
UNLCS-100	1"	7	433421	20	120
UNLCS-125	1-1/4"	7	433438	20	80
UNLCS-150	1-1/2"	9	433445	10	60
UNLCS-200	2"	9	433452	10	40

ZINC PLATED VENTURI ADAPTERS



Part No.	Size	Length	UPC 777808+	Quantity	
				L1	L2
Adapter - MPT x Poly					
UNLGVA-10006	1"	6"	442799	60	
UNLGVA-12506	1-1/4"	6"	442812	40	
UNLGVA-10010	1"	10"	442805	40	
UNLGVA-12510	1-1/4"	10"	442829	30	

STAINLESS STEEL CLAMPS, INSERT FITTINGS FOR PLASTIC PIPE

ZINC PLATED VENTURI ELBOWS



Part No.	Size	UPC 777808+	Quantity	
			L1	L2
90° Elbow - Poly				
UNLGVE-100	1"	442836	25	
UNLGVE-125	1-1/4"	442843	20	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

BRONZE HYDRANT FITTINGS

Plumbeeze Bronze Hydrant Fittings are used to connect the water line to a hydrant underground. No Lead

Part No.	Size	Number of Barbs	UPC 777808+	Quantity	
				L1	L2
90° Elbow - MPT x Insert					
PENL-HL07	3/4"	5	433322	10	
PENL-HL0710	3/4" x 1"	6	433339	10	
PENL-HL0712	3/4" x 1-1/4"	6	433346	10	
PENL-HL10	1"	5	433353	10	
PENL-HLU	3/4" x 1-1/4" & 1"	6	433360	10	
Tee - MPT x Insert					
PENL-HT07	3/4"	4	433377	10	
PENL-HT0710	1" x 1" x 3/4"	6	433384	10	
PENL-HT10	1"	4	433391	10	



STAINLESS STEEL HYDRANT FITTINGS

Plumbeeze Stainless Steel Hydrant Fittings are used to connect the water line to a hydrant underground. No Lead

Part No.	Size	Number of Barbs	UPC 777808+	Quantity	
				L1	L2
90° Elbow - MPT x Insert					
PE-SSHL07	3/4"	6	474530	10	
PE-SSHL0710	3/4" x 1"	7	474547	10	
PE-SSHL10	1"	7	474554	10	
PE-SSHL1012	1" x 1-1/4"	7	477357	10	
Tee - MPT x Insert					
PE-SSHT07	3/4"	6	474561	10	
PE-SSHT0710	1" x 1" x 3/4"	6	474578	10	
PE-SSHT10	1"	7	474585	10	


 STAINLESS STEEL CLAMPS,
 INSERT FITTINGS FOR
 PLASTIC PIPE

Other sizes may be available - Contact your inside sales rep for more information.

FLEXIBLE & MJ COUPLINGS PUSH FIT FITTINGS





Toll Free: 1-888-838-8801 plumbeeze.com

FLEXIBLE COUPLINGS

Plumbeeze Flexible Couplings are for joining dissimilar pipe materials and/or sizes in utility, municipal and plumbing applications, including sewer, drain, waste and vent (DWV) piping applications. Couplings fit over the ends of plain-end or spigot pipe to form a positive seal against infiltration and exfiltration in non-pressure environments. Excellent dimensional flexibility with a tolerance range of approximately ± 5% nominal diameter which allows the coupling to flex with normal earth movement and ensures leak proof seals.

- Couplings are marked with both size and pipe materials for easy identification and installation
 - Clamps tighten easily with slotted screwdriver
- No Lead

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Coupling - Clay x C.I./Plastic



PE02-4030	4" x 3"	416141	50	
PE02-40	4"	394203	18	720
PE02-6040	6" x 4"	416158		
PE02-60	6"	394210	6	

Coupling - C.I./Plastic



PE56-10	1"	475728		
PE56-12	1-1/4"	416073	30	
PE56-1512	1-1/2" x 1-1/4"	416080	24	
PE56-15	1-1/2"	394227	24	2400
PE56-2015	2" x 1-1/2"	394241	18	1440
PE56-20	2"	394234	18	
PE56-3015	3" x 1-1/2"	416097	24	
PE56-3020	3" x 2"	394265	24	960
PE56-30	3"	394258	15	
PE56-4015	4" x 1-1/2"	416103		
PE56-4020	4" x 2"	416110	8	
PE56-4030	4" x 3"	394289	15	960
PE56-40	4"	394272	24	960
PE56-5040	5" x 4"	416134	15	
PE56-50	5"	416127	15	
PE56-6040	6" x 4"	394302	9	
PE56-6050	6" x 5"	475766		
PE56-60	6"	394296	6	
PE56-8040	8" x 4"	475773		
PE56-8060	8" x 6"	447695	10	
PE56-80	8"	430987	10	
PE56-10080	10" x 8"	475742		
PE56-100	10"	475735		
PE56-120	12"	475759	2	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

FLEXIBLE END CAPS, ELBOWS AND TEES

Plumbeeze Flexible End Caps, Elbows and Tees are easy to install and fit pipe in drain, waste and vent plumbing applications.

- Clamps tighten easily with slotted screwdriver

These terminate pipe ends and cleanouts. The convex face will withstand greater pressure for testing and minimize ballooning.

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Cap - C.I./Plastic



PE01-EC15	1-1/2"	394319	24	960
PE01-EC20	2"	394326	24	600
PE01-EC30	3"	394333	24	720
PE01-EC40	4"	394340	24	960
PE01-EC60	6"	416943		

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

90° Elbow - C.I./Plastic



PE04-E15	1-1/2"	416950	20	
PE04-E20	2"	416967	20	
PE04-E30	3"	475780	20	
PE04-E40	4"	475797	6	

Tee - C.I./Plastic



PE05-T15	1-1/2"	416974	20	
PE05-T20	2"	416981	20	
PE05-T30	3"	475803	20	
PE05-T40	4"	475810	6	

FLEXIBLE PLUMBING CONNECTORS

Plumbeeze Flexible Plumbing Connectors offer a quick and economical solution for 1-1/4" or 1-1/2" metal or plastic tubular drain, waste and vent (DWV) piping connections. They can be used to extend, repair or adapt tubular drain pipe to common household drain, waste and vent pipe.

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Drain and Trap Connector - C.I./Plastic x Tubular



PE06-DTC1215	1-1/2" x 1-1/2" or 1-1/4"	417018	20	
PE06-DTC1220	2" x 1-1/4" or 1-1/2"	432233	20	

Flexible Trap - Tubular



PE06-DT1215	1-1/2" or 1-1/4"	416998	20	
-------------	------------------	--------	----	--

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Dishwasher Drain Connector



PE06-DWC10	1" x 1/2"	475827	20	
------------	-----------	--------	----	--

Washing Machine Hose Connector - C.I./Plastic



PE06-WM2015	2" or 1-1/2"	475834	20	
-------------	--------------	--------	----	--

Coupling - Tubular



PE06-DC1215	1-1/2" or 1-1/4"	417001	20	
-------------	------------------	--------	----	--

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

NO HUB "MJ" MERCHANT JOINT COUPLINGS

Plumbeeze Shielded Couplings are for joining hubless cast iron pipe and fittings in drain, waste and vent (DWV) piping applications.

- 300 Series Stainless Steel Clamps & Shield
- 1-1/2" to 4" 2 clamps, 5" & 6" have 4 clamps

Part No.	Size	UPC 777808+	Quantity	
			L1	L2



Coupling - C.I./Plastic

PE03-NH15	1-1/2"	416165	36
PE03-NH2015	2" x 1-1/2"	440368	36
PE03-NH20	2"	416172	36
PE03-NH30	3"	416189	16
PE03-NH40	4"	416196	16
PE03-NH50	5"	416202	
PE03-NH60	6"	416219	

SHIELDED TRANSITION COUPLINGS

Plumbeeze Shielded Couplings for joining dissimilar cast iron, copper, plastic and steel pipe and fittings in drain, waste and vent (DWV) piping applications.

- 300 Series Stainless Steel Clamps & Shield

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Coupling - C.I./Plastic x Copper or Plastic



PE08-SC15	1-1/2" x 1-1/2" or 1-1/4"	475841
PE08-SC1512	1-1/2" x 1-1/4" or 1"	475858
PE08-SC2015	2" x 1-1/2" or 1-1/4"	475872

Coupling - C.I./Plastic x Copper



PE08-SC20	2"	475865
PE08-SC30	3"	475926

Coupling - CxC x CxC or Plastic



PE09-SC15	1-1/2" x 1-1/2" or 1-1/4"	475889
PE09-SC2015	2" x 1-1/2" or 1-1/4"	475902

Coupling - CxC



PE09-SC20	2"	475896
PE09-SC30	3"	475919

FLEXIBLE & MJ COUPLINGS
PUSH FIT FITTINGS

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PUSH FIT FITTINGS

Plumbeeze Brass Push Fit Fittings can be used for potable water, hydronic heating systems, new residential, and commercial construction applications. They are approved for use for both underground and behind walls with or without access panels. Excellent for wet, hazardous and dry repairs of existing plumbing where a system is hard to drain making soldering difficult. They connect copper, CPVC and PEX pipe in any combinations. Fittings can be rotated after assembly for easier installation in tight spaces and do not require tools, soldering flux, clamps unions or glue.

• For tube sizes 3/8" (.5" O.D.), 1/2" (.625" O.D.), 3/4" (.875" O.D.), 1" (1.125" O.D.) No Lead,
Maximum Pressure: 200 PSI @ 200°F (93°C)

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Adapter - CTS x MPT



PENL-PFMA03	3/8"	474202	12	120
PENL-PFMA05	1/2"	443192	12	120
PENL-PFMA0507	1/2" x 3/4"	443185	6	60
PENL-PFMA07	3/4"	443208	6	60
PENL-PFMA10	1"	443215	6	30

Adapter - CTS x FPT



PENL-PFFA03	3/8"	474219	12	120
PENL-PFFA05	1/2"	443154	12	120
PENL-PFFA0507	1/2" x 3/4"	443147	6	60
PENL-PFFA07	3/4"	443161	6	60
PENL-PFFA10	1"	443178	6	30

Cap - CTS



PENL-PFCA05	1/2"	443055	12	120
PENL-PFCA07	3/4"	443062	6	60
PENL-PFCA10	1"	443079	6	30

Coupling - CTS



PENL-PFC03	3/8"	474165	12	120
PENL-PFC05	1/2"	443000	12	120
PENL-PFC0503	1/2" x 3/8"	474172	12	120
PENL-PFC07	3/4"	443024	6	60
PENL-PFC0705	3/4" x 1/2"	443017	6	60
PENL-PFC10	1"	443048	6	30
PENL-PFC1007	1" x 3/4"	443031	6	30

Repair Coupling - CTS



PENL-PFSC05	1/2"	443222	2	60
PENL-PFSC07	3/4"	443239	2	30

Flexible Repair Couplings - CTS



PENL-PFFC05	1/2"	474271	5	25
PENL-PFFC07	3/4"	474288	5	25

Transition Coupling - CTS



PENL-PFC05PB	1/2"	474295	12	120
PENL-PFC07PB	3/4"	474301	12	120

90° Elbow - CTS



PENL-PFE03	3/8"	474189	12	120
PENL-PFE05	1/2"	443109	12	120
PENL-PFE07	3/4"	443123	6	60
PENL-PFE0705	3/4" x 1/2"	443116	6	60
PENL-PFE10	1"	443130	6	30

90° Elbow - CTS x MPT



PENL-PFME05	1/2"	474240	12	120
PENL-PFME07	3/4"	474257	6	60

90° Elbow - CTS x FPT



PENL-PFFE05	1/2"	474226	12	120
PENL-PFFE07	3/4"	474233	6	60

Dropear 90° Elbow - CTS x FPT



PENL-PFDE05	1/2"	443086	12	120
PENL-PFDE0705	3/4" x 1/2"	443093	6	60

FLEXIBLE & MJ COUPLINGS
PUSH FIT FITTINGS

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PUSH FIT FITTINGS

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Tee - CTS



PENL-PFT03	3/8"	474196	12	60
PENL-PFT05	1/2"	443246	12	60
PENL-PFT07	3/4"	443284	12	60
PENL-PFT070505	3/4" x 1/2" x 1/2"	443253	12	60
PENL-PFT070507	3/4" x 1/2" x 3/4"	443260	12	60
PENL-PFT070705	3/4" x 3/4" x 1/2"	443277	12	60
PENL-PFT10	1"	443307	6	30
PENL-PFT101007	1" x 1" x 3/4"	443291	6	30

Water Connector - CTS x FPT



PENL-PFWH05-18	1/2"	474264	5	25
PENL-PFWH0507-18	1/2" x 3/4"	443321	5	25
PENL-PFWH07-18	3/4"	443314	5	25

Water Connector with Valve - CTS x FPT



PENL-PFWHV0507-18	1/2" x 3/4"	456338	5	25
PENL-PFWHV07-18	3/4"	456345	5	25

Disconnect Tool - CTS



PEPF-DC05	1/2"	436521	50	500
PEPF-DC07	3/4"	436538	25	500
PEPF-DC10	1"	511907	10	200

Tube Support - CTS



PEPF-S05-3	1/2"	436545	25	
PEPF-S07-3	3/4"	436552	25	300
PEPF-S10-3	1"	511914	25	

PLASTIC QUICK CONNECT FITTINGS

Plumbeeze Plastic Quick Connect Fittings are designed for use in POU installations, water dispensing, filtering systems, food/beverage service, agricultural/irrigation. These fittings provide a quick and convenient assembly solution saving time and expense. They do not require crimp tools, adhesives or clamps and can be removed and reused without damaging the pipe. Tube supports are sold separately and are recommended for use with soft tubing and hot liquids. They have excellent resistance to most organic compounds, industrial chemicals and gases. Plastic quick connect fittings can be used on PVC, Polyethylene, PEX, and Copper tubing.

Gripper ring: Stainless steel

O-Ring: NBR No Lead,

Maximum Pressure: 170 PSI @ 34°F (1°C), 100 PSI @ 150°F (66°C)

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Adapter - Tube OD x MPT



PEQC-MA0402	1/4" x 1/8"	422272	25	300
PEQC-MA0404	1/4" x 1/4"	422289	25	300
PEQC-MA0406	1/4" x 3/8"	422296	25	300
PEQC-MA0604	3/8" x 1/4"	422302	25	300
PEQC-MA0606	3/8" x 3/8"	422319	25	300
PEQC-MA0608	3/8" x 1/2"	422326	25	300

Adapter - Tube OD x Comp



PEQC-FA0404CP	1/4" x 1/4"	479528	25	300
---------------	-------------	--------	----	-----

Coupling - Tube OD



PEQC-C04	1/4"	422210	25	300
PEQC-C06	3/8"	422227	25	300
PEQC-C0604	3/8" x 1/4"	422234	25	300

Adapter - Tube OD x FPT



PEQC-FA0404	1/4" x 1/4"	422265	25	300
-------------	-------------	--------	----	-----

FLEXIBLE & MJ COUPLINGS
PUSH FIT FITTINGS

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PLASTIC QUICK CONNECT FITTINGS

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

90° Elbow - Tube OD



PEQC-E04	1/4"	422241	25	300
PEQC-E06	3/8"	422258	25	300

Tee - Tube OD



PEQC-T04	1/4"	422371	25	300
PEQC-T06	3/8"	422388	25	300
PEQC-T060604	3/8" x 3/8" x 1/4"	422395	25	300

90° Elbow - Tube OD x MPT



PEQC-ME0402	1/4" x 1/8"	422333	25	300
PEQC-ME0404	1/4" x 1/4"	422340	25	300
PEQC-ME0604	3/8" x 1/4"	422357	25	300
PEQC-ME0606	3/8" x 3/8"	422364	25	300

Straight Supply Valve - Tube OD x MPT



PEQC-SVS0404M	1/4" x 1/4"	422418	20	240
---------------	-------------	--------	----	-----

Straight Supply Valve - Tube OD



PEQC-SVS04	1/4"	422401	20	240
PEQC-SVS06	3/8"	422425	15	180

Clip - Tube OD



PEQC-LC04-10	1/4"	422760	10	50
PEQC-LC06-10	3/8"	422777	10	50

Tube Support - Tube OD



PEQC-TS04-10	1/4"	422746	10	
PEQC-TS06-10	3/8"	422753	10	

TWISTLOC FITTINGS

Plumbeeze Twist and Lock System is designed for residential & commercial plumbing, and suitable for cold and hot potable water supply systems only. These all white fittings have color coded rings for easy recognition of size and easy verification of lock/unlock status at a distance. They are removable and re-useable without damage to plumbing or fittings. Integral tube support for PEX installations.

• For tube sizes 1/8" (.25" O.D.), 1/4" (.375" O.D.), 3/8" (.5" O.D.), 1/2" (.625" O.D.), 3/4" (.875" O.D.), 1" (1.125" O.D.) No Lead, Maximum Pressure: 250 PSI @ 73°F (23°C), 150 PSI @ 140°F (60°C), 100 PSI @ 180°F (82°C)

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Adapter - CTS x MPT



PEEC-MA0305	3/8" x 1/2"	422470	10	150
PEEC-MA05	1/2"	409495	10	150
PEEC-MA0507	1/2" x 3/4"	409501	10	100
PEEC-MA07	3/4"	409518	10	100
PEEC-MA10	1"	409525	5	50

Adapter - CTS x FPT



PEEC-FA0305	3/8" x 1/2"	422463	10	100
PEEC-FA05	1/2"	409440	10	100
PEEC-FA0507	1/2" x 3/4"	409457	10	100
PEEC-FA07	3/4"	409464	10	100
PEEC-FA10	1"	409471	5	50

Cap - CTS



PEEC-CA05	1/2"	409372	10	150
PEEC-CA07	3/4"	409389	10	100
PEEC-CA10	1"	409396	5	50

Other sizes may be available - Contact your inside sales rep for more information.

FLEXIBLE & MJ COUPLINGS
PUSH FIT FITTINGS

TWISTLOC FITTINGS

Part No. Size UPC Quantity
777808+ L1 L2

Part No. Size UPC Quantity
777808+ L1 L2

Coupling - CTS



PEEC-C03	3/8"	422432	10	150
PEEC-C05	1/2"	409327	10	100
PEEC-C0503	1/2" x 3/8"	422449	10	150
PEEC-C07	3/4"	409334	10	100
PEEC-C0705	3/4" x 1/2"	409341	10	100
PEEC-C10	1"	409358	5	50
PEEC-C1007	1" x 3/4"	409365	5	50

Tee - CTS



PEEC-T03	3/8"	422524	10	50
PEEC-T05	1/2"	409624	10	50
PEEC-T050501	1/2" x 1/2" x 1/8"	409631	10	50
PEEC-T07	3/4"	409648	10	50
PEEC-T070505	3/4" x 1/2" x 1/2"	409655	10	50
PEEC-T070705	3/4" x 3/4" x 1/2"	409662	10	50
PEEC-T10	1"	409679	5	25
PEEC-T101007	1" x 1" x 3/4"	409686	5	25

Repair Coupling - CTS



PEEC-SC05	1/2"	422500	5	50
PEEC-SC07	3/4"	422517	5	50

Valve Adapter - CTS



PEEC-VA0301	3/8" x 1/8"	422555	5	50
PEEC-VA0302	3/8" x 1/4"	422562	5	50
PEEC-VA0501	1/2" x 1/8"	422579	5	50
PEEC-VA0502	1/2" x 1/4"	422586	5	50

90° Elbow - CTS



PEEC-E03	3/8"	422456	10	100
PEEC-E05	1/2"	409402	10	100
PEEC-E07	3/4"	409419	10	50
PEEC-E0705	3/4" x 1/2"	409426	10	50
PEEC-E10	1"	409433	5	25

Straight Supply Valve - CTS



PEEC-SVA0502	1/2" x 1/4"	409587	5	100
PEEC-SVS03	3/8"	422548	5	50
PEEC-SVS05	1/2"	409594	5	50
PEEC-SVS0501	1/2" x 1/8"	409600	5	50
PEEC-SVS07	3/4"	409617	5	25

90° Elbow - CTS x MPT



PEEC-ME05	1/2"	422487	10	100
-----------	------	--------	----	-----

Tee Valve - CTS



PEEC-SCTV0501	1/2" x 1/8"	422531	5	25
PEEC-SCTV0502	1/2" x 1/4"	439416	5	25

90° Elbow - CTS x GHT Swivel



PEEC-FSEGH	1/2" x 3/4"	409488	5	100
------------	-------------	--------	---	-----

Tube Support - CTS



Dropear 90° Elbow - CTS x FPT



PEEC-DE05	1/2"	439409	10	100
-----------	------	--------	----	-----

PEEC-S01-10	1/8"	409532	10	
PEEC-S02-10	1/4"	409549	10	
PEEC-S03-10	3/8"	422494	10	
PEEC-S05-10	1/2"	409556	10	
PEEC-S07-10	3/4"	409563	10	
PEEC-S10-10	1"	409570	10	

FLEXIBLE & MJ COUPLINGS
PUSH FIT FITTINGS

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

STAINLESS STEEL PEX FITTINGS

Plumbeeze Stainless Steel PEX crimp fittings are premium quality and durable. They have a high corrosion resistance and are ideal for areas with high acidity and anywhere water quality is an issue. These fittings have a greater flow area for less restriction and better flow in PEX pipe installation. No Lead,

- NSF/ANSI 61 & 372 Certified
- cUPC Certified

Temperature Range: Up to 400°F (204°C), Maximum Pressure: 200 PSI

Part No.	Size	UPC 777808+	Quantity L1 L2
----------	------	----------------	-------------------

Part No.	Size	UPC 777808+	Quantity L1 L2
----------	------	----------------	-------------------

Adapter - PEX x MPT



PE-PS-MA05	1/2"	511396	25 400
PE-PS-MA0507	3/4" x 1/2"	511402	25 250
PE-PS-MA07	3/4"	511419	25 250
PE-PS-MA0705	1/2" x 3/4"	511426	25 250
PE-PS-MA0710	3/4" x 1"	511433	25 150
PE-PS-MA10	1"	511440	25 100
PE-PS-MA1007	1" x 3/4"	511457	25 200

Plug - PEX



PE-PS-P05	1/2"	511488	25 600
PE-PS-P07	3/4"	511495	25 500
PE-PS-P10	1"	511501	25 200

Adapter - PEX x FPT



PE-PS-FA05	1/2"	511334	25 250
PE-PS-FA0507	1/2" x 3/4"	511341	25 250
PE-PS-FA07	3/4"	511358	25 250
PE-PS-FA0705	3/4" x 1/2"	511365	25 250
PE-PS-FA0710	3/4" x 1"	511372	25 150
PE-PS-FA10	1"	511389	25 150

90° Elbow - PEX



PE-PS-E05	1/2"	511297	25 400
PE-PS-E07	3/4"	511303	25 250
PE-PS-E0705	3/4" x 1/2"	511310	25 250
PE-PS-E10	1"	511327	25 100

Coupling - PEX



PE-PS-C05	1/2"	511211	25 500
PE-PS-C07	3/4"	511228	25 400
PE-PS-C0705	3/4" x 1/2"	511235	25 400
PE-PS-C10	1"	511242	25 300
PE-PS-C1007	1" x 3/4"	511259	25 300

90° Elbow - Multi Pack - PEX



PE-PS-E05-25	1/2"	511709	18
--------------	------	--------	----

90° Elbow - PEX x MPT



PE-PS-ME05	1/2"	511464	25 250
PE-PS-ME07	3/4"	511471	25 150

Coupling - Multi Pack - PEX



PE-PS-C05-25	1/2"	511723	18
--------------	------	--------	----

Dropear 90° Elbow - PEX x FPT



PE-PS-DE05	1/2"	511266	25 150
PE-PS-DE07	3/4"	511280	25 100
PE-PS-DE0705	3/4" x 1/2"	511273	25 100

Transition Coupling - PEX



PE-PS-PBCK05	1/2"	511518	25 400
PE-PS-PBCK07	3/4"	511525	25 200

FLEXIBLE & MJ COUPLINGS
PUSH FIT FITTINGS

Other sizes may be available - Contact your inside sales rep for more information.

STAINLESS STEEL PEX FITTINGS

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Part No.	Size	UPC 777808+	Quantity	
			L1	L2

Tee - PEX



Tee - Multi Pack - PEX



PE-PS-T05	1/2"	511549	25	400
PE-PS-T050503	1/2" x 1/2" x 3/8"	511556	25	400
PE-PS-T07	3/4"	511563	25	250
PE-PS-T070505	3/4" x 1/2" x 1/2"	511570	25	250
PE-PS-T070507	3/4" x 1/2" x 3/4"	511587	25	250
PE-PS-T070703	3/4" x 3/4" x 3/8"	511594	25	250
PE-PS-T070705	3/4" x 3/4" x 1/2"	511600	25	250
PE-PS-T070710	3/4" x 3/4" x 1"	511617	25	200
PE-PS-T10	1"	511624	25	150
PE-PS-T100507	1" x 1/2" x 3/4"	511631	25	200
PE-PS-T100510	1" x 1/2" x 1"	511648	25	150
PE-PS-T100705	1" x 3/4" x 1/2"	511655	25	200
PE-PS-T100707	1" x 3/4" x 3/4"	511662	25	200
PE-PS-T100710	1" x 3/4" x 1"	511679	25	150
PE-PS-T101005	1" x 1" x 1/2"	511686	25	200
PE-PS-T101007	1" x 1" x 3/4"	511693	25	150

PE-PS-T05-20	1/2"	511716	18	
--------------	------	--------	----	--

MULTI PACK PINCH CLAMPS

Plumbeeze Stainless Steel Pinch Clamps for use with PEX fittings. No Lead

Part No.	Size	Description	UPC 777808+	Quantity	
				L1	L2



Stainless Steel					
PE-PS-PC05-10	1/2"	10 Pack	512133	25	200
PE-PS-PC05-100	1/2"	100 Pack	512140		18
PE-PS-PC07-10	3/4"	10 Pack	512157	25	100
PE-PS-PC07-50	3/4"	50 Pack	512164		18
PE-PS-PC10-05	1"	5 Pack	512171	25	100

FLEXIBLE & MJ COUPLINGS
PUSH FIT FITTINGS

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

FLEXIBLE & MJ COUPLINGS
PUSH FIT FITTINGS




Other sizes may be available - Contact your inside sales rep for more information.

MISC & TOOLS




PIPE CUTTERS

Plumbeeze Pipe Cutters easily cut through Poly, PVC, ABS, PEX and CPVC pipe or conduit.

	Part No.	Cuts Pipe Size	Material	Replacement Blade	UPC		Quantity	
					777808+	L1	L2	
	PE-PC10	Up to 1"	Metal	28-PCRB-0110		12	72	
	PE-PC12	Up to 1-1/4"	Metal	28-PCRBA-0112		6	24	
	PE-PC20	Up to 2"	Metal	28-PCRBA-0120		6	24	


NUT DRIVER

Plumbeeze Nut Driver has a flexible shaft and reversible socket.

	Part No.	Size	UPC		Quantity	
			777808+	L1	L2	
	PE-FND	1/4" or 5/16"	435494	10		


TAPE MEASURES

Plumbeeze Tape Measures have a heavy duty rubber encapsulated construction for durability. Each one has a locking feature and measure in both imperial and metric.

	Part No.	Description	UPC		Quantity	
			777808+	L1	L2	
	PE-TM06	Swivel Keychain - 6' (2 meters)	393930	10	200	
	PE-TM25	Belt clip - 25' (7.5 meters)	386130	10	50	

CONTRACTOR BIN

Plumbeeze contractor bins are a great plastic storage tote with removable bins. They feature a clear lid with latches to secure contents.

	Part No.	Description	UPC		Quantity	
			777808+	L1	L2	
	U28-CBD-09	The bins in this contractor bin are deep, included are: • 3 bins are 6" x 4" x 3-1/2" • 6 bins are 4" x 3" x 3-1/2"	431113	10		
	U28-CBD-12	The bins in this contractor bin are deep, included are: • 12 bins are 4" x 3" x 3-1/2"	431120	10		
	U28-CBS-30	The bins in this contractor bin are shallow, included are: • 18 bins are 3" x 2" x 1-3/4" • 12 bins are 2" x 1-1/2" x 1-3/4"	431137	16		

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PLUMBEEZE PIPE JOINT COMPOUND

Plumbeeze Pipe Joint Compound is a slow drying, soft settling, non-hardening pipe thread compound. Recommended for on-site or assembly line work. For Sealing Threads on all types of metal, ideal for stainless steel threads which are more difficult to seal, also for sealing plastics including ABS, PVC, CPVC, Poly and Nylon Plastic Pipe Fittings. No Lead,

- NSF/ANSI 61

Temperature Range: -50°F to 400°F (-46°C to 204°C),



Part No.	Size	UPC 777808+	Quantity	
			L1	L2
PE-PJC2	2 Fluid Ounces (59ml)	486168	144	
PE-PJC4	4 Fluid Ounces (118 ml)	442515	24	
PE-PJC8	8 Fluid Ounces (237 ml)	407514	24	

THREAD SEAL TAPE

Plumbeeze Thread Seal Tape can be used for potable & non-potable water, most chemicals, oxygen, gas, hydraulic and high pressure lines.

No Lead, Primary Material: PTFE,

Temperature Range: -310°F to 536°F (-190°C to 280°C)



Part No.	Length	Thickness	Size	UPC 777808+	Quantity	
					L1	L2
PE-TST520	520"	0.0035" (3.5 mils)	1/2"	331871	10	250

SPECIALTY PTFE THREAD SEAL TAPE

Specialty Thread Seal Tape is thicker than regular PTFE tapes with a higher density. They are color coded for specific applications.

No Lead.png • Thickness Specification: MIL-T-27730A

- UL Listed

Primary Material: PTFE, Temperature Range: -450°F to 550°F (-268°C to 288°C),



Part No.	Length	Thickness	Size	UPC 777808+	Quantity	
					L1	L2
TT260-SS	Stainless Steel Thread Seal Tape 260"	0.004" (4 mils)	1/2"	777808156474	10	200
TT260-PP	Plumbers Thread Seal Tape 260"	0.004" (4 mils)	1/2"	777808156481	10	200
TT260-PHD	Premium Thread Seal Tape 260"	0.0035" (3.5 mils)	1/2"	777808156559	10	200
TT260-OXY	Oxygen Thread Seal Tape 260"	0.004" (4 mils)	1/2"	777808156467	10	200
TT260-GAS	Gas Line Thread Seal Tape 260"	0.004" (4 mils)	1/2"	777808156450	10	200

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

"ALL WEATHER" PIPE WRAP TAPE

Boshart's all weather pipe wrap tape can be used on all types of pipe and fittings including steel, galvanized, electrical conduit, cast & ductile iron. It has excellent insulating capacities and superior abrasion resistance. This tape reduces corrosion problems caused by salts, salt water, solid acids, minerals, alkalis, common chemicals, vapors and protects against fungus and bacteria. It remains pliable in a wide range of temperature and working environments, resists the effects of outdoor weathering and sunlight exposure.

- IAPMO UPC Standard D100 Certified
 - RoHS Certified directive 2002/95/EC <0.1% Pb
- Temperature Range: 14°F to 140°F (-10°C to 60°C)



Part No.	Length	Thickness	Size	UPC 777808+	Quantity	
					L1	L2
PW2-10NL	100'	0.01" (10 mils)	2"	777808438723	24	

ELECTRICAL TAPE

Boshart's electrical tapes are available for a wide range of applications.

- CSA Standard C22.2 No. 0 & 197 Certified
 - UL Standard 570 Certified
 - RoHS Certified directive 2002/95/EC <0.1% Pb
- Temperature Range: 0°F to 176°F (-18°C to 80°C)



Part No.		Length	Thickness	Size	UPC 777808+	Quantity	
						L1	L2
ETCWNL	Cold & Sunlight Electrical Tape	60'	0.008" (8 mils)	3/4"	777808438716	10	200
ETAWNL	Electrical Tape	60'	0.007" (7 mils)	3/4"	777808438709	10	200

NO LEAD FLOAT VALVE ASSEMBLIES

Plumbeeze Float Valve Assemblies come complete with a brass float rod and 6" plastic float.
No Lead, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI



Part No.	Design	Size	Rod Connection	UPC 777808+	Quantity	
					L1	L2
PENL-FLVA-03	Standard	3/8" MPT	1/4" - 20 SAE	442737		
PENL-FLVA-05	Standard	1/2" MPT	1/4" - 20 SAE	442744		
PENL-FLVA-07	Standard	3/4" MPT	1/4" - 20 SAE	442775		
PENL-FLVA-10	Standard	1" MPT	1/4" - 20 SAE	442782		
PENL-FLVA-05B	Bulkhead	1/2" SMT x Faucet	1/4" - 20 SAE	442751		
PENL-FLVA-07B	Bulkhead	3/4" SMT x Faucet	1/4" - 20 SAE	442768		

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

WATER FILTRATION





Toll Free: 1-888-838-8801 plumbeeze.com

SEDIMENT FILTER & SEPARATOR HOUSING KITS

Plumbeeze Sediment Filters and Separator Housing Kits are great for agriculture, industrial/ commercial, pre-treatment, whole house residential and irrigation applications. They are compatible with both schedule 4 & 8 PVC pipe. 1/2" MPT purge valve is installed to flush the system. These filters / separators can be installed on either the suction or pressure side of the pump.

- PVC head & polycarbonate bowl.
- Gripper ribs on filter bowl (no tools required to install/remove bowl), No Lead,
- NSF/ANSI 372

Temperature Range: Up to 100°F (38°C) @ 40 PSI, Maximum Pressure: 150 PSI @ 73°F (23°C), Bowl Color: Clear

Mesh Material: 316 Stainless Steel

	Part No.	Mesh Size	Micron Rating	Opening Size	UPC 777808+	Quantity	
						L1	L2
	Filter, 1" or 1-1/4" Slip or Spigot, Flow Rate: 1-25 GPM						
	PE-SF10-SM024	24	711	0.0280"	502875	8	
	PE-SF10-SM030	30	533	0.0232"	444908	8	
	PE-SF10-SM040	40	381	0.0165"	444915	8	
	PE-SF10-SM060	60	254	0.0100"	444922	8	
	PE-SF10-SM100	100	152	0.0060"	444939	8	
	PE-SF10-SM140	140	104	0.0040"	504107	8	
	PE-SF10-SM200	200	74	0.0029"	444953	8	
	PE-SF10-SM250	250	61	0.0024"	444960	8	
	PE-SF10-SM500	500	30	0.0012"	444977	8	
PE-SF10-SM1000	1000	15	0.0006"	502882	8		
	Filter with MPT Adapters, 1" or 1-1/4" Slip or Spigot, Flow Rate: 1-25 GPM						
	• Two 1" MPT adapters included						
	PE-SF10M-SM024	24	711	0.0280"	502844	8	
	PE-SF10M-SM030	30	533	0.0232"	447602	8	
	PE-SF10M-SM040	40	381	0.0165"	447619	8	
	PE-SF10M-SM060	60	254	0.0100"	447626	8	
	PE-SF10M-SM100	100	152	0.0060"	447633	8	
	PE-SF10M-SM140	140	104	0.0040"	504114	8	
	PE-SF10M-SM200	200	74	0.0029"	447657	8	
	PE-SF10M-SM250	250	61	0.0024"	447664	8	
PE-SF10M-SM500	500	30	0.0012"	447671	8		
PE-SF10M-SM1000	1000	15	0.0006"	502868	8		
	Separator, 1" or 1-1/4" Slip or Spigot, Flow Rate: 1-25 GPM						
	PE-SS10-SM024	24	711	0.0280"	503575		
	PE-SS10-SM030	30	533	0.0232"	503582		
	PE-SS10-SM040	40	381	0.0165"	503599		
	PE-SS10-SM060	60	254	0.0100"	503605		
	PE-SS10-SM100	100	152	0.0060"	503612		
	PE-SS10-SM140	140	104	0.0040"	503629		
	PE-SS10-SM200	200	74	0.0029"	503636		
	PE-SS10-SM250	250	61	0.0024"	503643		
	PE-SS10-SM500	500	30	0.0012"	503650		
PE-SS10-SM1000	1000	15	0.0006"	503667			
	Separator with MPT Adapters, 1" or 1-1/4" Slip or Spigot, Flow Rate: 1-25 GPM						
	• Two 1" MPT adapters included						
	PE-SS10M-SM024	24	711	0.0280"	514298	8	
	PE-SS10M-SM030	30	533	0.0232"	514304	8	
	PE-SS10M-SM040	40	381	0.0165"	514311	8	
	PE-SS10M-SM060	60	254	0.0100"	514328	8	
	PE-SS10M-SM100	100	152	0.0060"	508136	8	
	PE-SS10M-SM140	140	104	0.0040"	514335	8	
	PE-SS10M-SM200	200	74	0.0029"	514342	8	
	PE-SS10M-SM250	250	61	0.0024"	514359	8	
PE-SS10M-SM500	500	30	0.0012"	514366	8		
PE-SS10M-SM1000	1000	15	0.0006"	514373	8		

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

SEDIMENT FILTER & SEPARATOR HOUSING KITS

Part No.	Mesh Size	Micron Rating	Opening Size	UPC 777808+	Quantity	
					L1	L2
Filter, 1-1/2" Slip, Flow Rate: 10-50 GPM						
PE-SF15-SM024	24	711	0.0280"	502943	6	
PE-SF15-SM030	30	533	0.0232"	502950	6	
PE-SF15-SM040	40	381	0.0165"	502967	6	
PE-SF15-SM060	60	254	0.0100"	502974	6	
PE-SF15-SM100	100	152	0.0060"	502981	6	
PE-SF15-SM140	140	104	0.0040"	502998	6	
PE-SF15-SM200	200	74	0.0029"	503001	6	
PE-SF15-SM250	250	61	0.0024"	503018	6	
PE-SF15-SM500	500	30	0.0012"	503025	6	
PE-SF15-SM1000	1000	15	0.0006"	503032	6	
Separator, 1-1/2" Slip, Flow Rate: 10-50 GPM						
PE-SS15-SM024	24	711	0.0280"	503674	6	
PE-SS15-SM030	30	533	0.0232"	503681	6	
PE-SS15-SM040	40	381	0.0165"	503698	6	
PE-SS15-SM060	60	254	0.0100"	503704	6	
PE-SS15-SM100	100	152	0.0060"	503711	6	
PE-SS15-SM140	140	104	0.0040"	503728	6	
PE-SS15-SM200	200	74	0.0029"	503735	6	
PE-SS15-SM250	250	61	0.0024"	503742	6	
PE-SS15-SM500	500	30	0.0012"	503759	6	
PE-SS15-SM1000	1000	15	0.0006"	503766	6	
Filter, 2" Slip, Flow Rate: 18-100 GPM						
PE-SF20-SM024	24	711	0.0280"	503445	4	
PE-SF20-SM030	30	533	0.0232"	503452	4	
PE-SF20-SM040	40	381	0.0165"	503469	4	
PE-SF20-SM060	60	254	0.0100"	503476	4	
PE-SF20-SM100	100	152	0.0060"	503483	4	
PE-SF20-SM140	140	104	0.0040"	503490	4	
PE-SF20-SM200	200	74	0.0029"	503506	4	
PE-SF20-SM250	250	61	0.0024"	503513	4	
PE-SF20-SM500	500	30	0.0012"	503520	4	
PE-SF20-SM1000	1000	15	0.0006"	503537	4	
Separator, 2" Slip, Flow Rate: 18-100 GPM						
PE-SS20-SM024	24	711	0.0280"	503773	4	
PE-SS20-SM030	30	533	0.0232"	503780	4	
PE-SS20-SM040	40	381	0.0165"	503797	4	
PE-SS20-SM060	60	254	0.0100"	503803	4	
PE-SS20-SM100	100	152	0.0060"	503810	4	
PE-SS20-SM140	140	104	0.0040"	503827	4	
PE-SS20-SM200	200	74	0.0029"	503834	4	
PE-SS20-SM250	250	61	0.0024"	503841	4	
PE-SS20-SM500	500	30	0.0012"	503858	4	
PE-SS20-SM1000	1000	15	0.0006"	503865	4	

Other sizes may be available - Contact your inside sales rep for more information.

Rev. 2.0

SEDIMENT FILTER & SEPARATOR HOUSINGS

Plumbeeze Sediment Filters and Separator Housings are great for agriculture, industrial/ commercial, pre-treatment, whole house residential and irrigation applications. They are compatible with both schedule 4& 8 PVC pipe. 1/2" MPT purge valve is installed to flush the system. These filters / separators can be installed on either the suction or pressure side of the pump. Each unit comes with a mounting bracket or clamps and hardware.

- PVC head & polycarbonate bowl.
- Gripper ribs on filter bowl (no tools required to install/remove bowl), No Lead, Temperature Range: Up to 100°F (38°C) @ 40 PSI, Maximum Pressure: 150 PSI @ 73°F (23°C), Bowl Color: Clear,



Part No.	Inlet & Outlet Size	Flow Rate	UPC 777808+	Quantity	
				L1	L2
Filter,					
PE-SF10	1" or 1-1/4" Slip or Spigot	1-25 GPM	502899	8	
Filter with MPT Adapters,					
PE-SF10M	1" or 1-1/4" Slip or Spigot	1-25 GPM	502851	8	
Separator,					
PE-SS10	1" or 1-1/4" Slip or Spigot	1-25 GPM	503544		
Separator with MPT Adapters,					
PE-SS10M	1" or 1-1/4" Slip or Spigot	1-25 GPM	514281	8	
Filter / Separator, • Same housing is used for both filter & separator					
PE-SF15	1-1/2" Slip	10-50 GPM	502929	6	
PE-SF20	2" Slip	18-100 GPM	502936	4	

SEDIMENT FILTER & SEPARATOR REPLACEMENT PARTS

Plumbeeze replacement parts are for the PE-SF series sediment filters & separators. Purge valve is available, part number PEBVP-05.



Part No.	Size	Description	UPC 777808+	Quantity	
				L1	L2
Filter Head					
PE-SFB-10	1"	For 1" filter & separator	449477	10	
PE-SFB-15	1-1/2"	For 1-1/2" filters & separators	503995	10	
PE-SFB-20	2"	For 2" filter & separator	504008	10	
Filter Bowl					
PE-SFC-10		For 1" filter	449484		
PE-SFC-15		For 1-1/2" filter & separator	503971		
PE-SFC-20		For 2" filter & separator	503988		
PE-SFC-S10		For 1" separator	503964		
O-Ring Kit					
PE-SFORK-10		For 1" filter & separator	508990	10	
PE-SFORK-15		For 1-1/2" filter & separator	509003	10	
PE-SFORK-20		For 2" filter & separator	509010	10	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

316 STAINLESS STEEL MESH ELEMENTS

Plumbeeze Sediment Filter and Separator 316 Stainless Steel Mesh Elements are great for agriculture, industrial/ commercial, pre-treatment, whole house residential and irrigation applications. No Lead,
Temperature Range: Up to 100°F (38°C) @ 40 PSI, Maximum Pressure: 150 PSI @ 73°F (23°C), Mesh Material: 316 Stainless Steel

Part No.	Mesh Size	Micron Rating	Opening Size	UPC 777808+	Quantity	
					L1	L2
Filter / Separator, 1" or 1-1/4" , Flow Rate: 1-25 GPM						
• This size uses the same element for filters & separators						
PE-SFE10SM-024	24	711	0.0280"	502905	12	
PE-SFE10SM-030	30	533	0.0232"	455942	12	
PE-SFE10SM-040	40	381	0.0165"	455959	12	
PE-SFE10SM-060	60	254	0.0100"	309573	12	
PE-SFE10SM-100	100	152	0.0060"	309580	12	
PE-SFE10SM-140	140	104	0.0040"	504091	12	
PE-SFE10SM-200	200	74	0.0029"	309603	12	
PE-SFE10SM-250	250	61	0.0024"	455966	12	
PE-SFE10SM-500	500	30	0.0012"	455973	12	
PE-SFE10SM-1000	1000	15	0.0006"	502912	12	
Filter, 1-1/2" , Flow Rate: 10-50 GPM						
PE-SFE15SM-024	24	711	0.0280"	503049		
PE-SFE15SM-030	30	533	0.0232"	503056		
PE-SFE15SM-040	40	381	0.0165"	503063		
PE-SFE15SM-060	60	254	0.0100"	503070		
PE-SFE15SM-100	100	152	0.0060"	503087		
PE-SFE15SM-140	140	104	0.0040"	503094		
PE-SFE15SM-200	200	74	0.0029"	503100		
PE-SFE15SM-250	250	61	0.0024"	503117		
PE-SFE15SM-500	500	30	0.0012"	503124		
PE-SFE15SM-1000	1000	15	0.0006"	503131		
Separator, 1-1/2" , Flow Rate: 10-50 GPM						
PE-SSE15SM-024	24	711	0.0280"	503247		
PE-SSE15SM-030	30	533	0.0232"	503254		
PE-SSE15SM-040	40	381	0.0165"	503261		
PE-SSE15SM-060	60	254	0.0100"	503278		
PE-SSE15SM-100	100	152	0.0060"	503285		
PE-SSE15SM-140	140	104	0.0040"	503292		
PE-SSE15SM-200	200	74	0.0029"	503308		
PE-SSE15SM-250	250	61	0.0024"	503315		
PE-SSE15SM-500	500	30	0.0012"	503322		
PE-SSE15SM-1000	1000	15	0.0006"	503339		
Filter, 2" , Flow Rate: 18-100 GPM						
PE-SFE20SM-024	24	711	0.0280"	503148		
PE-SFE20SM-030	30	533	0.0232"	503155		
PE-SFE20SM-040	40	381	0.0165"	503162		
PE-SFE20SM-060	60	254	0.0100"	503179		
PE-SFE20SM-100	100	152	0.0060"	503186		
PE-SFE20SM-140	140	104	0.0040"	503193		
PE-SFE20SM-200	200	74	0.0029"	503209		
PE-SFE20SM-250	250	61	0.0024"	503216		
PE-SFE20SM-500	500	30	0.0012"	503223		
PE-SFE20SM-1000	1000	15	0.0006"	503230		
Separator, 2" , Flow Rate: 18-100 GPM						
PE-SSE20SM-024	24	711	0.0280"	503346		
PE-SSE20SM-030	30	533	0.0232"	503353		
PE-SSE20SM-040	40	381	0.0165"	503360		
PE-SSE20SM-060	60	254	0.0100"	503377		
PE-SSE20SM-100	100	152	0.0060"	503384		
PE-SSE20SM-140	140	104	0.0040"	503391		
PE-SSE20SM-200	200	74	0.0029"	503407		
PE-SSE20SM-250	250	61	0.0024"	503414		
PE-SSE20SM-500	500	30	0.0012"	503421		
PE-SSE20SM-1000	1000	15	0.0006"	503438		

Other sizes may be available - Contact your inside sales rep for more information.

Rev. 2.0



Toll Free: 1-888-838-8801 plumbeeze.com

STANDARD FILTER COMPLETE KITS

Plumbeeze Standard Filter Complete Kits are great for water wells, greenhouses / drip irrigation, agriculture, main line residential water and point of use (under sink / taste & odour). The kits include filter head with pressure relief button, bowl, filter wrench, mounting bracket & hardware, replacement o-ring, and filter.

Part No.	Bowl Length	Inlet & Outlet Size	Flow Rate	Micron Rating	UPC 777808+	Quantity	
						L1	L2



Standard, Bowl Color: Blue, Temperature Range: 39°F to 125°F (4°C to 52°C), Maximum Pressure: 125 PSI

PEHK-05B	10"	3/4" FPT	Up to: 5.3 GPM	5	410231	12	
PEHK-10B	10"	3/4" FPT	Up to: 5.3 GPM	10	309498	12	



Standard, Bowl Color: Clear Temperature Range: 39°F to 125°F (4°C to 52°C), Maximum Pressure: 125 PSI

PEHK-05C	10"	3/4" FPT	Up to: 5.3 GPM	5	410248	12	
PEHK-10C	10"	3/4" FPT	Up to: 5.3 GPM	10	309504	12	

GIANT FILTER COMPLETE KITS

Plumbeeze Giant Filter Complete Kits are great for a wide range of applications including water wells, drip irrigation, restaurants, whole house, R.O. systems, institutions, spas & hot tubs, agriculture, food preparation, industrial / commercial, milling machines, greenhouses, vending machines, plating, and EDM machines (water based). The kits include filter head with pressure relief button, bowl, filter wrench, mounting bracket & hardware, replacement o-ring, and filter.

Part No.	Bowl Length	Inlet & Outlet Size	Flow Rate	Micron Rating	UPC 777808+	Quantity	
						L1	L2



Giant, Bowl Color: Blue, Temperature Range: 39°F to 100°F (4°C to 38°C), Maximum Pressure: 90 PSI

PEHK-G05B	10"	3/4" FPT	Up to: 10.6 GPM	5	410224	4	
PEHK-G10B	10"	3/4" FPT	Up to: 10.6 GPM	10	409723	4	



Giant, Bowl Color: Clear, Temperature Range: 39°F to 100°F (4°C to 38°C), Maximum Pressure: 90 PSI

PEHK-G05C	10"	3/4" FPT	Up to: 10.6 GPM	5	430864	4	
PEHK-G10C	10"	3/4" FPT	Up to: 10.6 GPM	10	430871	4	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

FILTER HOUSING KITS

Plumbeeze Filter Housing Kits are great for agriculture, water well, point of use, greenhouse/ drip irrigation, whole house residential and recreational vehicle applications. They have a threaded inlet and outlet with a relief button on the inlet side. These housings fit industry standard filter cartridges (not included). The filter heads have mounting bosses molded in for installation with a mounting bracket. Each unit comes with the housing, o-rings, filter bowl wrench, and a mounting bracket with hardware.

• Head is polypropylene, blue bowl is polypropylene, clear bowl is styrene-acrylonitrile

Part No.	Bowl Length	Inlet & Outlet Size	UPC		Quantity	
			777808+		L1	L2
Giant, Bowl Color: Blue, Temperature Range: 39°F to 100°F (4°C to 38°C), Maximum Pressure: 90 PSI						
PEHK-G10B10	10"	1" FPT	482443		4	
Giant, Bowl Color: Clear, Temperature Range: 39°F to 100°F (4°C to 38°C), Maximum Pressure: 90 PSI						
PEHK-G10C10	10"	1" FPT	485741		6	
Giant, Bowl Color: Blue, Temperature Range: 39°F to 100°F (4°C to 38°C), Maximum Pressure: 90 PSI						
PEHK-G20B10	20"	1" FPT	482450		4	



FILTER HOUSING KIT ACCESSORIES

Plumbeeze replacement parts for the Filter Housing Kits are supplied to provide support when required.

Part No.	Description	UPC		Quantity	
		777808+		L1	L2
O-Ring Kit					
PE-FHG-P-OR	For Giant Housing Kit	514991			
PE-FHS-P-OR	For Standard Housing Kit	515004			



Other sizes may be available - Contact your inside sales rep for more information.

Rev. 2.1



Toll Free: 1-888-838-8801 plumbeeze.com

ICEMAKER / IN-LINE TASTE & ODOUR FILTERS



Plumbeeze IceMaker / In-line Taste and Odour Cartridges utilize coconut shell granular activated carbon and are designed to remove unpleasant tastes and odours as well as sediment to produce cleaner, clearer, better tasting water. They have a low pressure drop, high dirt holding capacity, durable physical strength, and steady flow to achieve reliable performance and long life usage. By packing the carbon the concerns of shifting carbon inside the filter are removed. These Granular Activated Carbon filters are easily installed on the water line to an automatic icemaker, reverse osmosis system or water dispensing system. No Lead, Temperature Range: 40°F to 110°F (4°C to 43°C), Maximum Pressure: 125 PSI, Filter Media: Carbon

Part No.	Size	Connection	Flow Rate	Service Life		UPC 777808+	Quantity	
				Gallon	Litre		Month	L1
PE-IM2-10	2" x 10"	1/4" Quick Connect	0.4 GPM	2000	7570	6	463336	25
PE-IM2-6	2" x 6"	1/4" Quick Connect	0.4 GPM	1000	3785	5	409747	25

SPUN POLYPROPYLENE CARTRIDGES



Plumbeeze Spun Polypropylene Cartridges feature a four-layer varied micron rate filter structure to capture particles effectively and prolong cartridge life. For use in general industrial RO systems, food and beverage, commercial and home RO system use. No Lead,

- NSF/ANSI 42

Temperature Range: Up to 125°F (52°C), Filter Media: Polypropylene

Part No.	Flow Rate	Micron Rating	Pressure Drop @ Flow Rate	UPC 777808+	Quantity L1 L2
2-1/2" x 9-7/8", Individual					
PE-FCSP-01	Up to: 5.3 GPM	1	1 PSI @ 3 GPM	330294	20
PE-FCSP-05	Up to: 5.3 GPM	5	1 PSI @ 5 GPM	330300	20
PE-FCSP-10	Up to: 5.3 GPM	10	1 PSI @ 10 GPM	330317	20
PE-FCSP-25	Up to: 5.3 GPM	25	1 PSI @ 12 GPM	330324	20
PE-FCSP-50	Up to: 5.3 GPM	50	1 PSI @ 17 GPM	330331	20
2-1/2" x 9-7/8", Multi Pack					
• 2 filters per pack					
PE-FCSP05-2	Up to: 5.3 GPM	5	1 PSI @ 5 GPM	500710	10
PE-FCSP25-2	Up to: 5.3 GPM	25	1 PSI @ 12 GPM	504046	10
2-1/2" x 20", Individual					
PE-FCSP2-01	Up to: 5.3 GPM	1	1 PSI @ 6 GPM	514755	20
PE-FCSP2-05	Up to: 5.3 GPM	5	1 PSI @ 10 GPM	514762	20
PE-FCSP2-10	Up to: 5.3 GPM	10	1 PSI @ 20 GPM	514779	20
PE-FCSP2-25	Up to: 5.3 GPM	25	1 PSI @ 30 GPM	514786	20
PE-FCSP2-50	Up to: 5.3 GPM	50	1 PSI @ 35 GPM	514793	20
4-1/2" x 10", Individual					
PE-FCGSP-01	Up to: 10.6 GPM	1	1 PSI @ 10 GPM	330348	8
PE-FCGSP-05	Up to: 10.6 GPM	5	1 PSI @ 15 GPM	330355	8
PE-FCGSP-10	Up to: 10.6 GPM	10	1 PSI @ 20 GPM	330362	8
PE-FCGSP-25	Up to: 10.6 GPM	25	1 PSI @ 25 GPM	330379	8
4-1/2" x 20", Individual					
PE-FCGSP2-01	Up to: 10.6 GPM	1	1 PSI @ 15 GPM	514663	8
PE-FCGSP2-05	Up to: 10.6 GPM	5	1 PSI @ 25 GPM	514670	8
PE-FCGSP2-10	Up to: 10.6 GPM	10	1 PSI @ 30 GPM	514687	8
PE-FCGSP2-25	Up to: 10.6 GPM	25	1 PSI @ 35 GPM	514694	8

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

CARBON BLOCK CARTRIDGES



Plumbeeze Carbon Block Cartridges are ideal for point-of-use (POU) and Reverse Osmosis applications. These cartridges can be used in a wide range of applications such as residential, food service, commercial, and industrial. The carbon block series cartridges are great for displacing traditional granular activated carbon and powdered activated carbon filters in application where high chlorine reduction is needed. They are manufactured with high purity activated carbon and provide an exceptional cost-to-performance value. These cartridges have high chlorine reduction, great dirt-holding capacity, and greatly reduced carbon fines. No Lead,

- NSF/ANSI 42

Temperature Range: 40°F to 110°F (4°C to 43°C), Filter Media: Carbon

Part No.	Chlorine Capacity	Micron Rating	Pressure Drop @ Flow Rate	UPC		Quantity	
				777808+	L1	L2	
2-1/2" x 9-7/8", Individual							
PE-FCCB-05	3,696 @ 1.0 GPM	5	2 PSI @ 1 GPM	409792			20
PE-FCCB-10	3,696 @ 1.0 GPM	10	2 PSI @ 1 GPM	514601			20
2-1/2" x 9-7/8", Multi Pack							
• 4 filters per pack							
PE-FCCB05-4	3,696 @ 1.0 GPM	5	2 PSI @ 1 GPM	501038			5
2-1/2" x 20", Individual							
PE-FCCB2-05	5,808 @ 1.0 GPM	5	1 PSI @ 1 GPM	514618			12
4-1/2" x 9-7/8", Individual							
PE-FCGCB-10	10,560 @ 3.0 GPM	10	4 PSI @ 3 GPM	510337			12

PLEATED POLYESTER CARTRIDGES



Plumbeeze Pleated Polyester Filters are suited for a variety of uses and can be used in residential, commercial, and industrial applications. The non-woven polyester filter media is pleated around a polypropylene core for added strength and stability.

The pleated surface area provides greater sediment and dirt holding capacity while maintaining flow rate and reducing initial pressure drop. These cartridges can be cleaned and reused in most applications and micron ratings.

The flow rates listed are based on their maximum efficiency. They can be used with flow rates above what is listed but will not filter as effectively. No Lead, Temperature Range: 40°F to 125°F (4°C to 52°C), Filter Media: Polyester

Part No.	Flow Rate	Micron Rating	Pressure Drop @ Flow Rate	UPC		Quantity	
				777808+	L1	L2	
2-1/2" x 9-7/8", Individual							
PE-FCPP-01	Up to: 9.2 GPM	1	1 PSI @ 10 GPM	430918			50
PE-FCPP-05	Up to: 9.2 GPM	5	1 PSI @ 10 GPM	409761			50
PE-FCPP-10	Up to: 9.2 GPM	10	1 PSI @ 10 GPM	409778			50
PE-FCPP-20	Up to: 9.2 GPM	20	1 PSI @ 10 GPM	409785			50
2-1/2" x 9-7/8", Multi Pack							
• 2 filters per pack							
PE-FCPP05-2	Up to: 9.2 GPM	5	1 PSI @ 10 GPM	504053			24
PE-FCPP20-2	Up to: 9.2 GPM	20	1 PSI @ 10 GPM	504060			24
4-1/2" x 9-3/4", Individual							
PE-FCGPP-01	Up to: 9.2 GPM	1	1 PSI @ 10 GPM	430888			20
PE-FCGPP-05	Up to: 9.2 GPM	5	1 PSI @ 10 GPM	409730			20
PE-FCGPP-20	Up to: 9.2 GPM	20	1 PSI @ 10 GPM	430901			20
PE-FCGPP-50	Up to: 9.2 GPM	50	1 PSI @ 10 GPM	514625			20
4-1/2" x 20", Individual							
PE-FCGPP2-05	Up to: 9.2 GPM	5	1 PSI @ 20 GPM	514632			10
PE-FCGPP2-20	Up to: 9.2 GPM	20	1 PSI @ 20 GPM	514649			10
PE-FCGPP2-50	Up to: 9.2 GPM	50	1 PSI @ 20 GPM	514656			10

Other sizes may be available - Contact your inside sales rep for more information.

STRING WOUND POLYPROPYLENE CARTRIDGES



Plumbeeze String Wound Polypropylene Cartridges are for a wide range of filtering applications and are manufactured from FDA grade polypropylene. These cartridges are very suitable for potable water filtration. Ideal for removing very fine sediment right through to very coarse sediment, at ambient temperatures. The cartridges are made by diagonally winding a precise pattern of carefully selected fibers on a center core. The pattern is designed to create hundreds of identical, tapered, spiral passageways. During the winding, fibers are combed across the passage and locked in place by succeeding layers. Solid particles are removed by entrapment in this highly efficient filter media. Filtration takes place throughout the entire cartridge, not just on the surface, so large amounts of contaminant are trapped without a sudden rise in pressure caused by surface blinding. By varying the wind pattern, cartridges are fabricated to give a pre-determined micron rating. No Lead, • NSF/ANSI 42 (5-25 Micron only) Temperature Range: Up to 120°F (49°C), Filter Media: Polypropylene

Part No.	Micron Rating	Pressure Drop @ Flow Rate	UPC 777808+	Quantity L1 L2
2-1/2" x 9-7/8", Individual				
PE-FCSW-01	1	1 PSI @ 3 GPM	515646	30
PE-FCSW-05	5	1 PSI @ 5 GPM	409754	30
PE-FCSW-10	10	1 PSI @ 10 GPM	430925	30
PE-FCSW-25	25	1 PSI @ 15 GPM	430932	30
PE-FCSW-50	50	1 PSI @ 20 GPM	511204	30
2-1/2" x 9-7/8", Multi Pack				
• 2 filters per pack				
PE-FCSW05-2	5	1 PSI @ 5 GPM	504077	14
PE-FCSW25-2	25	1 PSI @ 15 GPM	504084	14
4-1/2" x 10", Individual				
PE-FCGSW-01	1	1 PSI @ 8 PGM	482429	8
PE-FCGSW-05	5	1 PSI @ 15 GPM	482412	8
PE-FCGSW-10	10	1 PSI @ 20 GPM	482405	8
PE-FCGSW-25	25	1 PSI @ 25 GPM	482399	8
PE-FCGSW-50	50	1 PSI @ 35 GPM	515011	8
4-1/2" x 20", Individual				
PE-FCGSW2-01	1	1 PSI @ 16 GPM	514717	4
PE-FCGSW2-05	5	1 PSI @ 30 GPM	482436	4
PE-FCGSW2-10	10	1 PSI @ 40 GPM	514724	4
PE-FCGSW2-25	25	1 PSI @ 50 GPM	514731	4
PE-FCGSW2-50	50	1 PSI @ 65 GPM	514748	4

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

Other sizes may be available - Contact your inside sales rep for more information.




TANK TEES & ACCESSORIES



Toll Free: 1-888-838-8801 plumbeeze.com



SOLID TANK TEES

Plumbeeze Solid Tank Tees are a multi-port fitting that is designed to connect a tank to the water system. No Lead

Part No.	Tank Connection	Centre End Length	In-Line Connection	Drain Port	UPC 777808+	Quantity	
						L1	L2
304 Stainless Steel, Accessory Ports: (2) 1/4" FPT							
 PE-TTS10L	1" MPT	10"	1" MPT x 3/4" FPT	(2) 1/2" FPT	514939	3	12
PE-TTS12L	1-1/4" MPT	13"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	514908	2	8
Brass, Accessory Ports: (2) 1/4" FPT							
 PENL-TTB10L	1" MPT	10"	1" MPT x 3/4" FPT	(2) 1/2" FPT	434121	10	
PENL-TTB10S	1" MPT	3-5/8"	1" MPT x 3/4" FPT	(2) 1/2" FPT	434138	10	
PENL-TTB10SF	1" FPT	3-5/8"	1" MPT x 3/4" FPT	(2) 1/2" FPT	434176	10	
PENL-TTB10XL	1" MPT	13"	1" MPT x 3/4" FPT	(2) 1/2" FPT	434114	10	
PENL-TTB12L	1-1/4" MPT	13"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	434190	10	
PENL-TTB12S	1-1/4" MPT	3-3/8"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	434206	10	
PVC, Accessory Ports: (2) 1/4" FPT							
 U07PT-25-2	1" MPT	11"	1" MPT x 3/4" Socket	(2) 1/2" FPT	386659	60	


UNION TANK TEES

Plumbeeze Union Tank Tees provide faster installation of a water system, are compact and make a clean looking installation reducing the number of potential leak points. They come in a variety of union style tees which allow for quick and easy replacement of the tank when required. Available in various leg lengths to accommodate any size / brand of tank on the market. No Lead, O-Ring Material: Nitrile Rubber

Part No.	Tank Connection	Centre End Length	In-Line Connection	Drain Port	O-Ring	UPC 777808+	Quantity	
							L1	L2
304 Stainless Steel, Accessory Ports: (2) 1/4" FPT								
 PE-TTS10LU	1" MPT	10"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-217	514946	3	12
PE-TTS12LU	1-1/4" MPT	13"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-217	514953	2	8
Brass, Accessory Ports: (2) 1/4" FPT								
 PENL-TTB10LU	1" MPT	10"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-214	434152	10	
PENL-TTB10SFU	1" FPT	3"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-212	434183	10	
PENL-TTB10SU	1" MPT	4-1/2"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-214	434169	10	
PENL-TTB10XLU	1" MPT	13"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-214	434145	10	
PENL-TTB12LU	1-1/4" MPT	13"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-219	434213	2	12
PENL-TTB12SU	1-1/4" MPT	4-1/2"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-219	434220	10	

BRONZE TANK TEE NIPPLE

Plumbeeze Tank Tee Nipple is used for connecting the pressure switch to the tank tee. They can also be used wherever this sized nipple is required.

Part No.	Length	Size	UPC 777808+	Quantity L1 L2
 PE-TTBN3	3"	1/4" MPT	388639	10

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

TANK TEE INSTALLATION KITS

Plumbeeze tank tee installation kits come with a wide range of components and sizes to fit any application. No Lead



Part No.	Package Includes	UPC 777808+	Quantity L1 L2
Union Stainless Steel			
PE-TPS10LU	Tank Tee: PE-TTS10-2U Pressure Gauge: PE-PGSS100G Pressure Switch: PE-PS2	Nipple: U2-SSN-0230 Relief Valve: PE-SSRV05 Hose Bibb: PEQTHB-SS05	485512
PE-TPS12LU	Tank Tee: PE-TTS12-2U Pressure Gauge: PE-PGSS100G Pressure Switch: PE-PS2	Nipple: U2-SSN-0230 Relief Valve: PE-SSRV07 Hose Bibb: PEQTHB-SS07	485529



Solid Brass			
PENL-TPB10L	Tank Tee: PENL-TTB10L Boiler Drain: PENL-BD05 Pressure Gauge: PENL-PG100	Pressure Switch: PE-PS2 Nipple: PE-TTBN3 Relief Valve: PENL-RV05	440528 6
PENL-TPB10L-02	Tank Tee: PENL-TTB10L Boiler Drain: PENL-BD05 Pressure Gauge: PENL-PG100 Pressure Switch: PE-PS2	Nipple: PE-TTBN3 Relief Valve: PENL-RV05-100 Ball Valve: PENL-BV510 Tape: PE-TST520	479573 6
PENL-TPB10L-SD	Tank Tee: PENL-TTB10L Boiler Drain: PENL-BD05 Pressure Gauge: PENL-PG100	Pressure Switch: FSG2J21 Nipple: PE-TTBN3 Relief Valve: PENL-RV05	486137 6
PENL-TPB10LC-02	Tank Tee: PENL-TTB10L Boiler Drain: PENL-BD05 Pressure Gauge: PENL-PG100 Pressure Switch: PE-PS2C	Nipple: PE-TTBN3 Relief Valve: PENL-RV05-100 Ball Valve: PENL-BV510 Tape: PE-TST520	479580 6
PENL-TPB10LM4	Tank Tee: PENL-TTB10L Boiler Drain: PENL-BD05 Pressure Gauge: PENL-PG100	Pressure Switch: PE-PS2LP Nipple: PE-TTBN3 Relief Valve: PENL-RV05	440535 6



Union Brass			
PENL-TPB10LU	Tank Tee: PENL-TTB10LU Boiler Drain: PENL-BD05 Pressure Gauge: PENL-PG100	Pressure Switch: PE-PS2 Nipple: PE-TTBN3 Relief Valve: PENL-RV05	440542 6
PENL-TPB10LU-SD	Tank Tee: PENL-TTB10LU Boiler Drain: PENL-BD05 Pressure Gauge: PENL-PG100	Pressure Switch: FSG2J21 Nipple: PE-TTBN3 Relief Valve: PENL-RV05	486045 6
PENL-TPB10LUC-02	Tank Tee: PENL-TTB10LU Boiler Drain: PENL-BD05 Pressure Gauge: PENL-PG100 Pressure Switch: PE-PS2C	Nipple: PE-TTBN3 Relief Valve: PENL-RV05-100 Ball Valve: PENL-BV510 Tape: PE-TST520	479597 6
PENL-TPB10LUM4	Tank Tee: PENL-TTB10LU Boiler Drain: PENL-BD05 Pressure Gauge: PENL-PG100	Pressure Switch: PE-PS2LP Nipple: PE-TTBN3 Relief Valve: PENL-RV05	440559 6
PENL-TPB10LUM4-SD	Tank Tee: PENL-TTB10LU Boiler Drain: PENL-BD05 Pressure Gauge: PENL-PG100	Pressure Switch: FSG2J21M4 Nipple: PE-TTBN3 Relief Valve: PENL-RV05	486144 6
PENL-TPB12LU	Tank Tee: PENL-TTB12LU Boiler Drain: PENL-BD07 Pressure Gauge: PENL-PG100	Pressure Switch: PE-PS2 Nipple: PE-TTBN3 Relief Valve: PENL-RV07	440566 6
PENL-TPB12LU-SD	Tank Tee: PENL-TTB12LU Boiler Drain: PENL-BD07 Pressure Gauge: PENL-PG100	Pressure Switch: FSG2J21 Nipple: PE-TTBN3 Relief Valve: PENL-RV07	486052 6

Other sizes may be available - Contact your inside sales rep for more information.

Toll Free: 1-888-838-8801 plumbeeze.com

UNIVERSAL PUMP MOUNTING BRACKET

Plumbeeze Universal Pump Mounting Bracket kit has the following components:

- (1) Zinc plated pump stand bracket
- (1) 3/8" - 16NC x 3/4" Zinc plated bolt
- (1) 3/8" - 16NC x 1" Zinc plated bolt
- (8) 3/8" Zinc plated flat washer
- (1) 1/2" - 13NC x 3/4" Long zinc plated hex bolt
- (1) 1/2" - 13NC x 1" Long zinc plated hex bolt
- (6) 1/2" Zinc plated flat washer
- (1) 5/8" - 11NC (external) x 3/8" - 16NC (internal) Insert
- (4) Blue plastic leg protectors

Note: To prevent damage to the tank it is very important to use the proper length bolts. A bolt which is too long may dent or puncture the tank dome. The length of bolt will vary on different tank styles. Always use slim washers where required.

Part No.	UPC 777808+	Quantity	
		L1	L2
PE-PMB	336234	20	



PLASTIC JET PUMP AIR CONTROL

Plumbeeze Plastic Jet Pump Air Controls are for jet systems that cure waterlogged tanks. Jet pump air controls will operate on as little as 5" of vacuum and fits all size tanks up to and including 82 gallons. No flexing diaphragm or metal springs. No Lead

Part No.	Maximum Tank Size	UPC 777808+	Quantity	
			L1	L2
PE-AC	82 gal	116782	25	



SNIFTER & TANK VALVES

Plumbeeze Snifter & Tank Valves allow air into a system to prevent a vacuum. No Lead,

Part No.	Size	Connection Type	Design	Opening Pressure	Pressure Range	UPC 777808+	Quantity	
							L1	L2
Temperature Range: -10°F to 165°F (-23°C to 73.9°C)								
PENL-SV0	1/8"	MPT	Light Spring - Soft Core	3 PSI	15-150 PSI	434091	10	100
PENL-SV1	1/4"	MPT	Standard	60 PSI	0-200 PSI	434107	10	100







Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com


RELIEF VALVES

Plumbeeze Relief Valves are recommended for all cold-water system installations to protect against damage to piping and pressure tanks. Field adjustments are not recommended for these relief valves. Any changes made to the pre-set pressure is entirely at the risk of the person(s) / company who make the adjustment. Relief valves must be installed so that they drain to a floor drain, sump or other safe location with an air break. If an outlet pipe is used, then it must be at least the same diameter as the relief valve outlet. No Lead
Spring Material: Stainless Steel

Part No.	Size	Inlet Connection	Outlet Connection	Factory Pre-Set	UPC 777808+	Quantity	
						L1	L2
304 Stainless Steel, Temperature Range: Up to 248°F (120°C), Accuracy: +/- 15%							
 PE-SSRV05	1/2"	MPT	FPT	75 PSI	482290	10	100
PE-SSRV07	3/4" x 1/2"	MPT	FPT	75 PSI	482320	10	100
304 Stainless Steel, Temperature Range: Up to 248°F (120°C), Accuracy: +/- 15%							
 PE-SSRV05-100	1/2"	MPT	FPT	100 PSI	482306	10	100
PE-SSRV07-100	3/4" x 1/2"	MPT	FPT	100 PSI	482313	10	100
Brass, Temperature Range: Up to 140°F (60°C), Accuracy: +/- 15%							
 PENL-RV05	1/2"	MPT	FPT	75 PSI	434077	10	100
PENL-RV07	3/4" x 1/2"	MPT	FPT	75 PSI	434084	10	100
Brass, Temperature Range: Up to 140°F (60°C), Accuracy: +/- 15%							
 PENL-RV05-100	1/2"	MPT	FPT	100 PSI	479436	10	100
PENL-RV07-100	3/4" x 1/2"	MPT	FPT	100 PSI	479443	10	100


NON-REPAIRABLE AIR VOLUME CONTROLS

Plumbeeze Non-Repairable Air Volume Controls prolong the pump life by reducing cycling frequency.

Part No.	Tank Connection	Pump Connection	Maximum Tank Size	UPC 777808+	Quantity	
					L1	L2
Zinc Plated Steel, Maximum Pressure: 100 PSI						
 PE-AVC100	3/8" MPT	1/4" Male Comp Thread	120 gal	339723	20	
PE-AVC45	1/4" MPT	1/4" Male Comp Thread	42 gal	339716	20	

WELL AIR VOLUME CONTROLS

Plumbeeze Well Air Volume Controls have housings that are tapped with a 1/4" FPT pressure port gauge. No Lead

Part No.	Tank Connection	Housing	Design	UPC 777808+	Quantity	
					L1	L2
• NSF/ANSI Standard 372 Certified						
 PENL-ACDWP	1-1/4" MPT	Plastic	Deep Well	440504	50	
PENL-ACSW	1-1/4" MPT	Zinc die-cast	Shallow Well	440511	25	

Other sizes may be available - Contact your inside sales rep for more information.

SECTION 10

WATER WELL & INSTALLATION ACCESSORIES



PREMIUM YARD HYDRANTS



Plumbeeze Premium Yard Hydrants feature a cast iron head with a bucket hook and come with a removable 3/4" GHT brass garden connector. They have a large handle that can be firmly held in any position to regulate flow using a thumb bolt. A locking eye allows the yard hydrant to be pad-locked in the closed position.

1" stand pipe.

3/8" steel connecting rod & coupling.



Frost-proof for year-round water service. Supply water to remote buildings and property. Installs anywhere using pressurized water supply.

Temperature Range: Up to 120°F (49°C), Maximum Pressure: 125 PSI

Part No.	Inlet Connection	Bury Length	Overall Length	UPC		Quantity	
				777808+	L1	L2	
 304 Stainless Steel Pipe, Bronze, Valve Body, No Lead, • NSF/ANSI 372							
PENL-YH07SS-01	3/4" FPT	1.0'	45.00"	442232		40	
PENL-YH07SS-02	3/4" FPT	2.0'	57.00"	442249		40	
PENL-YH07SS-03	3/4" FPT	3.0'	69.00"	442256		40	
PENL-YH07SS-04	3/4" FPT	4.0'	81.00"	442263		40	
PENL-YH07SS-05	3/4" FPT	5.0'	93.00"	442270		40	
PENL-YH07SS-06	3/4" FPT	6.0'	105.00"	442287		40	
PENL-YH07SS-07	3/4" FPT	7.0'	117.00"	442294		40	
PENL-YH07SS-08	3/4" FPT	8.0'	129.00"	442300		40	
PENL-YH07SS-10	3/4" FPT	10.0'	153.00"	442317		40	
 Galvanized Pipe, Bronze, Valve Body, No Lead, • NSF/ANSI 372							
PENL-YH07-01	3/4" FPT	1.0'	45.00"	442140		40	
PENL-YH07-02	3/4" FPT	2.0'	57.00"	442157		40	
PENL-YH07-03	3/4" FPT	3.0'	69.00"	442164		40	
PENL-YH07-04	3/4" FPT	4.0'	81.00"	442171		40	
PENL-YH07-05	3/4" FPT	5.0'	93.00"	442188		40	
PENL-YH07-06	3/4" FPT	6.0'	105.00"	442195		40	
PENL-YH07-07	3/4" FPT	7.0'	117.00"	442201		40	
PENL-YH07-08	3/4" FPT	8.0'	129.00"	442218		40	
PENL-YH07-10	3/4" FPT	10.0'	153.00"	442225		40	

PREMIUM YARD HYDRANT REPLACEMENT PARTS

Plumbeeze Premium Yard Hydrant Replacement Parts are the replacement parts for Premium yard hydrants that have part numbers beginning with PENL-YH.

Part No.	Size	Description	UPC		Quantity	
			777808+	L1	L2	
 Repair Kit Kit includes: • Zinc plated draw strap colorized (2) • 1" Zinc plated pivot connector (1) • 5/16" -18 UNC x 3/4" 18.8 Stainless Steel Set Screw (1) • 3/4" Brass Packing Nut (1) • #204 O-Ring Nitrile Buna N (2) • Stainless Steel & Rubber Plunger Complete (1)						
PE-YH-RK			331291		10	
 Head Assembly Kit Complete yard hydrant head assembly - Red						
PE-13YH-HA			314942			
Components These are the replacement components for yard hydrant assemblies.						
PE-13YH-H01		Heavy Duty Head Casting - Red	315420			
PE-13YH-H02		Lever Casting - Red	315437			
PE-YH-ORKIT		#204 O-ring Nitrile Buna-N (2)	514977			
PE-YH-OROD	3/8"	3/8" Stainless Steel Operating Rod	514960			
PE-YH-PKNUT	3/4"	3/4" Brass Packing Nut	514984			

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

WATER WELL & INSTALLATION ACCESSORIES

STANDARD YARD HYDRANTS

Yard Hydrants feature a cast iron head with a bucket hook and come with a removable 3/4" GHT brass garden connector. They have a large handle that can be firmly held in any position to regulate flow using a thumb bolt. A locking eye allows the yard hydrant to be pad-locked in the closed position.

1" stand pipe.

3/8" steel connecting rod & coupling.



Temperature Range: Up to 120°F (49°C), Maximum Pressure: 125 PSI



Part No.	Inlet Connection	Bury Length	Overall Length	UPC		Quantity	
				777808+	L1	L2	
Galvanized Pipe, Brass, Valve Body, No Lead,							
PEYH-01	3/4" FPT	1.0'	39.20"	347018	1	128	
PEYH-02	3/4" FPT	2.0'	51.20"	347025	1	128	
PEYH-03	3/4" FPT	3.0'	63.20"	347032		128	
PEYH-04	3/4" FPT	4.0'	75.30"	347049		128	
PEYH-05	3/4" FPT	5.0'	87.30"	347056		128	
PEYH-06	3/4" FPT	6.0'	99.30"	347063		128	
PEYH-08	3/4" FPT	8.0'	99.30"	508112		96	

STANDARD YARD HYDRANT REPLACEMENT PARTS

Standard Yard Hydrant Replacement Parts are the replacement parts for standard yard hydrants that have part numbers beginning with PEYH.

Part No.	Description	UPC		Quantity	
		777808+	L1	L2	
 Repair Kit Kit includes: • Draw Straps(2) • Pivot Connector • Hex bolt and nut for Handle • Brass Packing Nut • Buna "O" Rings • Bronze & Rubber Plunger	PEYH-IRK	357260		10	
	Components				
 These are the replacement components for standard yard hydrant assemblies.	PEYH-OROD	479351			
	Brass Operating Rod				

STANDARD PITLESS ADAPTERS

Plumbeeze Standard Pitless Adapters Provide an Underground Connection From The Pump Discharge Inside The Well To The Pressure System Supply Line. More Sanitary Than Well Pits. Chamfer Slide For Easy Installation. Single Pipe Pitless Adapters Can Be Used With Submersible

Pumps Or Shallow Well Jet Pumps. Water Systems Council & No Lead

Part No.	Size	Well Casing Size	Drop Pipe Size	Hole Saw Size	Maximum Load - Lbs	UPC	Quantity		
							777808+	L1	L2
Bronze, Plumbeeze									
• Large gasket for more efficient sealing on casing									
PENL-PA10	1"	5" to 12"	1"	1-3/4"	2000	434046		16	
PENL-PA12	1-1/4"	5" to 12"	1-1/4"	2-1/8"	2000	434053		8	
304 Stainless Steel, Plumbeeze									
• Large gasket for more efficient sealing on casing									
PE-SSPA10	1"	5" to 12"	1"	1-3/4"	6000	514878		18	
PE-SSPA12	1-1/4"	5" to 12"	1-1/4"	2-1/8"	6000	514885		8	

Other sizes may be available - Contact your inside sales rep for more information.

DOUBLE DROP PITLESS ADAPTERS

Plumbeeze Double Drop Pipe Pitless Adapters allow for two pipes to go down the well, generally used in jet pump applications.



Part No.	Well Casing Size	Drop Pipe Size	Hole Saw Size	Maximum Load - Lbs	UPC 777808+	Quantity	
						L1	L2
PENL-PA1210	4-1/2" to 12"	1" & 1-1/4"	1-3/4" & 2-1/8"	2000	434060	6	

WATER WELL & INSTALLATION ACCESSORIES

CONDUIT WELL CAPS

Plumbeeze Conduit Well Caps are designed to provide extra clearance for pump cable. They have three stainless steel set screws for securing the cap to the well casing and one stainless steel screw to secure the conduit pipe. A well log is provided inside each cap to record installation data and specifications. No Lead



Part No.	Well Casing O.D.	Well Casing I.D.	Conduit Connection	UPC 777808+	Quantity	
					L1	L2
Aluminum, Standard						
PE-CC4	4-1/2"	4"	1" FPT	309924	20	
PE-CC5	5-9/16"	5"	1" FPT	152797	30	
PE-CC6	6-5/8"	6"	1" FPT	152803	20	
PE-CC8	8-5/8"	8"	1" FPT	309931	8	

WATERTIGHT WELL CAPS

Plumbeeze Watertight Well Caps are similar to conduit well caps but also include a seal all the way around the casing and the conduit. Vent screens are added, to allow the well to breath but keep vermin out. No Lead



Part No.	Well Casing O.D.	Well Casing I.D.	Conduit Connection	Air Vent	UPC 777808+	Quantity	
						L1	L2
Aluminum, Standard							
PE-VPCC5	5-9/16"	5"	1" FPT	(2) 3/4"	221981	12	
PE-VPCC6	6-5/8"	6"	1" FPT	(2) 3/4"	221547	12	



Aluminum, Locking							
PE-VPCC5-L	5-9/16"	5"	1" FPT	(2) 3/4"	388394	16	
PE-VPCC6-L	6-5/8"	6"	1" FPT	(2) 3/4"	366323	12	



Cast Iron, Locking - Powder Coat Paint							
PE-WTCC6-CI	6-5/8"	6" or 6-1/4"	1" FPT	(2) 3/4"	221530	6	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

2" - CBM PRESSURE GAUGES

Plumbeeze 2" CBM Pressure Gauges are general purpose but are not for use with oxygen.

• No Lead: NSF/ANSI 372

Dial Size: 2"

Mount: CBM

WATER WELL & INSTALLATION ACCESSORIES

Part No.	Mount Size	Dial Range	Increments	UPC		Quantity	
				777808+	L1 L2		



Liquid, Connection: Stainless Steel Fill: Glycerine, Case Material: 304 Stainless Steel, Accuracy: 3%-2%-3% Grade B
 Temperature Range: -4°F to 140°F (-20°C to 60°C),
 Ideal for use where vibration or pressure pulsation occurs.

PE-PGSSBM100G	No Lead	1/4"	0-100	1.0 PSI	464579	100
---------------	---------	------	-------	---------	--------	-----



Dry, Connection: Brass Case Material: Black Steel, Accuracy: 3%-2%-3% Grade B
 Temperature Range: -40°F to 140°F (-40°C to 60°C),

PENL-PGBM100	No Lead	1/8"	0-100	1.0 PSI	433988	100
PENL-PGBM100-1	No Lead	1/4"	0-100	1.0 PSI	433995	100
PENL-PGBM160-1	No Lead	1/4"	0-160	2.0 PSI	434008	100
PENL-PGBM200-1	No Lead	1/4"	0-200	2.0 PSI	434015	100

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

2" - LM PRESSURE GAUGES

Plumbeeze 2" LM Pressure Gauges are general purpose but are not for use with oxygen.

• No Lead: NSF/ANSI 372

Dial Size: 2"

Mount: LM

WATER WELL & INSTALLATION ACCESSORIES

Part No.	Mount Size	Dial Range	Increments	UPC	Quantity
		PSI		777808+	L1 L2



Liquid, Connection: Stainless Steel Fill: Glycerine, Case Material: 304 Stainless Steel, Accuracy: 3%-2%-3% Grade B
 Temperature Range: -4°F to 140°F (-20°C to 60°C),
 Ideal for use where vibration or pressure pulsation occurs.

PE-PGSS100G	No Lead	1/4"	0-100	1.0 PSI	464562	100
-------------	---------	------	-------	---------	--------	-----



Liquid, Connection: Brass Fill: Glycerine, Case Material: Black Steel, Accuracy: +/- 1.5% Full Scale Value
 Temperature Range: -4°F to 140°F (-20°C to 60°C),
 Ideal for use where vibration or pressure pulsation occurs.

PENL-PG030G	No Lead	1/4"	0-30	0.5 PSI	433674	100
PENL-PG060G	No Lead	1/4"	0-60	1.0 PSI	433698	100
PENL-PG100G	No Lead	1/4"	0-100	1.0 PSI	433728	100
PENL-PG160G	No Lead	1/4"	0-160	2.0 PSI	433742	100
PENL-PG200G	No Lead	1/4"	0-200	2.0 PSI	433766	100



Dry, Connection: Brass Case Material: ABS, Accuracy: 3%-2%-3% Grade B
 Temperature Range: -40°F to 140°F (-40°C to 60°C),

PENL-PGP030	No Lead	1/4"	0-30	0.5 PSI	434022	100
PENL-PGP100	No Lead	1/4"	0-100	1.0 PSI	434039	100



Dry, Connection: Brass Case Material: Black Steel, Accuracy: 3%-2%-3% Grade B
 Temperature Range: -40°F to 140°F (-40°C to 60°C),

PENL-PG015	No Lead	1/4"	0-15	0.2 PSI	433650	100
PE-PG30		1/4"	0-30	0.5 PSI	213665	100
PENL-PG030	No Lead	1/4"	0-30	0.5 PSI	433667	100
PENL-PG060	No Lead	1/4"	0-60	1.0 PSI	433681	100
PENL-PG100	No Lead	1/4"	0-100	1.0 PSI	433704	100
PENL-PG100-0	No Lead	1/8"	0-100	1.0 PSI	433711	100
PENL-PG160	No Lead	1/4"	0-160	2.0 PSI	433735	100
PENL-PG200	No Lead	1/4"	0-200	2.0 PSI	433759	100
PENL-PG300	No Lead	1/4"	0-300	5.0 PSI	433773	100



Dry Vacuum, Connection: Brass Case Material: Black Steel, Accuracy: 3%-2%-3% Grade B
 Temperature Range: -40°F to 140°F (-40°C to 60°C),

PE-PGV30		1/4"	30-0Hg	0.5 PSI	213733	100
----------	--	------	--------	---------	--------	-----

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

2-1/2" - CBM PRESSURE GAUGES

Plumbeeze 2-1/2" CBM Pressure Gauges are general purpose but are not for use with oxygen.

- No Lead: NSF/ANSI 372

Dial Size: 2-1/2"

Mount: CBM

Part No.	Mount Size	Dial Range		Increments	UPC	Quantity	
		PSI	kPa			777808+	L1 L2
Liquid, Connection: BrassFill: Glycerine, Case Material: 304 Stainless Steel, Accuracy: +/- 1.5% Full Scale Value Temperature Range: -4°F to 140°F (-20°C to 60°C), Ideal for use where vibration or pressure pulsation occurs.							
PENL-PG25BM-100G	No Lead	1/4"	0-100	0-700	1.0 PSI	433971	50
PE-PG25CBM-1000G		1/4"	0-1000	0-7000	10.0 PSI	252923	50
PE-PG25CBM-1500G		1/4"	0-1500	0-10000	20.0 PSI	252930	50
PE-PG25CBM-2000G		1/4"	0-2000	0-14000	20.0 PSI	252947	50
PE-PG25CBM-3000G		1/4"	0-3000	0-20000	50.0 PSI	252954	50
PE-PG25CBM-5000G		1/4"	0-5000	0-35000	50.0 PSI	252978	50
PE-PG25CBM-10000G		1/4"	0-10000	0-70000	100.0 PSI	252985	50



2-1/2" - LM PRESSURE GAUGES

Plumbeeze 2-1/2" LM Pressure Gauges are general purpose but are not for use with oxygen.

- No Lead: NSF/ANSI 372

Dial Size: 2-1/2"

Mount: LM

Part No.	Mount Size	Dial Range		Increments	UPC	Quantity	
		PSI	kPa			777808+	L1 L2
Liquid, Connection: BrassFill: Glycerine, Case Material: 304 Stainless Steel, Accuracy: +/- 1.5% Full Scale Value Temperature Range: -4°F to 140°F (-20°C to 60°C), Ideal for use where vibration or pressure pulsation occurs.							
PENL-PG25-015G	No Lead	1/4"	0-15	0-100	0.2 PSI	433803	50
PENL-PG25-030G	No Lead	1/4"	0-30	0-200	0.5 PSI	433827	50
PENL-PG25-060G	No Lead	1/4"	0-60	0-400	1.0 PSI	433841	50
PENL-PG25-100G	No Lead	1/4"	0-100	0-700	1.0 PSI	433865	50
PENL-PG25-160G	No Lead	1/4"	0-160	0-1100	2.0 PSI	433889	50
PENL-PG25-200G	No Lead	1/4"	0-200	0-1400	2.0 PSI	433902	50
PENL-PG25-300G	No Lead	1/4"	0-300	0-2000	5.0 PSI	433926	50
PENL-PG25-400G	No Lead	1/4"	0-400	0-2800	5.0 PSI	433940	50
PENL-PG25-600G	No Lead	1/4"	0-600	0-4000	10.0 PSI	433964	50
PE-PG25-1000G		1/4"	0-1000	0-7000	10.0 PSI	252732	50
PE-PG25-1500G		1/4"	0-1500	0-10000	20.0 PSI	252749	50
PE-PG25-2000G		1/4"	0-2000	0-14000	20.0 PSI	252756	50
PE-PG25-3000G		1/4"	0-3000	0-20000	50.0 PSI	252763	50
PE-PG25-5000G		1/4"	0-5000	0-35000	50.0 PSI	252787	50
PE-PG25-10000G		1/4"	0-10000	0-70000	100.0 PSI	252794	100
Dry, Connection: BrassCase Material: Black Steel, Accuracy: 3%-2%-3% Grade B Temperature Range: -40°F to 140°F (-40°C to 60°C),							
PENL-PG25-015	No Lead	1/4"	0-15		0.5 PSI	433797	50
PENL-PG25-030	No Lead	1/4"	0-30		0.5 PSI	433810	50
PENL-PG25-060	No Lead	1/4"	0-60		1.0 PSI	433834	50
PENL-PG25-100	No Lead	1/4"	0-100		1.0 PSI	433858	50
PENL-PG25-160	No Lead	1/4"	0-160		2.0 PSI	433872	50
PENL-PG25-200	No Lead	1/4"	0-200		2.0 PSI	433896	50
PENL-PG25-300	No Lead	1/4"	0-300		5.0 PSI	433919	50
PENL-PG25-400	No Lead	1/4"	0-400		5.0 PSI	433933	50
PENL-PG25-600	No Lead	1/4"	0-600		10.0 PSI	433957	50



Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

WATER TEST GAUGES

Plumbeeze Water Test Gauges designed to measure and register water system pressure within a system. Ideal for recording the highest pressure reached to determine if a pressure reducing valve (P.R.V.) is required as well as to troubleshoot problems caused by thermal expansion or pressure spikes. Maximum pressure indicator needle can be reset by turning external knob counterclockwise. The hose connection allows for direct connection to a water heater drain valve or hose bibb.

Dial Size: 2-1/2"

Mount: GHT



Part No.	Mount Size	Dial Range PSI	Increments	UPC	Quantity	
				777808+	L1	L2
Water Test with Indicator Pointer, The indicator pointer is ideal for recording the maximum system pressure reached. The pointer can be reset by turning the external knob counter clockwise.						
PE-PGTG-200	3/4"	0-200		431144		
PE-PGTG-300	3/4"	0-300	10.0 PSI	431151		

SMALL WATER PUMP PRESSURE SWITCHES, PLUMBEEZE

Plumbeeze Small Water Pump Pressure Switches are used to control electrically driven water pumps. suitable for all types of pumps; jets, submersible, reciprocating, etc. Nema type 1 indoor enclosure. 2 pole, rated 1 1/2 hp @ 115 vac, 2hp @ 23vac. Standard duty. No Lead,

- UL Listed
- CSA Approved



Part No.	Pressure Setting	Differential	Pack Type	UPC	Quantity	
				777808+	L1	L2
Connection: 1/4" FPT Standard Duty, Nema 1 - General Purpose						
PE-PS2	30-50 PSI	15-30 PSI	Individual	317462	20	
PE-PS2A	20-40 PSI	15-30 PSI	Individual	372751	20	
PE-PS2C	40-60 PSI	15-30 PSI	Individual	372768	20	



Connection: 1/4" FPT Low Level Cut Off Switch, Nema 1 - General Purpose						
PE-PS2LP	30-50 PSI	15-30 PSI	Individual	317479	20	
PE-PS2LPA	20-40 PSI	15-30 PSI	Individual	372775	20	
PE-PS2LPC	40-60 PSI	15-30 PSI	Individual	372782	20	



Connection: 1/4" FPT Pulsation Plug, Nema 1 - General Purpose						
PE-PS2P	30-50 PSI	15-30 PSI	Individual	437283	20	
PE-PS2PC	40-60 PSI	15-30 PSI	Individual	437290	20	



Connection: 1/4" MPT Standard Duty, Nema 1 - General Purpose						
PE-PS2M	30-50 PSI	15-30 PSI	Individual	437269	20	
PE-PS2MC	40-60 PSI	15-30 PSI	Individual	437276	20	



Connection: 1/4" Barb Standard Duty, Nema 1 - General Purpose						
PE-PS2B	30-50 PSI	15-30 PSI	Individual	422661	20	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

SMALL WATER PUMP PRESSURE SWITCHES, PUMPTROL

WATER WELL & INSTALLATION ACCESSORIES

Small Water Pump Pressure Switches are designed for the control of electrically driven water pumps. Diaphragm actuated.

- FSG is the standard water pump switch, suitable for all types of pumps: jets, submersible, reciprocating, etc.
- FYG is designed to meet higher horsepower and pressure requirements.
- FRG is reverse acting: contacts open on falling pressure.

Sample part number: Class 913, Type FSG2, Pressure Code J2, Form C2 No Lead



Part No.	Pressure Setting	Differential	Pack Type	UPC 777808+	Quantity	
					L1	L2
Connection: 1/4" FPT Standard Duty, Nema 1 - General Purpose						
PE-FSG2	30-50 PSI	15-30 PSI	Bulk	154586	20	
PE-FSG2A	20-40 PSI	15-30 PSI	Individual	335985	20	
PE-FSG2C	40-60 PSI	15-30 PSI	Individual	478415	20	



Connection: 1/4" FPT Medium Duty, Nema 1 - General Purpose						
PE-FYG2	30-50 PSI	20-30 PSI	Individual	215256	20	



Connection: 1/4" FPT Low Pressure Cut Off, Nema 1 - General Purpose						
PE-FSG2M4	30-50 PSI	15-30 PSI	Bulk	154593	8	
PE-FSG2M4A	20-40 PSI	15-30 PSI	Individual	336012	8	
PE-FSG2M4C	40-60 PSI	15-30 PSI	Individual	478422	8	



Connection: 1/4" FPT Pulsation Plug, Nema 1 - General Purpose						
PE-FSG2P	30-50 PSI	15-30 PSI	Bulk	213580	20	



Connection: 1/4" MPT Standard Duty, Nema 1 - General Purpose						
PE-FSG9	30-50 PSI	15-30 PSI	Bulk	154609	20	
PE-FSG9A	20-40 PSI	15-30 PSI	Individual	335992	20	



Connection: 1/4" Barb Standard Duty, Nema 1 - General Purpose						
PE-FSG14	30-50 PSI	15-30 PSI	Bulk	154623	20	



Connection: Mini Barb Standard Duty, Nema 1 - General Purpose						
PE-FSG10	30-50 PSI	15-30 PSI	Bulk	154616	20	

Other sizes may be available - Contact your inside sales rep for more information.

COMMERCIAL / LIGHT INDUSTRIAL PRESSURE SWITCHES

Commercial/ Light Industrial Class 913 Type G Pumptrol Pressure Switches are designed to control electrically driven water pumps and air compressors. These devices cover higher electrical ratings for directly controlling motors in pump and compressor applications.

- Contacts open on pressure rise
- Diaphragm actuated

Sample part number: Class 913, Type GHG2, Pressure Code J3, Form X



Part No.	Pressure Setting	Differential	UPC 777808+	Quantity	
				L1	L2
Connection: 1/4" FPT Standard Duty, Nema 1 - General Purpose					
PE-GSG2	30-50 PSI	15-30 PSI	215263	20	

BRASS CHECK VALVES

Plumbeeze Brass Check Valves effectively maintain system pressure by preventing reverse flow. Connect in line to prevent back-flow of water and hold system pressure. Plumbeeze is dedicated to building safe and reliable products, we designed this check valve to be safe for potable water.

No Lead



Part No.	Size	Connection Type	UPC 777808+	Quantity	
				L1	L2
Standard, Poppet Material: Cast Brass, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI					
PENL-CV050	1/2"	FPT	433537	10	100
PENL-CV075	3/4"	FPT	433544	10	80
PENL-CV100	1"	FPT	433551	10	60
PENL-CV125	1-1/4"	FPT	433568	5	40
PENL-CV150	1-1/2"	FPT	433575	5	30
PENL-CV200	2"	FPT	433582	5	20

BRONZE CHECK VALVES

Plumbeeze Bronze Check Valves ensure that fluid flows in one direction only. No Lead



Part No.	Size	Connection Type	UPC 777808+	Quantity	
				L1	L2
Standard, Poppet Material: Cast Bronze, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI					
PENL-CVB05	1/2"	FPT	462742	10	
PENL-CVB07	3/4"	FPT	462759	10	
PENL-CVB10	1"	FPT	462766	10	
PENL-CVB12	1-1/4"	FPT	462773	5	
PENL-CVB15	1-1/2"	FPT	462780	5	
PENL-CVB20	2"	FPT	462797	5	



Standard, Poppet Material: Cast Bronze, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI					
PENL-CV125100	1-1/4" x 1"	MPT x FPT	447961	10	60

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PLASTIC CHECK VALVES

Plumbeeze Plastic Check Valves ensure that fluid flows in one direction only. No Lead

Part No.	Size	Connection Type	UPC 777808+	Quantity	
				L1	L2



Standard, Seal Material: EPDM, Spring Material: 304 Stainless Steel, Temperature Range: Up to 140°F (60°C),
Maximum Working Pressure: 100 PSI @ 73°F

U1710-05	1/2"	FPT	311569	10	120
U1710-07	3/4"	FPT	311583	10	120
U1710-10	1"	FPT	311576	8	80
U1710-12	1-1/4"	FPT	296873	6	60
U1710-15	1-1/2"	FPT	311590	6	60
U1710-20	2"	FPT	311606	4	40
U1710S-05	1/2"	Socket	311613	10	120
U1710S-07	3/4"	Socket	311620	10	120
U1710S-10	1"	Socket	311637	8	80
U1710S-12	1-1/4"	Socket	311644	6	60
U1710S-15	1-1/2"	Socket	311651	6	60
U1710S-20	2"	Socket	311668	4	40



Standard, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Maximum Working Pressure: 150 PSI @ 73°F
• NSF/ANSI 372

PE-PCV07	3/4"	FPT	440429	20	
PE-PCV10	1"	FPT	440436	20	
PE-PCV12	1-1/4"	FPT	440443	20	
PE-PCV15	1-1/2"	FPT	440450	20	
PE-PCV20	2"	FPT	440467	10	

STAINLESS STEEL CHECK VALVES

Stainless Steel Check Valves ensure that fluid flows in one direction only. They have a higher corrosion resistance. No Lead

Part No.	Size	Connection Type	UPC 777808+	Quantity	
				L1	L2



Standard, Poppet Material: 304 Stainless Steel, Seal Material: Viton, Temperature Range: 32°F to 302°F (0°C to 150°C),
Maximum Pressure: 200 PSI

PECVSS-050	1/2"	FPT	307227	10	100
PECVSS-075	3/4"	FPT	307234	10	80
PECVSS-100	1"	FPT	307241	10	60
PECVSS-125	1-1/4"	FPT	307258	5	40
PECVSS-150	1-1/2"	FPT	307265	5	30
PECVSS-200	2"	FPT	307272	5	20
PECVSS-300	3"	FPT	307289		
PECVSS-400	4"	FPT	307296		
PECVSSMF-125-100	1-1/4" x 1"	MPT x FPT	307302	5	30

Other sizes may be available - Contact your inside sales rep for more information.

BRASS SWING CHECK VALVES

Plumbeeze Brass Swing Check Valves are used in line to prevent backflow in a pressurized system. Safe for use on potable water and meets low lead requirements. Cast bronze body, disc and cap. No Lead

Part No.	Size	Connection Type	UPC 777808+	Quantity	
				L1	L2



Temperature Range: Up to 212°F (100°C), Maximum Pressure: 200 PSI

PENL-SCV05	1/2"	FPT	442850	10	
PENL-SCV07	3/4"	FPT	442874	10	
PENL-SCV10	1"	FPT	442898	10	
PENL-SCV12	1-1/4"	FPT	442911	10	
PENL-SCV15	1-1/2"	FPT	442935	10	
PENL-SCV20	2"	FPT	442959	10	
PENL-SCV25	2-1/2"	FPT	442973	6	
PENL-SCV30	3"	FPT	442980	6	
PENL-SCV40	4"	FPT	442997	4	



Temperature Range: Up to 212°F (100°C), Maximum Pressure: 200 PSI

PENL-SCV05C	1/2"	CxC	442867	10	
PENL-SCV07C	3/4"	CxC	442881	10	
PENL-SCV10C	1"	CxC	442904	10	
PENL-SCV12C	1-1/4"	CxC	442928	10	
PENL-SCV15C	1-1/2"	CxC	442942	10	
PENL-SCV20C	2"	CxC	442966	10	

BRASS FOOT VALVES

Plumbeeze Foot Valves effectively maintain system pressure by preventing reverse flow. Plumbeeze foot valves connect at the end of the pipe to prevent back-flow of water and hold system pressure. Great for ponds, wells and anywhere else you use a pump, the Plumbeeze foot valve is also safe for potable water. No Lead

Part No.	Size	Connection Type	UPC 777808+	Quantity	
				L1	L2



Poppet Material: Cast Brass, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI

PENL-FV050	1/2"	FPT	433599	10	80
PENL-FV075	3/4"	FPT	433605	10	80
PENL-FV100	1"	FPT	433612	10	60
PENL-FV125	1-1/4"	FPT	433629	5	40
PENL-FV150	1-1/2"	FPT	433636	5	30
PENL-FV200	2"	FPT	433643	5	20

BRONZE FOOT VALVES

Bronze Foot Valves prevent water from back flowing into the water source. No Lead

Part No.	Size	Connection Type	UPC 777808+	Quantity	
				L1	L2



Poppet Material: Bronze, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI

PENL-FVB05	1/2"	FPT	462803		
PENL-FVB07	3/4"	FPT	462810	10	
PENL-FVB10	1"	FPT	462827	10	
PENL-FVB12	1-1/4"	FPT	462834	5	
PENL-FVB15	1-1/2"	FPT	462841		
PENL-FVB20	2"	FPT	462858		

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PLASTIC FOOT VALVES

Plumbeeze Plastic Foot Valves prevent water from back flowing into the water source. No Lead

Part No.	Size	Connection Type	UPC 777808+	Quantity	
				L1	L2
Poppet Material: Acetal, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Maximum Pressure: 150 PSI • NSF/ANSI 372 (3/4" to 2")					
PE-PFV07	3/4"	FPT	440375	20	
PE-PFV10	1"	FPT	440382	20	
PE-PFV12	1-1/4"	FPT	440399	20	
PE-PFV15	1-1/2"	FPT	440405	20	
PE-PFV20	2"	FPT	440412	10	
PE-PFV250	2-1/2"	FPT	307760		
PE-PFV300	3"	FPT	307791	12	
PE-PFV4/1	3/4" - 1-1/2"	MPT	393886	10	
PE-PFVB1210	1" or 1-1/4"	Insert	456499	10	



FLAPPER FOOT VALVES

Plumbeeze Flapper Foot Valves prevent water from back flowing into the water source. They use a flapper that closes when the pressure of the flow decreases ensuring there is no backflow. No Lead

Part No.	Size	Connection Type	UPC 777808+	Quantity	
				L1	L2
Seal Material: Nitrile Rubber, Maximum Working Pressure: 150 PSI @ 73°F					
PE-PFV400	4"	FPT	307784	6	



STAINLESS STEEL FOOT VALVES

Plumbeeze Stainless Steel Foot Valves prevent water from back flowing into the water source. They have a higher corrosion resistance. No Lead

Part No.	Size	Connection Type	UPC 777808+	Quantity	
				L1	L2
Poppet Material: 304 Stainless Steel, Seal Material: Viton, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI					
PEFVSS-050	1/2"	FPT	307319	10	100
PEFVSS-075	3/4"	FPT	307326	10	80
PEFVSS-100	1"	FPT	307333	10	60
PEFVSS-125	1-1/4"	FPT	307340	5	40
PEFVSS-150	1-1/2"	FPT	307357	5	30
PEFVSS-200	2"	FPT	307364	5	20
PEFVSS-300	3"	FPT	307371		
PEFVSS-400	4"	FPT	307388		



Other sizes may be available - Contact your inside sales rep for more information.

DROP PIPE COUPLINGS

Plumbeeze Drop Pipe Couplings are use to connect drop pipes together in well applications. No Lead

Part No.	Size	Length	UPC 777808+	Quantity	
				L1	L2



304 Stainless Steel,

These couplings have an inside chamfer on both ends for trouble free starting of threads. They have a separate taper to ensure a proper watertight seal and flats on the sides for ease of use with a wrench.

Note: All tensile testing results consistently conclude in joint failure due to the elongation of the male threads on the drop/riser pipe. It is therefor recommended that the installer acquire the male pipe thread load capacity data of the drop/riser pipe from the pipe manufacturer. The loads must not exceed either the coupling or drop/riser pipe load capacity. The maximum load bearing weight of the pipe will vary significantly depending on the pipe material. This data is only a guide. The final responsibility for the design of the well lies with the well designer/installer.

U28-SSDPC-10	1"	2-1/2"	391349	10	50
U28-SSDPC-12	1-1/4"	2-1/2"	391356	10	50
U28-SSDPC-15	1-1/2"	2-1/2"	391363	10	50
U28-SSDPC-20	2"	2-1/2"	391370	5	25



PVC,

These couplings have a wall thickness that is 3% heavier than Schedule 12 to ensure increased strength and reliability. To be used in well depths no greater than 4'.

U28-PDPC-10	1"	2-3/4"	391264	10	100
U28-PDPC-12	1-1/4"	2-3/4"	391271	10	100
U28-PDPC-15	1-1/2"	2-3/4"	391288	10	100
U28-PDPC-20	2"	3"	391295	10	

CABLE GUARDS

Plumbeeze Cable Guards will keep the power cable from abrading against the well casing. One should be placed at the pump and one every 15' thereafter. Each cable guard is 6" in size and has tabs that can be cut to fit 5" or 4" well casing. No Lead, Primary Material: Polyethylene

Part No.	Design	Drop Pipe Size	Color	UPC 777808+	Quantity	
					L1	L2



UWG-100	Self Clamping	1"	Clear	215171	48
UWG-125	Self Clamping	1-1/4"	Clear	215188	48
UWG-6	Snap In	1" & 1-1/4"	Clear	215164	100

SUBMERSIBLE TORQUE ARRESTORS

Plumbeeze Submersible Torque Arrestors protect submersible pumps from starting torque damage. They are field adjustable to hold the pump centered in the well and fit snug in all well casings from 4" to 8" I.D. To install securely fasten to 1" or 1-1/4" drop pipe with stainless steel clamps that are provided. There are infinite adjustments enabling the installer to obtain a proper fit. No Lead, Primary Material: Thermo Plastic Elastomer (TPE)

Part No.	Design	Drop Pipe Size	Color	Well Casing Size	UPC 777808+	Quantity	
						L1	L2



PE-TA	Standard	1" & 1-1/4"	Black	4" to 8"	116744	6
-------	----------	-------------	-------	----------	--------	---

Other sizes may be available - Contact your inside sales rep for more information.




Toll Free: 1-888-838-8801 plumbeeze.com

FAST RECOVERY HEAT SHRINK KITS

Plumbeeze Fast Recovery Heat Shrink Kits are made of adhesive lined cross-linked polyolefin heat shrinkable tubing that is designed for applications up to 600 volts. The good abrasion resistance characteristics of this tubing provide excellent mechanical protection. When heated above 120°C (250°F) there is a 4:1 shrink ratio. Upon cooling the adhesive solidifies, forming a permanent, non-drying flexible and waterproof barrier. Black tubing is flame retardant, clear tubing is not flame retardant.

Part No.	Number of Stakons	Number of Shrink Tubes	Tube Length	Wire Size AWG	Wall Thickness	UPC 777808+	Quantity L1	Quantity L2
Black, Expanded ID: 0.45", Recovered ID: 0.10"								
PE-HS2	2 (#14 - #10)	2	3"	#14 to #10	0.043"	155323	10	100
PE-HS3	3 (#14 - #10)	3	3"	#14 to #10	0.043"	155330	10	100
PE-HS3-4	4 (#14 - #10)	3	3"	#14 to #10	0.043"	274550	10	100
PE-HS4	4 (#14 - #10)	4	3"	#14 to #10	0.043"	155347	10	100



HEAVY DUTY HEAT SHRINK KITS

Plumbeeze Heavy Duty Heat Shrink Kits series are made of flexible cross-linked polyolefin heat shrinkable tubing. This tubing is suitable for applications up to 600 volts providing excellent waterproof insulating and environmental sealing protection for splices, connections, and jacket repairs. The high impact and abrasion resistance of this heavy wall tubing provides the highest level of mechanical durability. When heated above 120°C (250°F) there is a 3:1 shrink ratio.

Part No.	Number of Stakons	Number of Shrink Tubes	Tube Length	Wire Size AWG	Wall Thickness	UPC 777808+	Quantity L1	Quantity L2
Black, Expanded ID: 0.51", Recovered ID: 0.16"								
PE-HS6-4	3 (#6) & 1 (#8)	4	4"	#6	0.090"	214075	10	100
Black, Expanded ID: 0.51", Recovered ID: 0.16"								
PE-HS8-4	3 (#8) & 1 (#14 - #10)	4	4"	#8	0.090"	214068	10	100



ROPE HANGER

Plumbeeze Rope Hangers provide an easy method of attaching the safety rope securely to the well casing. The installation of the well cap onto the well casing is unobstructed. They are installed at the top of the well casing and can be easily removed when the pump is serviced or replaced. Accepts rope sizes: 1/4" to 3/8" No Lead

Part No.	Well Casing I.D.	UPC 777808+	Quantity L1	Quantity L2
USTRH-6	6" or 6-1/4"	214686	5	40



Other sizes may be available - Contact your inside sales rep for more information.

BLUE & WHITE BRAIDED POLYPROPYLENE ROPE

Plumbeeze Blue & White Braided Polypropylene Rope is made of 100% monofilament fibers in a hollow braid. It floats on water, retains its strength when wet and may be stored wet without damage. There is a high resistance to abrasion, mildew, oil, grease, gasoline, marine growth, and other chemicals. It is best for tie-downs, utility hand lines, pulling lines, ladder lines, and marine uses.



Part No.	Length	Diameter	Reel Material	Tensile Strength Lbs	UPC	Quantity	
						777808+	L1
Braided Polypropylene							
USRPB-1/4-500	500'	1/4"	Plastic	975	508938		

WELL SEAL ACCESSORIES

Plumbeeze Well Seal Accessories. For more information please contact inside sales.



Part No.	Size	Description	UPC	Quantity	
				777808+	L1
Grommet Kit					
PE-WSGK07	3/4"	For 3/4" wire hole	311675	25	
PE-WSGK10	1"	For 1" wire hole	311682	25	

WELL SEALS

Plumbeeze Well Seals are offered in different configurations. They provide a tight seal ensuring water does not contaminate. Well Seals support the weight of drop pipe, submersible pump and water while allowing for larger conduit cables. No Lead

Part No.	Grommet Kit Included	Well Casing I.D.	Conduit Connection	Vent Size	Drop Pipe Size	UPC	Quantity		
							777808+	L1	L2
Single Hole									
PE-WSP4010	Yes	4"	3/4" FPT	1/2"	1"	242085	16		
PE-WSP4012	Yes	4"	3/4" FPT	1/2"	1-1/4"	242092	16		
PE-WSP5010	Yes	5"	1" FPT	1/2"	1"	242115	8		
PE-WSP5012	Yes	5"	1" FPT	1/2"	1-1/4"	242122	8		
PE-WSP6010	Yes	6"	1" FPT	1/2"	1"	242139	8		
PE-WSP6012	Yes	6"	1" FPT	1/2"	1-1/4"	242146	8		
PE-WSP6210	Yes	6-1/4"	1" FPT	1/2"	1"	242153	8		
PE-WSP6212	Yes	6-1/4"	1" FPT	1/2"	1-1/4"	242160	8		

Double Hole									
PE-WSP401210	Yes	4"		1/2"	1-1/4" x 1"	242177	16		
PE-WSP501210	Yes	5"		1/2"	1-1/4" x 1"	242184	8		
PE-WSP601210	Yes	6"		1/2"	1-1/4" x 1"	242191	8		
PE-WSP621210	Yes	6-1/4"		1/2"	1-1/4" x 1"	242207	8		

Other sizes may be available - Contact your inside sales rep for more information.




Toll Free: 1-888-838-8801 plumbeeze.com

BLUE & WHITE BRAIDED POLYPROPYLENE ROPE


Part No.	Grommet Kit Included	Well Casing I.D.	Conduit Connection	Vent Size	Drop Pipe Size	UPC 777808+	Quantity	
							L1	L2

Single Hole



PE-WS4010	Yes	4"	3/4" FPT	1/2"	1"	311712		
PE-WS4012	Yes	4"	3/4" FPT	1/2"	1-1/4"	311729		
PE-WS5010	Yes	5"	1" FPT	1/2"	1"	311743		
PE-WS5012	Yes	5"	1" FPT	1/2"	1-1/4"	311750		
PE-WS6010	Yes	6"	1" FPT	1/2"	1"	311774	8	
PE-WS6012	Yes	6"	1" FPT	1/2"	1-1/4"	311781	8	
PE-WS6210	Yes	6-1/4"	1" FPT	1/2"	1"	311804	8	
PE-WS6212	Yes	6-1/4"	1" FPT	1/2"	1-1/4"	311811	8	

Double Hole



PE-WS401210	No	4"		1/2"	1-1/4" x 1"	311736		
PE-WS501210	No	5"		1/2"	1-1/4" x 1"	311767		
PE-WS601210	No	6"		1/2"	1-1/4" x 1"	311798	8	
PE-WS621210	No	6-1/4"		1/2"	1-1/4" x 1"	311828	8	

DRIVE CAPS

Plumbeeze Drive Caps are used to protect the threads when the well point is being installed.



Part No.	Size	UPC 777808+	Quantity	
			L1	L2
U18-181	1-1/4"	222070	5	
U18-183	2"	222094	5	

DRIVE COUPLINGS

Plumbeeze Drive Couplings have additional threads to ensure the coupling stays snug during installation.



Part No.	Size	UPC 777808+	Quantity	
			L1	L2
U18-184	1-1/4"	222100	25	50
U18-186	2"	222117	5	

Other sizes may be available - Contact your inside sales rep for more information.

WELL POINTS

Plumbeeze Well Points are designed for drilling into all types of conditions. No Lead

WATER WELL & INSTALLATION ACCESSORIES

Part No.	Size	Pipe Length	Overall Length	UPC 777808+	Quantity L1 L2
304 Stainless Steel, 100 Mesh, 0.006" Slot					
These well points feature an octagonal head to prohibit turning. They can be extended by removing the head and adding a drive coupling. They have a compact design which provides excellent screening area. Solid columns are running the entire length of the pipe ensuring structural integrity.					
UWP12-24-100M	1-1/4"	30"	35.00"	275090	4
UWP12-30-100M	1-1/4"	36"	41.00"	275120	4
UWP12-42-100M	1-1/4"	48"	53.00"	275151	4
UWP20-30-100M	2"	36"	42.00"	275212	4

304 Stainless Steel, 80 Mesh, 0.008" Slot					
These well points feature an octagonal head to prohibit turning. They can be extended by removing the head and adding a drive coupling. They have a compact design which provides excellent screening area. Solid columns are running the entire length of the pipe ensuring structural integrity.					
UWP12-18-80M	1-1/4"	24"	29.00"	275052	4
UWP12-24-80M	1-1/4"	30"	35.00"	275083	4
UWP12-30-80M	1-1/4"	36"	41.00"	275113	4
UWP12-42-80M	1-1/4"	48"	53.00"	275144	4
UWP20-30-80M	2"	36"	42.00"	275205	4
UWP20-42-80M	2"	48"	55.00"	275236	4

304 Stainless Steel, 60 Mesh, 0.010" Slot					
These well points feature an octagonal head to prohibit turning. They can be extended by removing the head and adding a drive coupling. They have a compact design which provides excellent screening area. Solid columns are running the entire length of the pipe ensuring structural integrity.					
UWP12-18-60M	1-1/4"	24"	29.00"	275045	4
UWP12-24-60M	1-1/4"	30"	35.00"	275076	4
UWP12-30-60M	1-1/4"	36"	41.00"	275106	4 144
UWP12-42-60M	1-1/4"	48"	53.00"	275137	4
UWP20-30-60M	2"	36"	42.00"	275199	4
UWP20-42-60M	2"	48"	55.00"	275229	4

PVC, Mesh, 0.010" Slot					
These well points are commonly used for small diameter shallow wells in residential, irrigation and water systems. They are not recommended for hard driving. Well points are washed down and then driven lightly into the water bearing sand or light gravel. Plastic well points are horizontal slots.					
UPWP12-36-010	1-1/4"	3'		255740	4
UPWP12-48-010	1-1/4"	4'		255757	4
UPWP12-60-010	1-1/4"	5'		255764	4
UPWP15-36-010	1-1/2"	3'		255771	
UPWP15-48-010	1-1/2"	4'		255788	
UPWP15-60-010	1-1/2"	5'		255795	
UPWP20-36-010	2"	3'		255801	4
UPWP20-48-010	2"	4'		255818	4
UPWP20-60-010	2"	5'		255825	4

JET POINTS

Plumbeeze Jet Points offer the versatility and simplicity of being attached to a well screen, eliminating the added expense of a washdown valve and additional labor and material. The unique design allows for maximum fluid circulation and forceful jetting action. For rapid installation and development of a single well or multi-well monitoring and residential applications. No Lead

Part No.	Size	Pipe Length	UPC 777808+	Quantity L1 L2
PVC, Mesh, 0.010" Slot				
UPWJP12-36-010	1-1/4"	3'	255832	
UPWJP20-36-010	2"	3'	255894	
UPWJP20-60-010	2"	5'	255917	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

PVC WELL POINT & SCREEN ACCESSORIES

Plumbeeze PVC Well Point & Screen Accessories create a flush connection with two PVC pipes.
 • NSF/ANSI 372

WATER WELL & INSTALLATION ACCESSORIES



Part No.	Size	UPC 777808+	Quantity	
			L1	L2
Flush Coupling PVC, Used to join two pieces of PVC Schedule 40 pipe together				
UPWA-FC12	1-1/4"	401413	25	
UPWA-FC15	1-1/2"	401420	25	
UPWA-FC20	2"	401437	25	

PISTON PUMP REPAIR KIT

Plumbeeze Piston Pump Repair Kits include genuine leather cup leathers, rubber gaskets, high quality valve leathers, top quality packing and stainless steel springs, cotter keys & washers.



Part No.	Description	UPC 777808+	Quantity	
			L1	L2
Repair Kit Cup leather size 1-1/4" x 5/8"				
PE-G125	G.S.W. 300 1-1/4" Single	154715	25	
PE-G150	G.S.W. 300 1-1/2" Single	214082	25	
PE-K255	Duro Model K 255	154692	25	
PE-K365	Duro Model K 365	154708	25	

HAND PUMP

Plumbeeze Hand Pump is recommended for shallow pump applications, ideal for installation on a barrel or holding tank. The maximum lift rating is 25', measured from the water surface to the spout. It features an open spout with leather valve and plunger cup. The cylinder barrel has a 3" I.D. and a 1-1/4" drop pipe connection. No Lead

• NSF/ANSI 372 Certified



Part No.	UPC 777808+	Quantity	
		L1	L2
PE-HP	116607	1	125

HAND PUMP REPAIR KIT

Plumbeeze Hand Pump Repair Kit includes a 3" OD cup leather and a 3-1/2" OD valve leather. It fits pumps with a 3" diameter cylinder.



Part No.	UPC 777808+	Quantity	
		L1	L2
PE-HPK3	215737	10	

Other sizes may be available - Contact your inside sales rep for more information.

SOFT CUP LEATHERS

Plumbeeze Soft Cup Leathers are soft, pliable, and waterproof. They are for applications where little water absorption and swelling is desired, such as piston pumps, shallow setting brass-cylinder barrels, air pumps. No Lead



Part No.	Outer Diameter	Hole Size	UPC 777808+	Quantity	
				L1	L2
UCLS112-5	1.50"	0.50"	507740	20	
UCLS114	1.25"	0.63"	368587	20	
UCLS134	1.75"	0.63"	507757	20	
UCLS138	1.38"	0.63"	368570	20	
UCLS158	1.63"	0.63"	368563	20	
UCLS3-L	3.00"	2.00"	368556	12	
UCLS312-L	3.50"	2.50"	507764	12	

VALVE LEATHERS

Plumbeeze Valve Leathers are for repairing pitcher pumps and cast iron flapper foot valves. No Lead



Part No.	Outer Diameter	UPC 777808+	Quantity	
			L1	L2
U19-VL312	3.50"	368594	12	

TWU PUMP CABLE

Plumbeeze TWU Pump Cable is for use with submersible pumps and irrigation equipment. For wiring only between equipment located at water wellheads and motors of submersible pumps installed in deep wells. Cables are solid or stranded copper wrapped in PVC then twisted together. Temperature Range: -40°F to 140°F (-40°C to 60°C), Voltage: 600 V



Part No.	Number of Conductors	Conductors AWG	Ground AWG	Strands Per Conductor
Wire Colors: Black, Red & Green				
PE-TWU12/3-50	3	#12	#12	(7) Stranded
Wire Colors: Black, Red, Yellow & Green				
PE-TWU12-4-50	4	#12	#12	(7) Stranded
Wire Colors: Black, Red & Green				
PE-TWU14/3-50	3	#14	#14	(7) Stranded
Wire Colors: Black, Red, Yellow & Green				
PE-TWU14-4-50	4	#14	#14	(7) Stranded

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com







Other sizes may be available - Contact your inside sales rep for more information.

SUMP & SEWAGE ACCESSORIES



FLOAT SWITCHES



Plumbeeze Float Switches feature an internal structure that contains precision molded parts with only two moving pieces. A steel ball moves through a solidly constructed housing to activate a switch arm that triggers a miniature snap action switch. The floats are supplied with jacketed cords, series (piggyback) plugs which eliminates the need for internal wiring in the pump motor. The units can also be supplied without plugs or in various lead lengths. Temperature Range: Up to 140°F (60°C),

	Part No.	Cord Length	Single Phase Electrical Rating	UPC		Quantity	
				777808+	L1	L2	
	Pump Down, Voltage: 120 VAC, Housing: Polypropylene						
	PE-FS10-120E	10'	1/2hp @ 120V	361632		10	
	PE-FS15-120E	15'	1/2hp @ 120V	372577		10	
	PE-FS20-120E	20'	1/2hp @ 120V	372584		10	
	Pump Down, Voltage: 120 VAC, Housing: PVC						
	PE-FS10-120	10'	1/2hp @ 120V	116799		24	
	PE-FS15-120	15'	1/2hp @ 120V	116805		24	
	PE-FS20-120	20'	1/2hp @ 120V	116812		24	
	PE-FS30-120	30'	1/2hp @ 120V	213917		12	
	PE-FS50-120	50'	1/2hp @ 120V	213924		12	
	Pump Up Voltage: 120 VAC, Housing: Polypropylene						
	PE-FS10U-120	10'	1/2hp @ 120V	213931		10	
	PE-FS15U-120	15'	1/2hp @ 120V	213948		10	
	PE-FS20U-120	20'	1/2hp @ 120V	213955		10	
	Pump Up Voltage: 120 VAC, Housing: PVC						
	PE-FS30U-120	30'	1/2hp @ 120V	213962		12	
	PE-FS50U-120	50'	1/2hp @ 120V	213979		12	
	Pump Up Voltage: 240 VAC, Housing: PVC						
	PE-FS10U-240	10'	1hp @ 240V	478224		24	
	Pump Up Voltage: 240 VAC, Housing: PVC						
	PE-FSH10U-240	10'	2hp @ 240V	490028		24	

SUMP & SEWAGE ACCESSORIES

LIQUID LEVEL ALARMS

Plumbeeze Liquid Level Alarms are a multipurpose alarm that can be used in a wide variety of applications such as: cisterns, residential sewage basins, septic tanks, sump basins, holding tanks, pump chambers, water tanks, and any others where detection of high or liquid level conditions is required. They use a low voltage switch circuit and have a battery (not included) backup for temporary protection during power outages. These alarms are for indoor use. Dual rated alarms for either indoor or outdoor use are available. Temperature Range: 0°F to 140°F (-18°C to 60°C)

	Part No.	Cord Length	UPC		Quantity	
			777808+	L1	L2	
	High Liquid Level Alarm , Voltage: 120 VAC					
	PE-HLLA10	10'	460939			
	PE-HLLA20	20'	460946			
	PE-HLLA30	30'	460922		12	
	PE-HLLA50	50'	460953			
	Low Liquid Level Alarm Voltage: 120 VAC					
	PE-LLLA10	10'	460960		4	
	PE-LLLA20	20'	460977		4	
	PE-LLLA30	30'	460984		4	

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com


WATER BOX

Plumbeeze Water Box instantly and economically solves waste water handling problems for laundry tubs, washing machines, wet bars, dehumidifiers or any other waste water storage and pumping applications. It accepts most submersible pumps and is constructed without seams for maximum durability. The bolt down cover allows for easy access for installation or removal of 1-1/4" or 1-1/2" sump pumps.

- 1-1/2" inlet connection is threaded
- 2" Vent Pipe can be installed if necessary

Part No.	UPC	Quantity	
		L1	L2

PE-WB10	238446		
---------	--------	--	--



COMBINATION SWING/CHECK VALVES

Plumbeeze Combination Swing/Check Valves allow for wastewater pumping applications combining both an in-line shut off and back flow prevention. The combination check / ball valve results in a more compact installation than two separate valves. They are ideal for installation, especially where space is limited. The check valves feature an angled seat design, minimizing flow reversal and potentially damaging hydraulic shock (water hammer). Excellent choice for sump, sewage and grinder pump applications. Full port design allows for less friction and easier pumping. They are designed for vertical (solid free liquid applications) and horizontal (solid /semisolid applications) installation. If installing horizontally extra care must be taken to ensure the flow arrow points away from the pump and the check valve body is oriented as per the marking on the valve body HORIZONTAL USE THIS SIDE UP.

- Compatible with schedule 40 & 80 pipe. No Lead, 150 PSI @ 72°F, Primary Material: PVC,

Part No.	Inlet	Outlet	Design	UPC	Quantity	
				777808+	L1	L2
Inlet: Comp, Outlet: Comp						
PE-SCCBV15UQ	1-1/2"	1-1/2"	Quiet	478996	6	
PE-SCCBV20UQ	2"	2"	Quiet	479009	6	



SWING CHECK VALVES

Plumbeeze Swing Check Valves are an excellent choice for sump, sewage and grinder pump applications. The full port design causes less friction and allows for easier pumping. An angled seat provides quiet operation by minimizing water hammer. They are designed for vertical (solid free liquid applications) and horizontal (solid /semisolid applications) installation. If installing horizontally extra care must be taken to ensure the flow arrow points away from the pump and the check valve body is oriented as per the marking on the valve body HORIZONTAL USE THIS SIDE UP.

- Compatible with schedule 4 & 8 pipe.

No Lead, Primary Material: PVC

Part No.	Size	UPC	Quantity	
		777808+	L1	L2
Standard , Comp				
Maximum Working Pressure: 150 PSI @ 72°F				
PE-SPCC1215	1-1/2" or 1-1/4"	456505	12	
PE-SPCC15	1-1/2"	456512	12	
PE-SPCC20	2"	456529	12	
Quiet , Comp				
Maximum Working Pressure: 150 PSI @ 72°F				
PE-SPCC15Q	1-1/2"	478989	12	
PE-SPCC20Q	2"	478972	12	



Other sizes may be available - Contact your inside sales rep for more information.

SUMP PUMP CHECK VALVES

Plumbeeze Sump Pump Check Valves feature a full port valve design. The flapper opens 100% and is seated on a 15° angle to reduce water hammer when the pump shuts off. This also prevents debris from building up or getting caught, ensuring proper seating. No Lead, Temperature Range: Up to 140°F (60°C), Primary Material: ABS



Part No.	Inlet	Outlet	UPC 777808+	Quantity	
				L1	L2
Inlet: MPT, Outlet: Barb or Spigot					
PE-SPC125	1-1/4"	1-1/4" or 1-1/2"	154562	20	
PE-SPC150	1-1/2"	1-1/4" or 1-1/2"	246199	20	
Inlet: MPT, Outlet: Barb					
PE-SPC150-B	1-1/2"	1-1/2"	421725	20	
Inlet: MPT, Outlet: Spigot					
PE-SPC125-S	1-1/4"	1-1/4" or 1-1/2"	277018	20	
PE-SPC150-S	1-1/2"	1-1/4" or 1-1/2"	277025	20	
Inlet: MPT, Outlet: FRC					
PE-SPC125-SRS	1-1/4"	1-1/4" or 1-1/2"	277032	10	
PE-SPC150-SRS	1-1/2"	1-1/4" or 1-1/2"	277049	10	
Inlet: FRC, Outlet: FRC					
PE-SPC125-150	1-1/4" or 1-1/2"	1-1/4" or 1-1/2"	263936	10	600
PE-SPC125SB	1-1/4"	1-1/4"	277117	10	
PE-SPC150SB	1-1/2"	1-1/2"	277124	10	

SUMP & SEWAGE ACCESSORIES

SUMP & SEWAGE CHECK VALVE

Plumbeeze Sump & Sewage Check Valve feature a full port valve design. The flapper opens 100% and is seated on a 15° angle to reduce water hammer when the pump shuts off. This also prevents debris from building up or getting caught, ensuring proper seating. This check valve features a blow out proof nylon reinforced gasket design. No Lead,

- Completely assembled with flexible rubber couplings on both inlet & outlet.
- 4 all stainless steel clamps provided

Temperature Range: Up to 140°F (60°C), Primary Material: ABS



Part No.	Inlet	Outlet	Design	UPC 777808+	Quantity	
					L1	L2
Inlet: FRC, Outlet: FRC						
PE-SPC200SB	2"	2"	Standard	268092	12	528

SUMP PUMP DISCHARGE KITS

Plumbeeze Sump Pump Discharge Kits includes 24 ft. of corrugated polyethylene sump pump tubing, plastic adapter(s) and one clamp 31 stainless band and housing - carbon steel screw. There are cutting pads at 6 ft. intervals for special applications. No Lead, 1-1/4" Adapter & 1-1/4" x 1-1/2" Adapter



Part No.	Size	Tube Length	UPC 777808+	Quantity	
				L1	L2
PE-SPDK	1-1/4"	24'	507788	8	72

Other sizes may be available - Contact your inside sales rep for more information.



Toll Free: 1-888-838-8801 plumbeeze.com

SUMP & SEWAGE
ACCESSORIES

Other sizes may be available - Contact your inside sales rep for more information.

SUMMIT BRAND PRODUCTS



THIS SECTION IS CANADA ONLY

CHEMICAL PRODUCTS

Summit brand offers a range of products for cleaning and treatment purposes.

Part No.

Quantity
L1 L2



Iron Out Powder

- All purpose rust & stain remover
- Cleans toilets, sinks, tubs, white clothes
- Removes iron, rust and other contaminants from water conditioning equipment
- Removes iron deposits and foreign matter from the beads of resin
- Keeps mineral bed free from rust and foreign matter

25-IO76	4 Lbs.	6	288
25-IO28	28 oz.	6	696



Super Iron Out Liquid

- Quickly and easily removes the toughest rust stains from most surfaces
- Ready to use multi-purpose liquid comes in an easy to use trigger spray
- Great for cleaning bath, shower, toilets, colorfast fabrics, vertical surfaces and hard to reach places
- Non Abrasive, Non Hydrofluoric Acid based formula is safer than other Liquid Rust Stain Removers

25-IOL	470 ml.	6	612
--------	---------	---	-----



Automatic Toilet Bowl Cleaner

- Repels rust & hard water stains with every flush
- Three (3) tablets per package (each tablet will last 30 days)
- Safe for plumbing and septic tanks

25-TB	2 Tablets	12	2160
-------	-----------	----	------



Lime Out Bath & Kitchen Cleaner

- Tough cleaning action eliminating scrubbing
- Tough on lime, rust, soap, hard water deposits
- Flip Top bottle
- Biodegradable; contains no phosphates or abrasives
- Cleans toilets, tubs, sinks, dishwashers, showers and more
- Cleans & deodorizes chrome, stainless steel, tile and fibreglass
- Nearly twice the active ingredients of most competitive brands

25-LO24	24 oz.	6	648
---------	--------	---	-----



White Brite

- Use with your regular detergent
- Safer on fabrics than bleach
- A unique laundry additive and booster designed to remove dinginess, yellowing, and rust stains caused by ageing and hard water
- Use regularly to keep your whites their brightest and to prevent discolouring or rust buildup in your washing machine
- Removes or lightens transferred dyes and colour runs caused when whites and colours are washed together

25-WB30	28 oz.	6	696
---------	--------	---	-----



Home Dry Cleaner

- Ready to wear in 20 Minutes
- No Shrinking, No Stretching, No Fading
- Safe for your favourite fabrics including acetate, cashmere, cotton, linen, ramie, synthetics, wool etc.
- Removes odours, body oils and stains.
- One pack cleans up to 24 garments

25-WDCS	6 Cloths	4	
---------	----------	---	--



Dishwasher Cleaner

- Safely and effectively removes lime scale, iron, soap scum, grease and food stains that build up inside the dishwasher
- Recommended usage: once a month to ensure optimal cleaning and prevent build-up

25-DW	354 ml.	6	1800
-------	---------	---	------

Other sizes may be available - Contact your inside sales rep for more information.



THIS SECTION IS CANADA ONLY



Toll Free: 1-888-838-8801 plumbeeze.com

CHEMICAL PRODUCTS

Part No. Quantity
L1 L2



Washing Machine Cleaner

- The "Original" Washing Machine Cleaner
- Remove Odour-Causing Residue
- Easy to Use, Liquid Formula Leaves No Gunk or Grime Behind
- Works in All Washers including HE
- Maintains Machine Performance
- Reduces Abrasive Build-Up Harmful to Clothes

25-WM12	12 fl oz.	6	1800
---------	-----------	---	------



SeptoBac Septic Treatment

- Organic formula with natural ingredients
- Effective formula accelerates the digestion of difficult septic waste such as paper, wipes, cleaning and laundry chemicals, oils and grease
- Safe for all septic systems and holding tanks including RV's, Boats, Composts, Cesspools, Chemical Toilets, and Outside Toilets


25-SB-3M	3 Monthly Applications	6	1968
25-SB8	8 Weekly Applications	6	840
25-SBL-3M	32 fl oz. (3 Monthly Applications)	6	600

CHEMICAL PRODUCTS



Other sizes may be available - Contact your inside sales rep for more information.

THIS SECTION IS CANADA ONLY



PLUMB™
EEZE